

Behavior Letter Wizard

Last Modified on 10/22/2022 9:42 am CDT

[Create a New Behavior Letter](#) | [Preferred Language Setup](#) | [Trigger Criteria Scenarios](#) | [Edit Saved Letters](#) | [Delete Saved Letters](#) | [Print Behavior Letters](#)


Classic View: [Behavior > Behavior Letter Wizard](#)

Search Terms: [Behavior Letter Wizard](#)

The Behavior Letter Wizard allows schools and districts to create disciplinary letters which populate student data based on predefined event trigger criteria. Users are able to initially create a behavior letter and then generate that letter each time they want to pull student data for the defined criteria.

Different letter formats can be created for any combination of events and resolutions. Users can create letters for an effective date or a date range. Sort options are provided for desired printing options, either by student name or by mailing address zip code (for bulk mail rates). Created letters are saved and can be used as many times as desired

When entering the Effective Date to generate letters, the entered date is associated with the date on which the behavior incident occurred, not the date of a behavior resolution.



Create a New Behavior Letter

[Enter Trigger Criteria](#) | [Enter Report Options](#) | [Insert Campus Fields and Sub-Reports](#) | [Enter Letter Content](#)

Click the **New** button located below the **Saved Letters** window. This displays the **Trigger Criteria and Report Options** page.

Behavior letters look for multiple incidents, multiple events and multiple resolutions associated with a student.

Enter Trigger Criteria

When modifying existing trigger criteria, inactive Event and Resolution Types are indicated as such, with the Start and End Date of the type in parenthesis. Types that apply to a specific school appear with "(Only for XX School use)".

1. Enter the **Letter Name**. This is the name which appears within the **Saved Letters** window and describes the nature of the report being created.
2. Select either **Incident** or **Resolution** in the **Apply Date Selection To** area. This allows users to search for behavior events when only the event or resolution date is known. This appears within the **Saved Letters** window, informing the user to which date the letter applies.
3. Click the **Add Criteria** button, then select the **Event** trigger criteria from the dropdown list. This is the behavior event a student may need to be given to potentially populate the letter. Selecting Any Event includes all behavior events which meet the criteria and date range entered. Up to 99 behavior events/resolutions can be added to the letter wizard editor.

The Behavior Letter Wizard accepts Event Types containing the only following special characters: ? < > . : ; ? | * % @ # ! \$ ^ () - _ + = " ". Attempting to generate a behavior letter containing an Event Type with an "&" character produces an error.

4. Select the **Resolution** trigger criteria from the dropdown list. This is the behavior resolution a student needs to be given to potentially populate the letter.
 - Selecting **Any Resolution** includes all behavior resolutions, including unresolved events, which meet the criteria and date range entered.
 - Selecting **Unresolved Resolution** reports the Events that have not been assigned Resolutions.
5. Select the **Role** trigger criteria from the dropdown list. Only students with this role assigned will potentially populate the letter depending on the criteria and date range entered.
6. Enter the **Event Count**. This field only counts events matching the given trigger criteria. This is the number of times a student must have the specified behavior event, resolution and role combination occur from the start of the calendar year to the effective date, or last day of the date range. This field defaults to any count if left blank. Entries in this field should be numeric only. A warning message appears if the entered value is not numeric.
7. Add additional trigger criteria by selecting the **Add Criteria** button.

Event, Resolution and Role criteria are **JOINED** using **AND** to increment the count. Multiple criteria rows are joined using **OR**.

Behavior Letter Wizard

This wizard will walk you through the creation of a behavior query and a letter format. You can print an existing letter for a given effective date or for a date range. If an effective date is used, a letter will be generated for each student that meets any of the trigger criteria with a behavior incident on the effective date. If a date range is used, a letter will be triggered for each student that meets or exceeds any of the trigger criteria with a behavior incident within the date range.

Enter the trigger criteria for the Letter

*Letter Name

Apply Date Selection To:
 Incident
 Resolution

Event	Resolution	Role	Event Count (Blank means any)
<input checked="" type="checkbox"/> Any Event	AND <input type="text" value="Detention (INACTIVE 02/22/2000 - undefined)"/>	AND <input type="text" value="Any Role"/>	<input type="text" value=""/>

Report Options
 The following options apply when including the Discipline Summary Sub-Report in the letter.

Show the following behavior events in the Discipline Summary:

All incidents matching the criteria from the beginning of the school year through the date selected when the letter is printed

Show triggering event only

All incidents of any type from the beginning of the school year through the date selected when the letter is printed

Behavior Letter Wizard Trigger Criteria

See the [Trigger Criteria Scenarios](#) for what letters report based on the criteria selected in this editor.

Enter Report Options

- Select what events are pulled into the Discipline Summary Report. Below is a summary of each option:
 - All incidents matching the criteria from the beginning of the school year through the date selected when the letter is printed** - This pulls all events of the type selected with the resolution and role specified from the beginning of the calendar year to the last day in the date range entered.
 - Show triggering event only** - This only displays events which triggered the count date criteria to be met.
 - All incidents of any type from the beginning of the school through the date selected when the letter is printed** - This displays all behavior events that occurred from the beginning of the calendar year to the effective date entered or last day within the date range entered.
- Select which information to include within the **Discipline Summary** Report by marking the appropriate checkboxes. Only information marked within this area displays within the Discipline Summary Report.
 - Show Role** - Shows the role (participation) of the student within the event.
 - Show Context** - Prints the selected context as entered on the Incident.
 - Show Participant Details** - Prints details entered for the Participant in an Event.

- **Show Demerits** - Lists the demerits entered on the behavior event.
 - **Show Referral Name** - Prints the name of the person who submitted the Incident.
 - **Show Resolution Details** - Prints details entered for a Resolution in an Event.
 - **Show Location** - Prints the selection location as entered on the Incident.
 - **Show Incident Details** - Prints details entered on the Incident.
 - **Show Classification Details** - Prints the classification of the behavior event, if one is selected (Harassment, Drugs, Weapons, etc.).
3. Select which information to include in the Behavior Summary Report by marking the appropriate checkboxes. Only information marked within this area displays within the Behavior Summary Report.
- **Show Behavior Incident** - Prints the incidents that triggered the behavior letter.
 - **Show Behavior Harassment** - Indicates if the incident was labeled as harassment.
 - **Show Behavior Response** - Prints the behavior response associated with the event.
 - **Show Behavior Event** - Prints the behavior event.
 - **Show Behavior Drugs** - Prints any record of Drugs associated with the event.
 - **Show Behavior Resolution** - Prints details entered for a Resolution in an Event.
 - **Show Behavior Role** - Shows the role (participation) of the student within the event.
 - **Show Behavior Weapons** - Prints any record of weapons associated with the event.
 - **Show Behavior Detention** - Prints the assigned detention information.
 - **Show Custom Behavior Fields** - Prints any localized behavior event, behavior resolution, or behavior response information.
4. When finished, select the **Letter Format** button. Users are redirected to a new editor where writing of the letter can begin.

Enter the trigger criteria for the Letter

*Letter Name
Behavior Summary/Discipline Summary

Apply Date Selection To:
 Incident
 Resolution

Event Resolution Role Event Count (Blank means any)
 Any Event AND Any Resolution AND Any Role

Add Criteria

Report Options
 The following options apply when including the Discipline Summary Sub-Report in the letter.

Show the following behavior events in the Discipline Summary:

All incidents matching the criteria from the beginning of the school year through the date selected when the letter is printed
 Show triggering event only
 All incidents of any type from the beginning of the school year through the date selected when the letter is printed

Display the following information in the Discipline Summary:

<input checked="" type="checkbox"/> Show Role	<input checked="" type="checkbox"/> Show Demerits	<input checked="" type="checkbox"/> Show Location
<input checked="" type="checkbox"/> Show Context	<input checked="" type="checkbox"/> Show Referral Name	<input checked="" type="checkbox"/> Show Incident Details
<input checked="" type="checkbox"/> Show Participant Details	<input checked="" type="checkbox"/> Show Resolution Details	<input checked="" type="checkbox"/> Show Classification Details

Display the following information in the Behavior Summary:

<input checked="" type="checkbox"/> Show Behavior Incident	<input checked="" type="checkbox"/> Show Behavior Event	<input checked="" type="checkbox"/> Show Behavior Role
<input checked="" type="checkbox"/> Show Behavior Harassment	<input checked="" type="checkbox"/> Show Behavior Drugs	<input checked="" type="checkbox"/> Show Behavior Weapons
<input checked="" type="checkbox"/> Show Behavior Response	<input checked="" type="checkbox"/> Show Behavior Resolution	<input checked="" type="checkbox"/> Show Behavior Detention
<input checked="" type="checkbox"/> Show Custom Behavior Fields		

Behavior Letter Report Options

Insert Campus Fields and Sub-Reports


To maximize efficiency and allow for the letter to adapt to reporting the same message uniquely for each student receiving a letter, Using **Campus Fields** and **Campus Sub-Reports** in letters allows the reports to dynamically pull and display specific student data for each student within the generated letter.

Users who wanted to have each person's first name appear within the letter would select the Campus Field icon and insert first name by selecting Demographics > firstName. By inserting firstName, each individual letter will have the person's name populate where the campus field was placed. This concept can be applied to a variety of Campus data and can greatly improve efficiency when printing letters for a large group of users.

Campus Field Options

To include Campus fields within a letter, select the small icon on the right-hand side of the text format bar.


Once the Campus field options icon is selected, users are presented with the Campus Field Properties editor. Much like other Ad hoc field editors, users are able to select Campus fields related to student data.



Insert Campus Fields

When adding Custom Attributes to letters, [Custom Attributes](#) cannot contain special characters.

To insert Campus fields within the letter, select the field from the Campus Field Properties editor. The selected field appears within a dotted blue-lined box in the text field.



In the example above, a student's first name and last name are pulled into the report. Every time this report is generated, each student being reported pulls their unique data for these fields into the letter.

Campus Sub-Report Options


Campus Sub-reports can also be included within the letter. For the purpose of utilizing previously established Discipline Summary options as well as including the most relevant behavior information, users are encouraged to only include the Discipline Summary Sub-report within the letter. This can be done by clicking the Campus Sub-report icon and selecting Behavior > Discipline Summary.

Fields displaying in red text have been deactivated. Use the [Element Replacement](#) tool to update ad hoc filters with new fields.

There are two Behavior Sub-reports available:

- Discipline Summary
- Behavior Summary

In order to report accurate behavior information in the behavior letters, multiple sub-reports should NOT be included in the same letter.



Behavior Letter Sub-Report Options

Sub-Report Options

The following table lists the sub-report options for each area.

Area	Sub-Reports
Learner	Student Schedule Active and Dropped Student Sch
Learner Planning	Course Requests Course Plan
Attendance	Period Mark Summary Course Mark Summary Whole/Half Day Summary Exact Day Summary Single Day Count Summary

Area	Sub-Reports
Grading	Grade Detail Term GPA Summary
Behavior	Discipline Summary Behavior Summary
Student Portfolio	Cumulative GPA and Class Rank
Health	Immunization Health Screening Concussion Health Screening Dental Health Screening Hearing Health Screening Scoliosis Health Screening Vision
Point of Sale	POS Account Balance

When using sub-reports in letters, please note the following:

- All behavior data is included when adding either of the sub-reports.
- A field only displays if there is data for that field. If a field is chosen from the sub-report but there is no saved data for that student, information for that field does not display.
- A sub-report option only displays if the district/school records that data

Information in the letter sub-reports uses data stored in the AttendanceDayAggregation table. This means that attendance data for the current date is accurate as of the previous night's attendance calculation, or the last time the Attendance Aggregation Refresh was run. If needed, the [Attendance Aggregation Refresh](#) tool can be run to force an attendance recalculation to pull in the current day's data.

Enter Letter Content

1. Ensure the letter **Name** is correct. This field auto-populates with the name entered in the previous editor.
2. Begin writing the letter within the text box. Add any desired formatting options using the WYSIWYG editor.
3. Select the appropriate **Campus Fields** to include in the letter.
4. Select the appropriate **Campus Sub-reports** to include in the letter. Users are encouraged to select the **Discipline Summary** report to include the most relevant behavior information and utilize previously established options. The **Event List** and **Resolution List** in the Behavior node lists all events or resolutions that meet the selected criteria.
5. Select a user group from the **Organized To** dropdown list. Only users included within the user group selected will have rights to view and use the letter. If the User Account option is selected, only the user creating the letter will have rights to view and use the letter.
6. Once all writing is complete, all Campus fields have been inserted into the letter and the

Discipline Summary has been included (if desired), select the **Save Format** button. The screen flashes telling the user the letter has been saved. The completed letter remains open to make additional modifications if needed. To access and print the newly saved letter, select Behavior Letter Wizard from the Campus Outline.

Inserting an Image into a Letter

Images in any of the approved formats can be added to letters. If you have trouble with a .JPEG image in FOP, try opening it with an image processing program (such as Photoshop or Gimp) and then save it. Specifying 24-bit color output may also help.

For the PDF and PostScript renderers, most .JPEG images can be passed through without decompression. Grayscale, RGB, and CMYK color spaces render properly; however, for other output formats, the .JPEG images have to be decompressed.

Refer to the [WYSIWYG Editors](#) article for more information.

Preferred Language Setup

[Step 1. Enter the Preferred Language Default Value](#) | [Step 2. Add Language To Attribute/Dictionary](#) | [Step 3. Assign Preferred Language to Parent/Guardian](#) | [Step 4. Create the Letter in the Default Language](#) | [Step 5. Create the Letter in Additional Languages](#) | [Step 6. Send the Letters](#)

This format screen allows the input of the actual body of a letter. Letters can be created in several languages (see the Preferred Language Letter Setup section below). A school can create an Attendance letter in however many languages are needed, but it must first be entered in the selected Default Value.

Infinite Campus does not provide translation services .

Districts must use their own resources when creating communication to parents/guardians, students, staff, etc. in another language.

Letters must exist in the assigned default language (see Step 1). Text can be entered for additional languages, as needed for the district's population. Two things must be done:

- A language must exist in the Attribute/Dictionary and be marked active in the [Attribute/Dictionary tool](#).
- A language must be assigned as the Preferred Language on the Personal Contact Information editor on the [Demographics](#) tab.


Existing language codes should not be modified. Access to letters is lost until the original code is recreated. If that language code is assigned to any person, that assignment is lost as well.

Step 1. Enter the Preferred Language Default Value

PATH: *System Administration > Custom > Attribute/Dictionary*

Enter the desired **Default Value** for the Preferred Language. This value is used to show the Default Language Preview when creating letters in other languages, and if no Preferred Language has been assigned to an individual (Step 3), letters generate in this default language.

1. Expand the **Contact** object.
2. Click on **Preferred Language** element. A **Campus Attribute Detail** editor displays.
3. Enter the appropriate **Default Value**. This could be en_US, es_MX, or another abbreviation that matches the Code assigned to the Languages entered in the Dictionary list. The entered value must match the Dictionary Code for that language.



Step 2. Add Language To Attribute/Dictionary

PATH: *System Administration > Custom > Attribute/Dictionary*

Languages available here are used in the Preferred Language Selector and control the list of languages.

1. Expand the **Preferred Language** attribute and select **Dictionary**. A **Preferred Language**

Dictionary Detail editor displays.


2. Click the **Add Row** button in the far right corner of the Detail editor.
3. Enter a **Code**, **Name** and **Sequence** for the language.
4. Mark the language as **Active**.
5. To add more languages, click the **Add Row** in the right hand corner, and repeat steps 3 and 4.
6. Click the **Save** icon when finished.

The Language Code can be up to 15 characters in length.

Code	Name	Seq	Value	Standard Code	Active
en_US	English (US)	1			X
es_MX	Spanish (Mexico)	2			X
ru_RS	Russian	3			X
so_SM	Somali	4			X

Attribute Dictionary - Preferred Language

Any language can be added or removed. **But the language entered as the Default Value MUST remain.** As the default preferred language, it is the assumed language when an individual does not have a Preferred Language assigned. Letters do not generate at all if this language is removed. The Code entered in the Dictionary must match the Default Value.



Step 3. Assign Preferred Language to Parent/Guardian

PATH: *Census > People > Demographics > Personal Contact Information*

Assign the **Preferred Language** to the parent/guardian who receives an attendance letter. This field can be assigned to all persons in Campus, as well. It's used to send other sorts of messages to parents/guardians, staff and students.

Parents/guardians can also select the Preferred Contact Language on the Contact Preferences editor in the Campus Portal.

Demographics | Identities | Households | Relationships | Enrollments | FS Deposit | Sch

Save | Delete | Person Summary Report | Demographics Data

Personal Contact Information

Contact Information	Private	Messenger Preferences Contact Reasons					
		Emergency	Attendance	Behavior Messenger	General	Priority	Teacher
Email:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Secondary Email:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cell Phone:	<input type="checkbox"/>						
Other Phone:	<input type="checkbox"/>						
Work Phone:	<input type="checkbox"/>						
Pager:	<input type="checkbox"/>						


Preferred Language

- en_US: English (US)
- en_US: English (US)
- es_MX: Spanish (Mexico)
- ru_RS: Russian
- so_SM: Somali

Preferred Language Assignment

Step 4. Create the Letter in the Default Language

Create the letter in the Default Language.




Preferred Language Display

Default Language: English

In the following example, **en_US: US English** is the Default Language. The Attribute/Dictionary has been entered as follows:

- Preferred Language Default Value: en_US
- Preferred Language Dictionary Value Code: en_US


When the same letter is created in another language, the English version displays as the Preview.




Default Language: es_MX

In the following example, **es_MX: Spanish (Mexico)** is the Default Language. The Attribute/Dictionary has been entered as follows:

- Preferred Language Default Value: es_MX
- Preferred Language Dictionary Value Code: es_MX



When the same letter is created in another language, the Spanish version displays as the Preview.




Preferred Language in Spanish Letter Preview

When finished, choose the applicable **Organized To:** option and click the **Save Format** button. Follow your district's standard procedure to print and generate attendance letters. Letters in English and letters in non-English generate in the same collection of letters. When a parent/guardian is assigned a Preferred Contact Language that is not English, the letter prints in that language.

Step 5. Create the Letter in Additional Languages

After creating the letter in the Default Language, enter text for this same letter in a different language by selecting the language in the Preferred Language list and type/paste translated text into the WYSIWYG editor. That language becomes bold, and an Active checkbox becomes available. A language version of the letter is only a draft until the Active checkbox is marked.

When it is determined that the draft letter can be sent, mark the Active checkbox, indicating the letter is now ready to print for those individuals assigned that Preferred Language.



Repeat these steps for the other languages in which letters need to be available.

Please adhere to any district policy that may exist for what needs to be included in the letters.

Step 6. Send the Letters

A letter is sent for each distinct Preferred Language associated with the parents/guardians in the household marked to receive mailings. In the example below, one of the student's guardians receives a letter in Spanish, because that is the Preferred Contact Language for that guardian, and another of the student's guardians at a different mailing address receives the same letter in English. If there are two parent/guardians in the household assigned the same Preferred Language, one letter generates for the household.

Parent/Guardian of: Student, Andrew
550 NORTH DRIVE
ANY TOWN, MN 55555

Hola,

Esta carta es para informarle que Andrew ha perdido 5 o más días escolares en lo que va de año. Según la política del distrito, debe reunirse con el Decano de Estudiantes cuando su estudiante alcance este nivel de ausentismo.

Nuestro objetivo en Infinite Campus es la correlación entre la buena asistencia y el éxito del estudiante. Cuando el estudiante pierde la escuela, sin embargo, la asistencia afecta el éxito del estudiante.

Por favor, póngase en contacto con la oficina de Sr. Johnson.

Parent/Guardian of: Student, Andrew
2520 RANNOT AVE N
ANY TOWN, MN 55555

Hello,

This letter is to inform you that Andrew has missed 5 or more school days so far this year. Per district policy, you must be meet with the Dean of Students when your student reaches this level of absenteeism.

Our goal at Infinite Campus is to ensure that all our students are successful. Because the correlation between good attendance and achievement in school is quite strong, we are concerned when a student misses school; yet we do understand that occasionally circumstances arise that cause an absence.

Please contact the High School office at 483-555-1873 to schedule an appointment with Mr. Johnson.

Thank you,

District Office

Letters in Multiple Languages

There may be certain foreign language characters that don't line up properly with other text when using the Campus Fields or when fonts are mixed (like using phone numbers alongside non-English characters). Try adding additional returns between lines.

Trigger Criteria Scenarios

Scenario	Outcome
Any Event Any Resolution Any Role	Generates a letter for each Event.
Event (A) Any Resolution Any Role	Generates a letter for each Event where the Event Type is (A).
Any Event Resolution (B) Any Role	Generates a letter for each Event with a Resolution where the Resolution Type is (B).
Any Event Any Resolution Role (C)	Generates a letter for each Event that includes a Role of (C).
Event (A) Resolution (B) Any Role	Generates a letter for each Event with a Resolution where the Resolution Type is (B) and that Resolution is tied to an Event with an Event Type of (A).
Any Event Resolution (B) Role (C)	Generates a letter for each Event where a participant with Role (C) is assigned a Resolution with a Resolution Type of (B).


Scenario	Outcome
Event (A) Any Resolution Role (C)	Generates a letter for each Event with an Event Type of (A) where a participant has a Role of (C).
Event (A) Resolution (B) Role (C)	Generates a letter for each Event with an Event Type of (A) where a Participant has a Role of (C) and that Participant was assigned a Resolution with a Resolution Type of (B).
Any Event Any Resolution Any Role Event Count (X)	Generates a letter for each Participant who was involved in (X) number of Events.
Event (A) Any Resolution Any Role Event Count (X)	Generates a letter for each Event with an Event Type of (A) that includes a Participant who was involved in (X) number of Events.
Any Event Resolution (B) Any Role Event Count (X)	Generates a letter for each Event that is assigned a Resolution with a Resolution Type of (B) that includes a Participant who was involved in (X) number of Events with that Resolution.
Any Event Any Resolution Role (C) Event Count (X)	Generates a letter for each Event where a Participant has a Role of (C) and that Participant has a Role of (C) in (X) number of Events.
Event (A) Resolution (B) Any Role Event Count (X)	Generates a letter for each Event with an Event Type of (A) assigned a Resolution with a Resolution Type of (B) that includes a Participant who was involved in (X) number of that Event and Resolution combination.
Any Event Resolution (B) Role (C) Event Count (X)	Generates a letter for each Event involving a Participant with a Role of (C) who was assigned a Resolution with a Resolution Type of (B) when that Participant has (X) number of of Events with that Role and Resolution combination.
Event (A) Any Resolution Role (C) Event Count (X)	Generates a letter for each Event with an Event Type of (A) involving a Participant with a Role of (C) when that Participant has been involved in (X) number of that (A) Events in Role (C).

Scenario	Outcome
Event (A) Resolution (B) Role (C) Event Count (X)	Generates a letter for each Event with an Event Type of (A) involving a Participant with a Role of (C) who was assigned a Resolution with a Resolution Type of (B).
Any Event Unresolved Resolution Any Role	Generates a letter for each Event that does not have a Resolution assigned.
Event (A) Unresolved Resolution Any Role	Generates a letter for each Event with an Event Type of (A) that does not have a Resolution assigned.
Any Event Unresolved Resolution Role (C)	Generates a letter for each Event involving a Participant with a Role of (C) that does not have a Resolution assigned.
Event (A) Unresolved Resolution Role (C)	Generates a letter for each Event with an Event Type of (A) involving a Participant with a Role of (C) that does not have a Resolution assigned.
Any Event Unresolved Resolution Any Role Event Count (X)	Generates a letter for each Participant with (X) number of Events that do not have Resolutions assigned.
Event (A) Unresolved Resolution Any Role Event Count (X)	Generates a letter for each Event with an Event Type of (A) that includes a Participant who was involved in (X) number of (A) Events, none of which have a Resolution assigned.
Any Event Unresolved Resolution Any Role Event Count (X)	Generates a letter for each Event where a Participant with a Role of (C) was involved in (X) number of Events, none of which have a Resolution assigned.
Event (A) Unresolved Resolution Role (C) Event Count (X)	Generates a letter for each Event with an Event Type of (A) where a Participant with a Role of (C) was involved in (X) number of (A) Events, none of which have a Resolution assigned.

Edit Saved Letters

Users have the option of editing saved behavior letters. This is a useful option when making slight modifications, updates or additions to existing letters.


1. Select the letter from the **Saved Letters** window. The selected letter is highlighted.
2. Select the **Edit** button. Users are redirected to the trigger criteria and report options editors for modification.
3. Once finished making modifications, select the **Letter Format** button. Users are redirected to the letter editor.
4. Make all appropriate modifications to the body of the letter and select the **Save Format** button when finished. The behavior letter is now saved with all edits made.



Delete Saved Letters

Users have the ability to delete saved behavior letters. This is useful for deleting unused letters and general maintenance of the saved behavior letter list.

1. Select a behavior letter from the **Saved Letters** window. The selected letter is highlighted.
2. Select the **Delete** button. Users receive a warning message asking whether they wish to delete the report design. Select **OK** to delete the letter.
3. The **Saved Letters** window updates and the deleted behavior letter is removed from the system.




Print Behavior Letters

If the Discipline Summary sub-report is included in a selected letter and letters are being generated for a date range, Event criteria is ignored. All events with the selected resolution print.

1. Select a letter from the **Saved Letters** window. The selected letter is highlighted in blue.
2. Select whether to generate data for the report based on the **Effective Date** or **Date Range**. Description for each option is as follows:
 - **Effective Date** - A letter generates for each student who met or exceeded the trigger count for the specified criteria on this day. This date is associated to the date of the behavior incident or the start date of the behavior resolution.
 - **Date Range** - A letter generates for each student who met or exceeded the trigger count during the date range entered. This includes the first and last day of the range.
3. Select whether to sort generated letters by **Student Name** or **Zip**.
4. Select a Letter Format. Selecting the **Addressed Form Letter** radio button makes the **Salutation Line** field available. Letters generated with this option selected formats in a mailing letter style, where address information is placed to fit a standard window envelope. Any salutation written within the **Salutation Line** field is included at the beginning of the address viewable within the envelope window. Letters generated using the **Blank Form Letter** format appear as a more standard letter, with no formatting used for direct mailing purposes.
5. Select an **Ad hoc Filter** from the dropdown list (if desired). Ad hoc filters can be created by

going to Ad hoc Reporting Filter Designer.

6. Select the **Print Letters** button. Generated letters appear in a separate window in PDF format.



This wizard will walk you through the creation of a behavior query and a letter format. You can print an existing letter for a given effective date or for a date range. If an existing letter is generated for each student that meets any of the trigger criteria with a behavior incident on the effective date. If a date range is used, a letter will be triggered for each student that meets the trigger criteria with a behavior incident within the date range.

Saved Letters

Letter Name	Date Applies To
Case 194026	Event
MG test	Event
Discipline - DELETE	
Detention	Incident
In School Suspension Agre	Incident
In School Suspension Noti	Incident
Notification of Extended	Incident
Probation Notice	Incident
Reprimand	Incident
Suspension 2	Incident

Generate Letters For:

Effective Date: 06/15/2012

Date Range:

Sort Option: Student Name Zip

Letter Format: Addressed Form Letter Blank Form Letter

Salutation Line: To Parent/Guardian of.

Ad Hoc Filter:

Print Letters

Behavior Letter Wizard - Print Letters

High School
4321 109th Ave NE
Any Town, MN 55555

Report generated:
03/05/2018

Student #194
Grade: 11
Birthdate: 02/26/2001

To Parent/Guardian of:
Student, Cora
123 45th Street
Any Town, MN 55555

It has come to our attention that Cora has had some difficulties while riding the bus. It is important that all students understand that safety on the bus is a primary concern, and a major part of providing a safe and orderly environment depends on the behavior of all riders. Information from the bus referral recently received concerning, Cora's inappropriate behavior is listed below:

DISRUPTIVE

Incident Date: 09/05/2017

Incident Details: Dean of Students was alerted of a possible fight instigated by student. Dean of Students spoke with student and also discussed the school policy for fighting.

Event: DISRUPTIVE

Resolution: Educational Intervention

Resolution Assign Date: 09/05/2017

Resolution Start Date: 09/05/2017

Resolution End Date:

Any additional referrals may result in suspension from bus ridership. According to state law (RSA 189:9a)"...the superintendent, or his representative as designated in writing, is authorized to suspend the right of pupils from riding in a school bus when said pupils fail to conform to the reasonable rules and regulations as may be promulgated by the school board.", and (RSA 189:9a,1)"...the parent or guardian of that pupil has a right of appeal within 10 days of suspension to the authority that suspended this pupil's right" and (RSA189:9a II) "Until the appeal is heard, or if the suspension of pupil's right to ride the school bus is upheld, it shall be the parents' or guardians' responsibility to provide transportation to and from school for that pupil for the period of the suspension."

Please discuss this report with your child. We need your help to stress just how important it is to display appropriate bus behavior. Thank you for your cooperation in this very important matter.

If you would like to further discuss this issue, please contact me.

Sincerely,

Principal

Behavior Letter - Addressed Form Letter Format

The letter example above was generated using the following options:

- Apply Date Selection to Incident
- Any Event, Any Resolution, Any Role
- Show Triggering event only
- Displays the following in the Discipline Summary: Show Resolution Details, Show Incident Details

- No options chosen for Display the following information in the Behavior Summary.

For students who do not have a mailing address, a letter still generates for them. Like in the Preview of the attendance letters, the student's name is listed on the summary of who receives a letter, but instead of an address, the words NO MAILING ADDRESS displays where the address would otherwise display. Letters print for the student with the same NO MAILING ADDRESS indication.

High School
4321 Campus Way
Any Town, MN 55555
(612) 555-1234

Report generated:
09/21/2018

Student # 123456
Grade: 10
Birthdate: 06/10/2003

Parent/Guardian of: Student, Carly
NO MAILING ADDRESS

No Mailing Address Display on Letter Print

No Mailing Address is determined by the Mailing checkbox marked on the Household associated with the Address.

Save
Delete
Find New Household

Address Location Editor

Household	Start Date	End Date	Mailing	Secondary	Private	Physical
Household, Larry	08/24/2017					
Household, Monica	08/20/2012	08/23/2017	X			

Address Location Detail

Household
Household, Larry

Start Date: 08/24/2017 End Date:

Mailing

Secondary

Private

Physical

- Modified by: Administrator, System 09/21/2018 13:11

Address Location Detail - Mailing Checkbox