

Email Settings

Last Modified on 10/22/2022 9:46 am CDT

Tool Rights | SMTP Server Configuration | Mailgun Configuration

Classic View: System Administration> Messenger > Messenger Preferences > Email Settings

Search Terms: Email Settings

The **Email Settings** tab allows a user to configure general settings for email messages. The initial setup of this tab should be completed before email messaging is attempted.

Email Settings ☆	
Communication > Messenger Settir	igs > Email Settings
Save	
Basic Settings	
*Default Sender Email Address	district@districtexample.com
*SMTP Host	smtp.infinitecampus.com
SMTP Port	(leave blank to use default port)
SMTP Timeout	30 seconds V
Use Authentication	
Username	
Password	
Verify Password	
Use TLS	
Advanced Settings	
Minutes Between Retries	10 🗸
Max Errors Before Cancel	0 •
Throttle Email Messages	emails per second (leave blank to not throttle)
Email Attachment Settings Allow Email Attachments	
Limit Email Attachment File Size	MB
Global Email Settings Use Sender's Email from Census as R	eply To Email Address 🔽
Allow Custom Reply To Email Address	
Allow Custom Sender Display Name	
Require Custom Sender Display Name	
Test Email Settings Configuration	
Send Test Email	test@example.com
	Email Sattings

Tool Rights

PATH: System Administration > User Security > Users > Tool Rights

Users must have at least A(dd) tool rights in order to configure Email Settings.



Email Settings Tool Rights

Infinite Campus

SMTP Server Configuration

The sections below will describe how to configure your email depending on whether or not you will use TLS encryption:

- Non-TLS Configuration
- TLS Configuration
- Field Descriptions (SMTP)

Non-TLS Configuration

To configure the Email Settings for email messaging from an internal school/district server, or other email service that does not use TLS encryption:

Basic Settings	
*Default Sender Email Address	district@districtexample.com
*SMTP Host	smtp.infinitecampus.com
SMTP Port	(leave blank to use default port)
SMTP Timeout	30 seconds V
Use Authentication	
Username	
Password	
Verify Password	
Use TLS	
Advanced Settings	
Minutes Between Retries	(<u>10</u> v)
Max Errors Before Cancel	0 v
Throttle Email Messages	emails per second (leave blank to not throttle)
Email Attachment Settings Allow Email Attachments	
Allow Email Attachments	
Global Email Settings	
Use Sender's Email from Census a	as Reply To Email Address
Allow Custom Reply To Email Addr	ess 🗍
Allow Custom Sender Display Nam	ne 🗍
Test Email Settings Configuratio	n
(Send Test Email)	test@example.com
	Standard Email Settings

The following steps are required for standard setup:

- 1. Enter the **Default Sender Email Address**.
- 2. Enter the **SMTP Host** address.
- 3. Enter the **SMTP Port**.

Infinite Campus

- 4. Choose the number of Minutes Between Retries (optional).
- 5. Select the allowed Max Errors Before Cancel (optional).
- 6. Click the **Save** icon.

Users are highly advised to enter and Send a Test Email to ensure entered values are correct.

TLS Configuration

To configure the Email Settings to allow emails from email services and SMTP servers that require TLS encryption of transferred messages:

*Default Sender Email Address district@districtexample.com *SMTP Host smtp.infinitecampus.com SMTP Port 587 (leave blank to use default port) SMTP Timeout 30 seconds ∨ Use Authentication Username Password Use TLS Advanced Settings Minutes Between Retries 10 ∨ Max Errors Before Cancel 0 ∨ Throttle Email Messages emails per second (leave blank to not throttle) Email Attachment Settings Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Sender Display Name Enst Email Settings Send Test Email test@example.com		
*SMTP Host smtp.infinite.ampus.com SMTP Port 587 SMTP Timeout 30 seconds ∨ Use Authentication	Basic Settings	
SMTP Port 687 (leave blank to use default port) SMTP Timeout 30 seconds v Use Authentication	*Default Sender Email Address	district@districtexample.com
SMTP Timeout 30 seconds Use Authentication	*SMTP Host	smtp.infinitecampus.com
Use Authentication Username Password Use Authentication Username Password Use TLS Advanced Settings Advanced Settings Minutes Between Retries 10 Advanced Settings Max Errors Before Cancel 0 Throttle Email Messages emails per second (leave blank to not throttle) Email Attachment Settings Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Send Test Email test@example.com	SMTP Port	587 (leave blank to use default port)
Username Password Verify Password Use TLS Advanced Settings Minutes Between Retries 10 Advanced Settings Minutes Between Retries 0 Throttle Email Messages emails per second (leave blank to not throttle) Email Attachment Settings Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email	SMTP Timeout	30 seconds V
Password Verify Password Verify Password Use TLS Advanced Settings Minutes Between Retries 10 Advanced Settings Minutes Between Retries 0 Comparison Compa	Use Authentication	
Verify Password Use TLS Advanced Settings Minutes Between Retries 10 Advanced Settings Minutes Between Retries 10 Advanced Settings Minutes Between Retries 0 Throttle Email Messages emails per second (leave blank to not throttle) Email Attachment Settings Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email	Username	
Use TLS Advanced Settings Minutes Between Retries 10 Adx Errors Before Cancel 0 Throttle Email Messages emails per second (leave blank to not throttle) Email Attachment Settings Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com	Password	
Advanced Settings Minutes Between Retries 10 Max Errors Before Cancel 0 Max Errors Before Cancel 0 Imail Setsages emails per second (leave blank to not throttle) Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com	Verify Password	
Minutes Between Retries 10 v Max Errors Before Cancel 0 v Throttle Email Messages emails per second (leave blank to not throttle) Email Attachment Settings Allow Email Attachments Global Email Settings Allow Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com	Use TLS	
Max Errors Before Cancel 0 Throttle Email Messages emails per second (leave blank to not throttle) Email Attachment Settings Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com		
Throttle Email Messages emails per second (leave blank to not throttle) Email Attachment Settings Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com		
Email Attachment Settings Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com		0
Allow Email Attachments Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com	-	emails per second (leave blank to not throttle)
Global Email Settings Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com		
Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com	Allow Email Attachments	
Use Sender's Email from Census as Reply To Email Address Allow Custom Reply To Email Address Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com	Global Email Settings	
Allow Custom Sender Display Name Test Email Settings Configuration Send Test Email test@example.com		as Reply To Email Address
Test Email Settings Configuration (Send Test Email) test@example.com	Allow Custom Reply To Email Addr	ress
(Send Test Email) [test@example.com	Allow Custom Sender Display Nam	ne 🗌
	Test Email Settings Configuratio	n
	Send Test Email	test@example.com
	7.05	crypted Setup of Email Settings

The following steps are required for standard setup:

- 1. Enter the **Default Sender Email Address**.
- 2. Enter the **SMTP Host** address.
- 3. Enter the **SMTP Port**.

Infinite 🗠

4. Mark the **Use TLS** checkbox.

Users are highly advised to enter and **Send a Test Email** to ensure entered values are correct.

5. Click the **Save** icon.

Optional Configuration Steps

The following steps are optional for standard setup:

- 1. Mark the Use Authentication checkbox and enter values in the authentication fields:
 - Username
 - Password
- 2. Choose the number of Minutes Between Retries.
- 3. Select the allowed Max Errors Before Cancel.

Field Descriptions (SMTP)

The table below describes each field available:

Field

Description



Field	Description
Default Sender Email Address	The default email address that appears as the "sent from" address on sent email messages. This field is required. The Default Sender Email Address must be a real email address so that the recipient's email server does not view the message as SPAM. A real email address also allows bounce-back messages to be delivered to an actual mailbox even if the mailbox is not monitored.
	Do not include "infinitecampus" in the email address as this incorrectly gives the impression that emails are being delivered by the company Infinite Campus. To reduce the chance an email is flagged as spam, avoid using "noreply" or "donotreply" in the Default Sender Email Address.
Use SMTP Server	Select this radio button to begin configuring email settings for an SMTP server.
SMTP Host	The Simple Mail Transfer Protocol (SMTP) host name used to transfer emails. SMTP is the only protocol supported in Campus.
SMTP Port	The specific port allowing SMTP and email exchange. To use the default SMTP port, leave blank. Otherwise, if a specific port number is required by a service, enter it in this field.
SMTP Timeout	The amount of time that Campus will wait for the SMTP server to respond. If the SMTP server does not respond in the specified amount of time, the message will timeout and Campus will resend the message according the preferences set in the Advanced Settings group on this screen. The SMTP Timeout dropdown list includes the following options: 30 seconds (default) 1 minute 2 minutes 3 minutes
	 4 minutes 5 minutes 5 minutes
Use Authentication	If a username and password are required for SMTP authentication, this box should be checked. When checked, the Username and Password fields will be unlocked for editing.



Field	Description
Username	The username required for server authentication, if required by SMTP server setup. This field is available for editing when the Use Authentication field is set to a value of "Yes."
Password	The password required for server authentication, if required by SMTP server setup. This field is available for editing when the Use Authentication field is set to a value of "Yes."
Use TLS	Checkbox indicates whether or not Transport Layer Security (TLS) should be used to encrypt email transfer on the server. Some services require this encryption.
Minutes Between Retries	The number of minutes to wait between a failed message delivery attempt and the next message delivery attempt.
Max Errors Before Cancel	The maximum number of failed message delivery attempts allowed before all attempts to deliver the message are canceled. The default value for this field is "10."
Throttle Email Messages	This option determines the number of email messages the application server will process per second. You may enter any number from 1 to 999.
Allow Email Attachments	This option allows users to add email attachments to messages. When this option is checked, all Messenger tools display the option to send email attachments. When this option is not checked, no tools display the option to send email attachments.
	If there are template email attachments and this checkbox is cleared so that the option to upload an attachment is removed, the templates will NOT send the attachments.



Field	Description
Limit Email Attachment File Size	This option allows you to set size limits for email attachments. If a user tries to attach a file that is larger than the limit set in this field, an error message will display explaining that their file is too large. The maximum file size is 100 MB and is set in the Campus XML file. Districts using Campus' SMTP Host are limited to 1.3 MB regardless of what is entered in this field.
	Large email attachments of several MBs will take several minutes to upload.
	If there are templates with email attachments and this field is changed to a limit lower than what exists on the saved templates, the templates WILL send the saved email attachment. If the template is changed and saved, you will not be able to save the large email attachment.



Field	Description
User Sender's Email from Census as Reply to Email	Mark this checkbox to have the sender's email address (Census > People > Demographics > Email) auto-populate the Reply To Email field in the Message Builder and Staff Messenger tools.
Reply to Email Address	Wessage Builder * Wessage Builder * <t< th=""></t<>



Field	Description
Field Allow Custom Reply to Email Address	Mark this checkbox to have the Reply to Email field in the Message Builder and Staff Messenger tools unlocked and able to be edited. Image: Control of the state
	If you check both the User Sender's Email from Census as Reply to Email Address and Allow Custom Reply to Email Address checkboxes, the Reply to Email field will auto-populate with the sender's email address but remain unlocked and able to be edited. This option does not apply to Emergency Messenger. Emergency Messenger uses the Email Address from the Default Sender Email Address on this screen.





Mailgun Configuration

Mailgun is a third party email relay system Campus uses to distribute emails out to service



providers. Campus provides Mailgun to Campus Cloud (CC) or Campus Cloud Choice (CCC) hosted districts. Non-CC/CCC hosted districts can obtain an account directly from Mailgun if desired. This section will walk you through configuring Campus to send email messages using Mailgun.

Email Settings 🏠	
Save	
Basic Settings *Default Sender Email Address	
	district@districtinformation.com
OUse Mailgun API	O Use SMTP Server
*Mailgun Domain	icdemo.mg.infinitecampus.com
Advanced Settings	
Minutes Between Retries	10 🗸
Max Errors Before Cancel	2 •
Throttle Email Messages	emails per second (leave blank to not throttle)
Email Attachment Settings	
Allow Email Attachments	
Limit Email Attachment File Size 3	MB
Global Email Settings	
Use Sender's Email from Census as R	
Allow Custom Reply To Email Address	s 🔽
Allow Custom Sender Display Name	
Require Custom Sender Display Name	e in Campus Instruction 🧹
Test Email Settings Configuration	
Send Test Email	[test@example.com
	Mailgun Configuration

The following steps are required for a Mailgun setup:

- 1. Enter the **Default Sender Email Address**.
- 2. Select the **Use Mailgun API** radio button.
- 3. Enter your Mailgun Domain.
- Enter an email address in the Test Email Setting Configuration section and click the Send Test Email button. This test email allows you to ensure the settings you have entered are correct.
- 5. Click the **Save** icon.

Optional Configuration Steps

See the table below for more information about remaining optional fields found in the editor.

Field Descriptions (Mailgun)

The table below describes each available field.



Field	Description
Default Sender Email Address	The default email address that appears as the "sent from" address on sent email messages. This field is required. The Default Sender Email Address must be a real email address so that the recipient's email server does not view the message as SPAM. A real email address also allows bounce-back messages to be delivered to an actual mailbox even if the mailbox is not monitored.
	Do not include "infinitecampus" in the email address as this incorrectly gives the impression that emails are being delivered by the company Infinite Campus. To reduce the chance an email is flagged as spam, avoid using "noreply" or "donotreply" in the Default Sender Email Address.
Use Mailgun API	Mark this radio button if you use Mailgun as your email delivery service. This feature is only relevant for users who use Mailgun as their email delivery service. This functionality is only available for Campus Cloud and Cloud Choice customers.
Mailgun Domain	The domain tied to your Mailgun account.
Minutes Between Retries	The number of minutes to wait between a failed message delivery attempt and the next message delivery attempt.
Max Errors Before Cancel	The maximum number of failed message delivery attempts allowed before all attempts to deliver the message are canceled. The default value for this field is "10."
Throttle Email Messages	This option determines the number of email messages the application server will process per second. You may enter any number from 1 to 999.



Field	Description
Allow Email Attachments	This option allows users to add email attachments to messages. When this option is checked, all Messenger tools display the option to send email attachments. When this option is not checked, no tools display the option to send email attachments.
	If there are template email attachments and this checkbox is cleared so that the option to upload an attachment is removed, the templates will NOT send the attachments.
Limit Email Attachment File Size	This option allows you to set size limits for email attachments. If a user tries to attach a file that is larger than the limit set in this field, an error message will display explaining that their file is too large. The maximum file size is 100 MB and is set in the Campus XML file. Districts using Campus' SMTP Host are limited to 1.3 MB regardless of what is entered in this field. Large email attachments of several MBs will take several minutes to upload. If there are templates with email attachments and this field is changed to a limit lower than what exists on the saved templates, the templates WILL send the saved email attachment. If the template is changed and saved,
	you will not be able to save the large email attachment.



Field	Description
Use Sender's Email from Census as Reply to Email Address	Mark this checkbox to have the sender's email address (Census > People > Demographics > Email) auto-populate the Reply To Email field in the Message Builder and Staff Messenger tools. Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether the sender block of the off-the sender Image block whether block of the off-the sender
Allow Custom Reply to Email Address	Mark this checkbox to have the Reply to Email field in the Message Builder and Staff Messenger tools unlocked and able to be edited.



Field	De	Message Builder				
		Message Builder sends notifications to students and/or Messenger contacts based on the criteria selected. The Template Name and User/Group can be changed after selecting Save or Copy.				
		User/Group User V Template <new> V Save Copy Delete</new>				
		Enter the filter criteria for Message Builder:				
		Message Type: Saved Filters (select 1 or more) General Notification Image: Control of the select 1 or more)				
		Deliver To: Student Messenger Contacts Message For Each Student One Message Limit Students Enrollment Filter: Message Only Active Students Limit delivery to contacts that speak: No Language Preference ✓				
		Set Filter Operation: Union				
		Delivery Devices: Inbox Email Voice Text Reply To Email: JohnS@Schools.com				
		Sender Display Name: Principal Smith				
	Ad	rou check both the User Sender's Email from Census as Reply to Email dress and Allow Custom Reply to Email Address checkboxes, the Reply Email field will auto-populate with the sender's email address but remain				

unlocked and able to be edited. This option does not apply to Emergency Messenger. Emergency Messenger

uses the Email Address from the **Default Sender Email Address** on this screen.





Review Sent Messages via Mailgun API

The Mailgun Message Log allows you to review all messages sent in the last 30 days via the Mailgun



API.

	This tool will list al	mereager cand by the dir	trict via the Mailgun ARI along with their men	sage status. Below is the definition for each possible	mail etatue:		
arch Campus Tools				-	sinai status.		
			send/forward the email and the message has	been placed in queue.			
System Administrator	Rejected - Malgin rejected the request to send/forward the email.						
Student Information	Delivered - Maligun sent the email and it was accepted by the recipient email server.						
Browsing Time	Failed - Mailgun could not deliver the email to the recipient email server. Complained - The email recipient clicked on the spam complaint button within their email client.						
Shopping time	Complained - The	e email recipient clicked on	the spam complaint button within their email	client.			
▶ Census	Note: Based on	Mailgun restriction	s and recommendation the data i	n this tool is updated hourly. Messages	older than 30 days will not be displayed.		
Behavior	Created Between 10						
▶ Health	Circular Dethictin 10						
▶ Attendance				Mailgun Message Log			
	Event \$	Event Time Stamp	Recipient Email 🔶	Subject \$	Reason \$		
▶ Scheduling	T						
▶ Fees	delivered	08/16/2019 1:27 PM	mailguntest@infinitecampus.com	Message test 2 (attendance)			
Grading & Standards	delivered	08/16/2019 1:27 PM	mailguntest@infinitecampus.com	Message test 2 (attendance)			
Medicaid	delivered	08/16/2019 1:27 PM	mailguntest@infinitecampus.com	Message test 2 (attendance)			
▶ Program Admin	delivered	08/16/2019 1:27 PM	mailguntest@infinitecampus.com	Message test 2 (attendance)			
Ad Hoc Reporting	delivered	08/16/2019 1:27 PM	mailguntest@infinitecampus.com	Message test 2 (attendance)			
► User Communication	delivered	08/16/2019 1:27 PM	mailguntest@infinitecampus.com	Message test 2 (attendance)			
	delivered	08/16/2019 1:27 PM	mailguntest@infinitecampus.com	Message test 2 (attendance)			
 Assessment System Administration 	rejected	08/16/2019 1:27 PM	@infinitecampus.com	Message test 2 (attendance)	Sandbox subdomains are for test purposes only. Please add your own domain or add the address to authorized recipients in Account Settings.		
▶ FRAM	delivered	08/16/2019 1:27 PM	mailguntest@infinitecampus.com	Message test 2 (attendance)	Teoponta in Account Settings.		
▼ Messenger	rejected	08/16/2019 1:27 PM	mailguntes@infinitecampus.com	Message test 2 (attendance)	Sandbox subdomains are for test purposes only. Please		
Message Builder					add your own domain or add the address to authorized recipients in Account Settings.		
Message Builder Scheduler	rejected	08/16/2019 1:27 PM	mailguntes@infinitecampus.com	Message test 2 (attendance)	Sandbox subdomains are for test purposes only. Please add your own domain or add the address to authorized		
Emergency Messenger	rejected	08/16/2019 1:27 PM	@infinitecampus.com	Message test 2 (attendance)	recipients in Account Settings. Sandbox subdomains are for test purposes only. Please		
Staff Messenger	rejected	0010/2019 1.27 PM	@inimecampus.com	measage (651 2 (ditenuance)	add your own domain or add the address to authorized recipients in Account Settings.		
Sent Message Log	delivered	08/16/2019 9:16 AM	mailguntest@infinitecampus.com	FF testing 120747			
Mailgun Message Log	delivered	08/16/2019 9:16 AM	mailguntest@infinitecampus.com	FF testing 120747			
Recipient Log	delivered	08/16/2019 9:16 AM	mailguntest@infinitecampus.com	FF testing 120747			
▶ Surveys	delivered	08/16/2019 9:16 AM	mailguntest@infinitecampus.com	FF testing 120747			
CA State Reporting	rejected	08/16/2019 9-16 AM	@infinitecamous.com	EE testing 120747	Sandhov subdomains are for test numoses only. Please		
 Federal Reporting 	Generate Report						

Mailgun Message Log