

Validation Rules

Last Modified on 04/21/2023 1:58 pm CDT

[Tool Rights](#) | [Creating a New Validation Rule](#) | [Publishing Validation Rules \(State Edition Only\)](#) | [Searching for Existing Validation Rules](#) | [Next Steps](#)

Classic View: [Data Integrity](#) > [Data Validation](#) > [Validation Rules](#)

Search Terms: [Validation Rules](#)

The Validation Rules tool is used to create and manage rules used within Validation Groups and report data within the Data Validation Report. Rules are reusable queries used for filtering and reporting specific data. These rules are grouped together in Validation Groups which are used to report data for each rule in the group within the same report.

Accessibility

Full Access is available to State Editions and District Editions that have licensed the Data Analytics Suite. Restricted Access is available to all other District Editions.

Restricted Access

By default, all District Edition customers will have full access to the Data Validation Report but restricted access to the following Data Validation admin tools:

- [Stored Procedure Setup](#)
- [Validation Rules](#)
- [Validation Groups](#)

Customers with restricted access are only able to tag Validation Rules and assign Tool Right User Groups to Validation Groups, the latter of which controls Validation Group availability for reporting in the Data Validation Report editor. Validation Rules and Validation Groups will only be available directly from Infinite Campus or State Edition via DIS publishing.

Full Access

Full access to the Data Validation admin tools, which allows for local indexing of Stored Procedures and creation/maintenance of Validation Rules and Groups, is only available through the purchase of one of the Data Analytics Suite.

Full access is limited to Data Validation admin tool items created in the local database. For example, District Edition customers have full access to District-owned Validation Rules created locally but restricted access to System-owned Validation Rules delivered by Infinite Campus.

Validation Rules

Name ↑	Tag	Published	Owner	Status
				Active
7-8 DROPOUT List	DIS	PUBLISHED	STATE	ACTIVE
7-8 DROPOUT Reenrolled		PUBLISHED	STATE	ACTIVE
9-12 DROPOUT Count		PUBLISHED	STATE	ACTIVE
9-12 DROPOUT List		PUBLISHED	STATE	ACTIVE
9-12 DROPOUT Re-enrolled		PUBLISHED	STATE	ACTIVE
A_AA		NOT PUBLISHED	STATE	ACTIVE
Ad Hoc Context Test		NOT PUBLISHED	STATE	ACTIVE
ADA	Test DIS, zoom	UNPUBLISHED CHANGES	STATE	ACTIVE
ALL Homeless - Current Homeless		PUBLISHED	STATE	ACTIVE
ALL Homeless - NOT Homeless but has Night Time Residence	OPI, zoom	UNPUBLISHED CHANGES	STATE	ACTIVE

1 - 20 of 95 items

New

Tool Rights

The following table describes how tool rights work with the Definition Rules tool.

Tool	R	W	A	D
Data Validation				
DataValidationRemoteRun				
Stored Procedure Setup				
Validation Rules	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Validation Groups	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Data Validation Report	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Definition Bank	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Definition Groups	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Definition Group Extract	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Tool	R	W	A	D
Validation Rules	Users can view existing Rules and preview results.	Users can view and modify existing Rules as well as preview results.	Users can view, modify and create Rules as well as preview results.	Users can view, modify and create Rules as well as preview results.

Creating a New Validation Rule

Users can create Validation Rules which filter and report data based on Ad hoc filters, Direct SQL, or Stored Procedures. These rules are then put into Validation Groups which are used to report subsets of data within a single Data Validation Report.

District Edition Users: Rules created at the district level are maintained and reported only within the district which created the rule.

State Edition Users: Rules created at the state level are maintained by the state. These Rules are not published down to districts however, definitions created at the state which are included within published validation groups are published down within the validation group and are read-only in the district-level Validation Group tool.

If a definition is created which contains fields or data not available at the district level, any definition groups which include this definition will not be allowed to be published down to districts.

When publishing a Validation Rule from State Edition to District Edition, logic looks to see if the Validation Group and Validation Rule exist. If these do not exist, they are inserted. If they already exist and there are changes, they are updated as long as the district-owned Validation Rule and Group do not have the same name as a state-owned Validation Rule and Group.

Validation Rule Detail

Name * Archived

! Name is required

Description *

Baseline

Select a rule... ▾

Source

Ad Hoc Filter
 Direct SQL
 Stored Procedure

Ad Hoc Filter *

Tags

Add a tag...

Validation Rule Detail Editor

Field	Description
Name	The Name of the Validation Rule. The Name cannot match the the Name of an existing Rule from the same owner.

Field	Description
Archived	If marked, the Rule cannot be added to a Validation Group. This does not affect Validation Groups previously set up.
Description	User-defined description. This description displays in the Validation Group Detail editor.
Baseline	Allows the user to select an existing Validation Rule to run the current Validation Rule against. The results of the Baseline Rule will be reported in the Total column of the report; it will also affect the Rate column which is calculated by dividing the current Validation Rule by the Baseline Rule.
Source	Ad Hoc <ul style="list-style-type: none"> Allows the user to select an Ad Hoc filter for the Rule. If the Ad Hoc Filter is not published, the Rule will be flagged as State Edition Only. State Edition Only Rules will block Validation Groups from being Published to District Editions.
	Direct SQL <ul style="list-style-type: none"> Allows the user to create a Rule based on Direct SQL. The Direct SQL option is limited to SELECT statements only. The following SQL Parameters may be added to the Direct SQL textbox. These parameters are sensitive to the selections in the Campus Toolbar: <ul style="list-style-type: none"> District Year School Calendar
	Stored Procedure <ul style="list-style-type: none"> Allows the user to select a Stored Procedure for the Rule. The user is allowed to define how parameters from the Stored Procedure ought to behave.
Tags	Allows the user to create or select tags. Tags make searching for Rules easier.
Save & Stay	The Rule is saved and the user stays on the current page.
Cancel	Returns the user to the Validation Rules Master page. The Rule is not saved.
Delete	Deletes the Validation Rule Detail and returns the user to the Validation Rules Master.
Preview	Generates a real-time HTML report of the Validation Rule.
Publish	Pushes the Rule to all District Editions linked via DIS. For State Editions only.

Create a Validation Rule via Ad Hoc Filter

Validation Rules can be created using an [Ad hoc filter](#) as the source of identifying which data to report within the rule.

Ad Hoc Filters need to be published or else they will be State Edition Only.

Validation Rule Detail

Published

Name * **Archived**

Description *

Baseline

Source
 Ad Hoc Filter
 Direct SQL
 Stored Procedure

Ad Hoc Filter *

Tags

To create a new Validation Rule:

1. Click **New**.
2. Enter the **Name** of the definition.
3. Enter a **Description** of the definition. This appears when viewing the definition within the Validation Rules and [Validation Group](#) tools.
4. Select a **Baseline** rule if desired.
5. Select a **Source** of Ad Hoc.
6. Select an **Ad Hoc Filter**. This filter will determine which data is pulled within the definition and reported within validation group. Ad hoc filters are created within the [Filter Designer](#) tool.
7. Enter any **Tags** (optional). Tags are used to easier search for and identify related definitions when creating Validation Groups.
8. A **Preview** of the Rule can be viewed by selecting **Preview**.
9. Select the **Save & Stay**. The definition is now saved within Campus and can now be used within Validation Groups.

Once the rule has been created it can be used within Validation Groups. Once the rule has been added to a Validation Group, data for the Validation Group can be reported via the Data Validation Report.

Create a Validation Rule via Direct SQL

Validation Rules can also be created using direct SQL as the source of identifying which data to report within the rule.

- Users can only do SELECT statements (update, insert, delete, drop, stored procedures, SQL injections, cursors, etc are not supported).
- SELECT * is not supported at this time. Users must select specific fields they wish to report.
- Column aliases are supported (e.g., SELECT scaleScore as Score).
- This functionality is intended for users who are familiar with Campus schema and proficient in SQL.

Validation Rule Detail

Published

Name * **Archived**

Description *

Baseline

Source

Ad Hoc Filter
 Direct SQL
 Stored Procedure

SQL Query *

```

1 SELECT
2 d.number AS LE,
3 d.name AS District,
4 sc.number AS SC,
5 s.calendarname AS 'School Calendar',
6 s.stateID AS 'State ID',
7 s.lastname AS 'Last Name',
8 s.firstname AS 'First Name'
  
```

Add SQL Parameters

Tags


To create a new Validation Rule using Direct SQL:

1. Select **New**.
2. Enter the **Name** of the rule
3. Enter a **Description** of the rule. This appears when viewing the definition within the Validation Rules and Validation Group tools.
4. Select a **Baseline Rule** if necessary (optional).
5. Select a **Source** of Direct SQL.
6. Enter **SQL Query**. If the SQL contains unsupported parameters you will be prevented from saving the rule.
7. Select the **District** button to add the reporting district within the rule (optional).
8. Select the **Year** button to add the reporting year within the rule (optional).
9. Select the **School** button to add the reporting school within the rule (optional).
10. Select the **Calendar** button to add the reporting calendar within the rule (optional).
11. Enter any **Tags** (optional). Tags are used to easily search for and identify related definitions when creating Validation Groups.
12. A **Preview** of the Rule can be generated is desired.
13. Select the **Save + Stay**. The definition is now saved within Campus and can now be used within Validation Groups.

A timeout function is included which aborts the query if it ever surpasses the database timeout limit, which can be manually set for each individual site/database.

Create a Validation Rule via Stored Procedure

Validation Rules can also be created using a previously created Stored Procedure.



Validation Rule Detail

Published

Name * Archived

Description *

Baseline

Source

Ad Hoc Filter

Direct SQL

Stored Procedure

Procedure *

@userID

Tags

Save & Stay Cancel Delete Preview Publish

To create a new Validation Rule using a Stored Procedure:

1. Select **New**.
2. Enter the **Name** of the rule
3. Enter a **Description** of the rule. This appears when viewing the definition within the Validation Rules and Validation Group tools.
4. Select a **Baseline Rule if necessary** (optional).
5. Select a **Source** of Stored Procedure.
6. Select the **Procedure** that is being used for the Rule.
7. Enter the parameters that will be used for the Stored Procedure.
8. Enter any **Tags** (optional). Tags are used to easily search for and identify related rules when creating Validation Groups.
9. A **Preview** of the Rule can be generated is desired.
10. Select the **Save + Stay**. The Rule is now saved within Campus and displays within the Validation Groups editor.

Publishing Validation Rules (State Edition Only)

State Edition users can publish validation rules down to all DIS-link districts.

To publish a validation group, select the group from the Data Validation Groups Editor and select **Publish**. A pop-up message will appear, confirming the publishing action.

Once the Validation Rule has been published down to districts, it will be available for use within the Validation Groups tool.

Validation Group Detail

Published

Name * **Archived**

Description

This provides counts and a list of students in grade levels 7-8, sorted by school that dropped out in the year selected. This count and list should be certified for the OPI.

Rules

Sequence	<input type="checkbox"/>	Name	Description	Severity
1	<input type="checkbox"/>	7-8 DROPOUT Count	Count of students dropped out in grade levels 7-8	Information
2	<input type="checkbox"/>	7-8 DROPOUT List	List of students in grade levels 7-8 that have dropped out.	Information

User Groups

Searching for Existing Validation Rules

Existing rules can be searched for and found by name, tag, Published, owner, and status.

Validation Rules

Name ↑	Tag	Published	Owner	Status
				Active
7-8 DROPOUT List	DIS	PUBLISHED	STATE	ACTIVE
7-8 DROPOUT Reenrolled		PUBLISHED	STATE	ACTIVE
9-12 DROPOUT Count		PUBLISHED	STATE	ACTIVE
9-12 DROPOUT List		PUBLISHED	STATE	ACTIVE
9-12 DROPOUT Re-enrolled		PUBLISHED	STATE	ACTIVE
A_AA		NOT PUBLISHED	STATE	ACTIVE
Ad Hoc Context Test		NOT PUBLISHED	STATE	ACTIVE
ADA	Test DIS, zoom	UNPUBLISHED CHANGES	STATE	ACTIVE
ALL Homeless - Current Homeless		PUBLISHED	STATE	ACTIVE
ALL Homeless - NOT Homeless but has Night Time Residence	OPI, zoom	UNPUBLISHED CHANGES	STATE	ACTIVE

1 - 20 of 95 items

New

Field	Description
Name	Allows users to search for existing rules based on the the name of the rule.
Tag	Allows users to search for rules based on tags entered on definitions. For example, if you have tagged all EL-related rules as EL, searching for a tag of EL will display search results for all rules with that tag.
Published	Allows users to search for existing rules based on the the status of the rule. Published - Validation Rules that have been published by the state appear in search results. Unpublished Changes - Validation Rules that have been edited but not published appear in search results. Not Published - Validation Rules that have not been published appear in search results. Published Failed - Validation Rules which did not publish correctly appear in the search results. Unknown - Status of the Validation Rule is not known.
Owner	Allows users to search for existing rules based on the owner of the rule. Options are State or System.
Status	Allows users to search for existing rules based on the the status of the rule. Active - Only Active rules appear in search results. Archived - Only Archived rules appear in search results.

Next Steps

Once Validation Rules have been created, users should:

- [Assign Rules to Validation Groups.](#)
 - [Generate data within Data Validation Report.](#)
-