

CRDC - HIBS - Harassment or Bullying Ad Hoc Filters

Last Modified on 10/22/2022 10:01 am CDT

Classic View: Federal Reporting > Civil Rights Data Collection (CRDC) > Maintain Survey Results

Search Terms: Maintain CRDC Survey Results

This article covers basic ways to use the Campus Ad hoc Reporting tools to design Ad hoc filters that can produce the school mappings needed to identify data sets for the Civil Rights Data Collection (CRDC). If the required information is not entered into Campus, a filter will not be able to produce the data. The filters used within this document utilize the Filter Designer's Query Wizard. Ad hoc fields vary by state; therefore, examples within this article may need to use different data elements from what appears in the examples. Ad hoc filter examples shown within this document utilize the following Query Wizard functions:

- Logical Expressions
- Filter Functions

Also note, the Query Wizard returns data based on AND. For most of the examples, logical expressions should be entered to indicate an AND or OR is required. This is not represented in all of the captured images, but should be incorporated into your queries.

Ad Hoc filters will not report any student or course that is not enrolled or assigned to the school the filter is being run. Any students or courses that need to be added to a school's mapping will need to be manually added using the Quick Search feature in the school's mapping tool.

The CRDC is run for previous years' data, not current years' data.

- HIBS-1a & 1b: Allegations of Harassment or Bullying
- HIBS-2a, 2b, & 2c: Students Reported as Harassed or Bullied
- HIBS-3a, 3b & 3c: Students Disciplined for Harassment or Bullying

Images may display reference to a particular year. Users should update the year as needed for reporting. Information noted in each of the queries is current with CRDC requirements, regardless of the year displayed.

HIBS-1a & 1b: Allegations of Harassment or Bullying

Allegations of Harassment or Bullying

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

ampus	
*Query Nar	ne: HIBS-1a & 1b: Alleg of Harassment or Bullying
Short Desc	ription:
Long Desc	ription: 🛨
Filter the o	Jata
	D *Field Operator Value
\mathbf{x}	1 sch.name v v
	2 behaviorDetail.harassmentType V IS NOT NULL V
	3 behaviorDetail.harassmentID V
Add	
Logical E	xpression (Optional):
	xpression is left blank, all operators will be applied.
Allowed sy	xpression is left blank, all operators will be applied. /mbols: AND OR NOT () IDs
Allowed sy	xpression is left blank, all operators will be applied.
Allowed sy	xpression is left blank, all operators will be applied. /mbols: AND OR NOT () IDs
Allowed sy Example S	xpression is left blank, all operators will be applied. mbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))
Allowed sy Example S	xpression is left blank, all operators will be applied. mbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))
Allowed sy Example S *Query Name	e: HIBS-1a & 1b: Alleg of Harassment or Bullying
Allowed sy Example S *Query Name	e: HIBS-1a & 1b: Alleg of Harassment or Bullying
Allowed sy Example 5 *Query Name Short Descrip	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) HIBS-1a & 1b: Alleg of Harassment or Bullying ption:
Allowed sy Example 5 *Query Name Short Descrip	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) HIBS-1a & 1b: Alleg of Harassment or Bullying ption:
Allowed sy Example S *Query Name Short Descrip	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) HIBS-1a & 1b: Alleg of Harassment or Bullying ption:
Allowed sy Example S *Query Name Short Descrip Long Descrip	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) e: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: tion:
Allowed sy Example S *Query Name Short Descrip Long Descrip	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) HIBS-1a & 1b: Alleg of Harassment or Bullying ption:
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) a: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: ata into sections that can have aggregates/sub-totals
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) a: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: otion: ata into sections that can have aggregates/sub-totals Group by Group Order
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) e: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: ata into sections that can have aggregates/sub-totals Group by Group Order sch.name Ascending ~
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) e: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: ata into sections that can have aggregates/sub-totals Group by Group Order sch.name × Ascending × behaviorDetail.harassmentType ×
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) e: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: ata into sections that can have aggregates/sub-totals Group by Group Order sch.name Ascending ~
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2 Tier 3	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) e: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: ata into sections that can have aggregates/sub-totals Group by Group Order sch.name Ascending ~ behaviorDetail.harassmentType ~ Ascending ~ ~ Ascending ~
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2 Tier 3 Tier 4	xpression is left blank, all operators will be applied. /mbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) #IIBS-1a & 1b: Alleg of Harassment or Bullying ption: tion: data into sections that can have aggregates/sub-totals Group by Group Order sch.name \checkmark Ascending \checkmark behaviorDetail.harassmentType \checkmark Ascending \checkmark Ascending \checkmark Ascending \checkmark Ascending \checkmark
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2 Tier 3 Tier 4	xpression is left blank, all operators will be applied. mbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) #IIBS-1a & 1b: Alleg of Harassment or Bullying ption: tion: ata into sections that can have aggregates/sub-totals Group by Group Order sch.name \checkmark Ascending \checkmark behaviorDetail.harassmentType \checkmark Ascending \checkmark Ascending \checkmark Ascending \checkmark Ascending \checkmark
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2 Tier 3 Tier 4 Tier 5 Aggregate/S	syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) e: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: etion: ata into sections that can have aggregates/sub-totals Group by Group by Ascending ~ behaviorDetail.harassmentType ~ Ascending ~
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2 Tier 3 Tier 4 Tier 5 Aggregate/S	spression is left blank, all operators will be applied. mbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) a: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: ata into sections that can have aggregates/sub-totals Group by Group Order sch.name Ascending × behaviorDetail.harassmentType × Ascending × Ascending × Ascending × Ascending × Ascending × Ascending × Ascending ×
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2 Tier 3 Tier 4 Tier 5 Aggregate/S	syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) e: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: etion: ata into sections that can have aggregates/sub-totals Group by Group by Ascending ~ behaviorDetail.harassmentType ~ Ascending ~
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2 Tier 3 Tier 4 Tier 5 Aggregate/S	xpression is left blank, all operators will be applied. ymbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) e: HIBS-1a & 1b: Alleg of Harassment or Bullying ption: tion: ata into sections that can have aggregates/sub-totals Group by Group Order sch.name Ascending × behaviorDetail.harassmentType × Ascending × Ascending × Ascending × Ascending × Ascending × Ascending × Distinct Count × Sub Total by Aggregate Type ail.harassmentID × Distinct Count ×
Allowed sy Example S *Query Name Short Descrip Long Descrip Group the d Grouping Tier 1 Tier 2 Tier 3 Tier 4 Tier 5 Aggregate/S	xpression is left blank, all operators will be applied. mbols: AND OR NOT () IDs Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6)) #IBS-1a & 1b: Alleg of Harassment or Bullying ption: tion: ata into sections that can have aggregates/sub-totals Group by Group Order sch.name

Filter Identifying Students with Allegations of Harassment or Bullying

HIBS-2a, 2b, & 2c: Students Reported as Harassed or Bullied

Students Reported as Harassed or Bullied

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

*Query Nar	me: HIBS-2a, 2	b & 2c: Alleg of H	Harassment or Bullying		
Short Desc	cription:				
Long Desc					+
Filter the	data				
	ID *Field		Operator	Value	
\mathbf{x}	1 sch.name	~			
\mathbf{x}	2 student.personl	D ~	·]	
×	3 student.gender	~	/]	
	4 student.raceEth	nnicity ~	·] []	
	5 behaviorDetail.r	ole ~	/ = ~	Victim	~
	6 behaviorDetail.h	narassmentType		7	
	7 behaviorDetail.h			J]	
		narassmentID 🗸			
Add					
Lastal		- 0.			
Logical E	xpression (Option	ial):			
Logical E	xpression (Option	nal):			
Logical E	xpression (Option	ial):			
Logical E	xpression (Option	ial):			
			will be applied		
If logical e	xpression is left bla	ank, all operators	will be applied.		
If logical e Allowed sy	xpression is left bla ymbols: AND OR N	ank, all operators IOT () IDs			
If logical e Allowed sy	xpression is left bla	ank, all operators IOT () IDs			
If logical e Allowed sy	xpression is left bla ymbols: AND OR N	ank, all operators IOT () IDs			
If logical e Allowed sy Example \$	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (ank, all operators IOT () IDs OR 3) AND 4 ANI	D (NOT 5 OR 6))	ing	.:
If logical e Allowed sy	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (ank, all operators IOT () IDs OR 3) AND 4 ANI		ving	.:
If logical e Allowed sy Example s 'Query Nam	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2	ank, all operators IOT () IDs OR 3) AND 4 ANI	D (NOT 5 OR 6))	ying	.::
If logical e Allowed sy Example \$	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2	ank, all operators IOT () IDs OR 3) AND 4 ANI	D (NOT 5 OR 6))	ying	
If logical e Allowed sy Example s 'Query Nam	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption:	ank, all operators IOT () IDs OR 3) AND 4 ANI	D (NOT 5 OR 6))	ying	
If logical e Allowed sy Example s 'Query Nam Short Descri	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption:	ank, all operators IOT () IDs OR 3) AND 4 ANI	D (NOT 5 OR 6))	ying	.:
If logical e Allowed sy Example s 'Query Nam Short Descri	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption:	ank, all operators IOT () IDs OR 3) AND 4 ANI	D (NOT 5 OR 6))	ying	
If logical e Allowed sy Example S Query Nam Short Descri Long Descri	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption:	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c	D (NOT 5 OR 6))		
If logical e Allowed sy Example S Query Nam Short Descri Long Descri	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption:	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c	D (NOT 5 OR 6)) of Harassment or Bully		
If logical e Allowed sy Example S Query Nam Short Descri Long Descrip Group the o	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t	otals	
If logical e Allowed sy Example S 'Query Nam Short Descrip Cong Descrip Group the o Grouping	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order	otals	
If logical e Allowed sy Example S 'Query Nam Short Descrip Jong Descrip Group the o Grouping Fier 1	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by sch.name	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order	otals	
If logical e Allowed sy Example S 'Query Nam Short Descrip Group the o Group the o Grouping Fier 1 Fier 2	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by sch.name behaviorDeta	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c ns that can hav ail.harassmentT	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order ✓ Ascending ✓ ype ✓ Ascending ✓	otals	
If logical e Allowed sy Example S 'Query Nam Short Descrip Group the o Group the o Grouping Fier 1 Fier 2 Fier 3	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by sch.name behaviorDeta student.gend	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c ns that can hav ail.harassmentT der	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order Ve Ascending Ve Ascending Ve Ascending	otals	
If logical e Allowed sy Example 3 'Query Nam Short Descri Long Descri Group the o Group the o Grouping Fier 1 Fier 2 Fier 3 Fier 4	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by sch.name behaviorDeta	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c ns that can hav ail.harassmentT der	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order V Ascending V Ascending V Ascending V Ascending	otals	
If logical e Allowed sy Example S 'Query Nam Short Descrip Group the o Group the o Grouping Fier 1 Fier 2 Fier 3	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by sch.name behaviorDeta student.gend	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c ns that can hav ail.harassmentT der	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order Ve Ascending Ve Ascending Ve Ascending	otals	
If logical e Allowed sy Example 3 'Query Nam Short Descri Long Descri Group the o Group the o Grouping Fier 1 Fier 2 Fier 3 Fier 4 Fier 5 Aggregate/	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by sch.name behaviorDeta student.gen student.race Sub Total by	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c 2b & 2c: Alleg c ail.harassmentT der Ethnicity Aggregal	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order V Ascending V Ascending Ascending Ascending Ascending te Type	otals	
If logical e Allowed sy Example 3 Guery Nam Short Descri Long Descri Group the o Group the o Grouping Fier 1 Fier 2 Fier 3 Fier 4 Fier 5 Aggregate/ student.gen	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by sch.name behaviorDeta student.gen student.race Sub Total by	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c 2b & 2c: Alleg c ail.harassmentT der eEthnicity Aggregat ~ Record C	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order V Ascending Ascending Ascending Ascending Ascending Ascending te Type Count	otals	
If logical e Allowed sy Example 3 'Query Nam Short Descri Long Descri Group the o Group the o Grouping Fier 1 Fier 2 Fier 3 Fier 4 Fier 5 Aggregate/	xpression is left bla ymbols: AND OR N Syntax: (1 AND (2 (e: HIBS-2a, 2 iption: ption: data into section Group by sch.name behaviorDeta student.gen student.race Sub Total by	ank, all operators IOT () IDs OR 3) AND 4 ANI 2b & 2c: Alleg c 2b & 2c: Alleg c ail.harassmentT der Ethnicity Aggregal	D (NOT 5 OR 6)) of Harassment or Bully ve aggregates/sub-t Group Order V Ascending Ascending Ascending Ascending Ascending Ascending te Type Count	otals	

Filter Identifying Students Reported as Harassed or Bullied



HIBS-3a, 3b, & 3c: Students Disciplined for Harassment or Bullying

Students Disciplined for Harassment or Bullying

Create a filter similar to the example below using the **Query Wizard** and the **Student** Data Type:

*Query Name: HIBS-3a, 3b & 3c: Disciplined for harass or bully	
Short Description:	
Long Description:	+
Filter the data	
ID *Field Operator Value	
X 1 sch.name V V	
2 student.personID ~ ~	
X 3 behaviorDetail.role V = V Offender	1
X 4 [behaviorDetail.harassmentType ∨] IS NOT NULL ∨	
5 behaviorDetail.harassmentID ~	
★ 6 student.gender ✓	
X 7 student.raceEthnicityFed V	
Add	
Logical Expression (Optional):	
If logical expression is left blank, all operators will be applied. Allowed symbols: AND OR NOT () IDs Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))	
	_

*Query Name: HIBS-3a, 3b & 3c: Disciplined for harass or bully Short Description:		
Short Description: Long Description: Group the data into sections that can have aggregates/sub-totals Grouping Group by Group Order Tier 1 sch.name sch.name Ascending ~ Tier 2 student.gender student.raceEthnicityFed Ascending ~ Tier 3 student.raceEthnicityFed V Ascending ~ Tier 5 ~ Aggregate/Sub Total by Aggregate Type student.gender ~ student.gender ~ V ~		
Long Description: Group the data into sections that can have aggregates/sub-totals Grouping Group by Group Order Tier 1 sch.name Sch.name Ascending ~ Tier 2 student.gender Student.raceEthnicityFed Ascending ~ Tier 3 student.raceEthnicityFed Ascending ~ Tier 5 ~ Ascending ~ Student.gender ~ Ascending ~ student.gender ~ Record Count ~ student.raceEthnicityFed Record Count ~ student.raceEthnicityFed Record Count ~	3b & 3c: Disciplined for harass or bully	
Group the data into sections that can have aggregates/sub-totals Grouping Group by Group Order Tier 1 sch.name Ascending \rightarrow Tier 2 student.gender Ascending \rightarrow Tier 3 student.raceEthnicityFed Ascending \rightarrow Tier 4 Ascending \rightarrow Tier 5 Ascending \rightarrow Aggregate/Sub Total by Aggregate Type student.gender Record Count \rightarrow student.raceEthnicityFed Record Count \rightarrow		
Group the data into sections that can have aggregates/sub-totals Grouping Group by Group Order Tier 1 sch.name Ascending \rightarrow Tier 2 student.gender Ascending \rightarrow Tier 3 student.raceEthnicityFed Ascending \rightarrow Tier 4 Ascending \rightarrow Tier 5 Ascending \rightarrow Aggregate/Sub Total by Aggregate Type student.gender Record Count \rightarrow student.raceEthnicityFed Record Count \rightarrow		+
Grouping Tier 1 Group by Group Order Tier 1 sch.name Ascending ~ Tier 2 student.gender Ascending ~ Tier 3 student.raceEthnicityFed Ascending ~ Tier 4 ~ Ascending ~ Tier 5 ~ Ascending ~ Xagregate/Sub Total by Aggregate Type student.raceEthnicityFed Record Count ~ student.raceEthnicityFed Record Count ~		_
Tier 2 student.gender Ascending ~ Tier 3 student.raceEthnicityFed Ascending ~ Tier 4 Ascending ~ Tier 5 Ascending ~ Aggregate/Sub Total by Aggregate Type student.gender Record Count ~ student.raceEthnicityFed Record Count ~	Group Order	
Tier 2 student.gender Ascending ~ Tier 3 student.raceEthnicityFed Ascending ~ Tier 4 Ascending ~ Tier 5 Ascending ~ Aggregate/Sub Total by Aggregate Type student.gender Record Count ~ student.raceEthnicityFed Record Count ~		
Tier 3 student.raceEthnicityFed Ascending ~ Tier 4 Ascending ~ Tier 5 Ascending ~ Aggregate/Sub Total by Aggregate Type student.gender Record Count ~ student.raceEthnicityFed Record Count ~		
Tier 4 Ascending Tier 5 Ascending Aggregate/Sub Total by Aggregate Type student.gender Record Count student.raceEthnicityFed Record Count		
Aggregate/Sub Total by Aggregate Type student.gender ~ Record Count ~ student.raceEthnicityFed ~		
student.gender ~ Record Count ~ student.raceEthnicityFed ~ Record Count ~ ~ ~ ~	✓ Ascending ✓	
student.raceEthnicityFed V Record Count V V V V V V V V V V V V V V V V V V V		

Filter Identifying Students Disciplined for Harassment or Bullying