

# SIF v2.7 - StudentSchoolEnrollment

Classic View: System Administration > Data Utilities > SIF

#### Search Term: SIF

This object defines information related to a student's enrollment. StudentSchoolEnrollment instances must not span multiple school years.

Note there is only one current home enrollment at a time for a student. One and only one instance of the StudentSchoolEnrollment object must exist for a given student with the Membership Type of Home for the time interval between the Entry Date and Exit Dateinclusive.

SIF\_Events are reported for this object.

## **Object Triggering**

Event Type	Requirement
Add	Adding an enrollment. 1. Adding an enrollment via Student Locator triggers an Add event.
Delete	Deleting an enrollment.
Change	Making a change to an enrollment record.
Delete	Delete and Add Event Triggers for No Show or State Exclude Enrollments Based upon Zone Options
Delete	Marking an enrollment as state exclude
Add	Unchecking enrollment state exclude
Change	Change on Early Learning tab or Foster Care tab for student.
Change	Change on FRAM, Graduation, or English Learners (EL) for student.

#### **Object Population and Business Rules**

Requirement
Report only 1 record per student.
The associated calendar does not have "Exclude from SIF Exchange" = Checked.
"Exclude from SIF reporting" on the enrollment State Grade Level is not checked
Zone Year, School, Calendar.
SIF Zone Options: Exclude No Show Enrollments Exclude All State Exclude Enrollments Exclude All Secondary Enrollments

### ore Object Data Elements

Data Element Label	Description	Business Rules	Data Source GUI Path	Database
@Refld	The Id (GUID) that uniquely identifies a particular enrollment.	The enrollment ID		enrollment enrollment
@StudentPersonal Refld	The Id (GUID) of the student to whom this information is linked.			enrollment personId



@SchoolInfoRefld	The Id (GUID) of the school to which this enrollment applies.			calendar.s
@MembershipType	The type of this enrollment as it relates to the school identified in SchoolInfoRefld.	When Type = Primary: Reports "Home". "Concurrent" = The school is not the primary reporting unit for the student's membership/child accounting information "Summer" = A summer school enrollment, not part of the regular school year		enrollment serviceTyp
@TimeFrame	The timeframe of the enrollment based on the SIF_Date in the SIF_Header of the message. For events, it is determined as of the date the event is generated. For requests and responses, it is calculated based on the date of the request.	<ul> <li>When enrollment Start Date is not null:</li> <li>1. When Start Date &gt; current date, reports "Future".</li> <li>2. When End Date &lt; current date, reports "Historical"</li> <li>Otherwise reports "Current"</li> </ul>		enrollment enrollment
@SchoolYear	School year for which this enrollment is applicable, expressed as the four- digit year in which the school year ends (e.g. 2007 for the 2006-07 school year). StudentSchoolEnrollment instances must not span multiple school years.			enrollment
EntryDate	The date from when this enrollment is valid.	Reports only when Start Date is not null: Reports enrollment.startDate	Student Information > General > Enrollment	enrollment
EntryType		When enrollment has an Start Status entered, reports enrollment.startStatus		Reports th SIF-mappe for the sele enrollment
EntryType/Code	Code indicating the type of entry for this enrollment		Student Information > General > Enrollments > General Enrollment Information > Enrollment Status	
EntryType/ OtherCodeList				
EntryType/ OtherCodeList/ OtherCode	A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.		Student Information > General > Enrollments > General Enrollment Information > Enrollment Status	
EntryType/ OtherCodeList/ Codeset	Describes the OtherCode element content as either a state/province code, a local code, other code, or text string			
GradeLevel	Grade or academic level of student for this enrollment.			



GradeLevel/Code GradeLevel/ OtherCodeList	Code representing the grade level.	<ol> <li>Check the ncesGrade (GradeLevel.StandardCode) field first and will use that if it exists AND it maps to a known NCES grade*</li> <li>If there is no ncesGrade (GradeLevel.StandardCode) field, it will try and check the grade (Enrollment.grade) field. If it exists AND it maps to a known NCES grade we use that</li> <li>If neither the ncesGrade (GradeLevel.StandardCode) or grade (Enrollment.grade) fields map to any NCES fields, we return Unknown</li> <li>*Valid NCES Grade Levels: 01, 02, 03, 04, 05, 06, 07, 08, 09, 0K, 10, 11, 12, KG, PK, PG, UN</li> </ol>	System Administration > Resources > Grade Level Definition > Standard Code (SIF code)	Standard ( (SIF code)
GradeLevel/ OtherCodeList/ OtherCode	A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.	WHen enrollment.grade exists, reports the Code selected.	Student Information > General > Enrollment > Grade	Enrollmen
GradeLevel/ OtherCodeList/ OtherCode/ @Codeset	Describes the OtherCode element content as either a state/province code, a local code, other code, or text string.	Codeset = "StateProvince"	Student Information > General > Enrollment > Grade	



Homeroom	Homeroom for this enrollment.	The homeroom RoomInfo Refld must reference the RoomInfo associated with the latest	Scheduling > Courses >	section.roo Room.roon
		associated with the latest section the student is enrolled	Homeroom Section >	
		as of the current date.	Homeroom	
		1. When the student has $> 1$		
		homeroom section they are		
		enrolled during the same term or day, report the		
		RoomInfo Refld from the		
		section with the student's		
		latest section enrollment		
		Start Date.		
		<ul> <li>When the student is enrolled into &gt; 1</li> </ul>		
		homeroom section		
		during the same term		
		or day and $> 1$ section		
		enrollment has the		
		same Start Date,		
		report from the section with the latest		
		End Date (or null End		
		Date). Null End Date		
		takes priority.		
		1. When > 1		
		homeroom section has the		
		same latest End		
		Date, report from		
		the section with		
		the highest		
		section ID.		
		When the current date > the		
		homeroom section's term date		
		range, report from the latest		
		homeroom that the student was last enrolled.		
		last enrolled.		
SIF_RefObject	The name of the object referenced.			
Advisor	Staff member assigned as an advisor for this enrollment.	Optional		
Counselor	Staff member assigned as a counselor for this enrollment.	Optional		
Calendar	The calendar assigned to this enrollment.	When version 2.3 +, reports calendar.calendarld.		enrollment
SIF_RefObject	The name of the object referenced.			
ExitDate	The last school calendar day of this	When enrollment has an End	Student	Enrollment
	enrollment. If the student has exited	Date provided, reports	Information >	
	the school or the enrollment has	enrollment.endDate.	General >	
	a RecordClosureReason, ExitDate must have a value.		Enrollment > End Date	
			End Date	
ExitStatus		When enrollment.dropOutCode is not null, report the element.		
ExitStatus/Code	Code indicating the closure status for	When the Drop Out name		enrollment
	this enrollment.	includes "permanent", reports		Code
		"1905". Otherwise, "1906".		
ExitStatus/Other		Reports the Code selected in the		enrollment
CodeList		Drop Out field.		Code
ExitType		When enrollment has an Exit		Reports th
		Type provided, reports		SIF-mappe
		enrollment.endStatus		for the sele
				enrollment
ExitType/Code	Code indicating the type of exit for this			enrollme



NonResident AttendReason	If the school represented by this enrollment is outside of the student's usual attendance area (as indicated in the ResidencyStatus element), this element indicates the reason that the student attends this school.	This is Optional, does not Report	Student Information > General > Enrollment	
ResidencyStatus/ OtherCodeList/ OtherCode/ @Codeset	Describe the OtherCode element content as either a state/province code, a local code, other code or text string.	Codeset="Other"		When Code StateProvid Enrollment default
ResidencyStatus/ OtherCodeList/ OtherCode	A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.		Student Information > General > Enrollments > State Reporting Fields > Reporting Reason	
ResidencyStatus/ OtherCodeList				
ResidencyStatus/ Code	Code indicating the residency status for this enrollment.		Student Information > General > Enrollment	
ResidencyStatus	Location of an individual's legal residence relative to (within or outside) the boundaries of the school for this enrollment.	This is Optional, does not Report		
FTPTStatus	An indication of whether the student is enrolled full time or part time.	When Grade Level>Kindergarten Schedule includes "half", then "PartTime". Otherwise, "FullTime".		gradelevel kindergart
FTE	Full-time equivalent numeric value of the student's course load during this enrollment, expressed in decimal form, where 1.00 represents a full- time enrollment.	This is Optional, does not Report		
PromotionInfo	Information on a student's promotion, retention, or demotion related to this enrollment instance.	This is Optional, does not Report		
RecordClosureReason	The reason why this enrollment was closed.	This is Optional, does not Report		
ExitType/ OtherCodeList/ OtherCode/ @Codeset	Describes the OtherCode element content as either a state/province code, a local code, other code, or text string.	Codeset = "Text"		
ExitType/ OtherCodeList/ OtherCode	A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.			
ExitType/ OtherCodeList		For all states except OK: If Enrollment Status field = Blank OR 40, no ExitType OtherCode element populates.		