

# SIF v2.7 - StudentContactRelationship

Last Modified on 10/22/2022 10:09 am CDT

**Classic View:** System Administration > Data Utilities > SIF

**Search Term:** SIF

This object defines a relationship between a contact person and a student.

SIF\_Events are reported for this object.

## Object Triggering

Event Type	Requirement
Add	When a Relationship is created for the student
Add	When the relationship previously did not overlap today's date, and it is changed so that it overlaps today's date.
Add	When a student was previously Excluded and when it's changed to Not Excluded.
Add	When two people have relationship and one of them get enrolled .
Change	When the relationship type is changed.
Change	When the household, &/or household membership are changed.
Delete	When the contact is deleted.
Delete	When a relationship is ended before today's date, the record will be deleted for that year.
Delete	When all of the students non Enrollments are deleted.
Delete	When the Student is changed to Excluded.
Delete	When the relationship previously overlapped today's date, and it is changed so that it does not overlap today's date.

## Object Population and Business Rules

Requirement
StudentContact exists when a relationship is created.
The relationship must overlap today's date.
At least one of the child elements of Contact Flags must have a Yes value. Do not publish the Student Contact instance if one of the child elements does not have a Yes value.
The Student must have a StudentPersonal Record.

## Object Data Elements

Data Element Label	Description	Business Rules	Data Source GUI Path	Database Field
@RefId	The GUID of this contact			

@StudentPersonalRefId	The GUID of the student whose contact this is.			Person.personID
@StudentContactPersonalRefId	GUID that identifies the contact person for the relationship.			
Relationship	Defines the relationship of the contact to the student.			
Relationship/Code	Code representing the relationship.			Report from Relationship Code section from below
Relationship/OtherCodeList	List of other codes or strings that crosswalk to or serve as translations of the Code element paired with this common element. If Code changes and OtherCodes are supported, both Code and all associated OtherCode elements must be present.			
Relationship/OtherCodeList/OtherCode	A state/province code, local code, other code or a text string that crosswalks to or serves as a translation of an associated Code element.			
Relationship/OtherCodeList/@Codeset	Describes the OtherCode element content as either a state/province code, a local code, other code, or text string.			

ContactFlags	Contains Yes/No characteristics of the contact person's role. Provide a Yes value for all that apply. At least one of the child elements of ContactFlags must have a Yes value. Do not publish the StudentContact instance if one of the child elements does not have a Yes value.			
ContactFlags/ParentLegalGuardian	Does the individual have parental or legal guardianship responsibility for the student?	<ol style="list-style-type: none"> <li>1. Report Yes if the guardian checkbox on the relationship is checked.</li> <li>2. Else, report No.</li> </ol>	Census> People> Relationships> Guardian	RelatedPair.guarc
ContactFlags/PickupRights	This element tells whether or not the contact has pickup rights.	<ol style="list-style-type: none"> <li>1. Report Yes if the guardian checkbox on the relationship is checked.</li> <li>2. Else, report No.</li> </ol>	Census> People> Relationships> Guardian	
ContactFlags/LivesWith	Does the student live with this contact?	<ol style="list-style-type: none"> <li>1. Report Yes if student is in the same household of the contact person being reported <ol style="list-style-type: none"> <li>1. Both Student and Contact Person household memberships overlap today's date</li> </ol> </li> <li>2. Else, report No</li> </ol>	Census> People> Households	HouseholdMembe
ContactFlags/AccessToRecords	Does this contact have access to the student's records?	<ol style="list-style-type: none"> <li>1. Report Yes if the guardian checkbox on the relationship is checked.</li> <li>2. Else, report No.</li> </ol>		

ContactFlags/EmergencyContact	Should this contact be notified in case of emergency?	<ol style="list-style-type: none"> <li>1. Report Yes if Emergency Priority is populated.</li> <li>2. Else, report No.</li> </ol>		RelatedPair.seq
ContactFlags/HasCustody	Does this contact have or share custody of the student?	<ol style="list-style-type: none"> <li>1. Report Yes if the guardian checkbox on the relationship is checked and student is in the same household of the contact person being reported. <ul style="list-style-type: none"> <li>◦ Both Student and Contact Person household memberships overlap today's date.</li> </ul> </li> <li>2. Else, report No.</li> </ol>		
ContactFlags/DisciplinaryContact	Is this person to be contacted in case of disciplinary action?	<ol style="list-style-type: none"> <li>1. Report Yes if the guardian checkbox on the relationship is checked.</li> <li>2. Else, report No.</li> </ol>		
ContactFlags/PrimaryCareProvider	Does this person provide daily living or personal assistance to the student?	<ol style="list-style-type: none"> <li>1. Report Yes if the guardian checkbox on the relationship is checked and student is in the same household of the contact person being reported. <ul style="list-style-type: none"> <li>◦ Both Student and Contact Person household memberships overlap today's date.</li> </ul> </li> <li>2. Else, report No.</li> </ol>		

ContactFlags/Other	This person has a relationship to student(s) that the school needs to document but no other contact flag value is 'Yes'. An example is a parent who enrolled the student but is deceased and is no longer a valid contact.			
ContactSequence	Number indicating the order in which the person should be contacted.	Reports sequence field from RelatedPair.		
SIF_Metadata				
SIF_ExtendedElements				