

User Account Type Wizard

Last Modified on 10/22/2022 10:10 am CDT

Classic View: [System Administration](#) > [User Security](#) > [Batch and Import Wizards](#) > [User Account Type Wizard](#)

Search Term: [User Account Type Wizard](#)

The Account Configuration Type Wizard allows you to convert existing Campus user accounts from using local Campus login authentication to SAML SSO or LDAP authentication. You can search for and convert a specific user account(s) or convert a large group of accounts using an ad hoc filter.

You may also use this tool to convert Campus accounts back from SAML SSO or LDAP authentication to local Campus authentication.

- [Prerequisites](#)
- [Step 1. Search for User Accounts](#)
- [Step 2. Determine Which Users to Convert](#)
- [Step 3. Determine the Authentication Method](#)
- [Step 4. Convert User Accounts](#)
- [Converting User Accounts Back to Campus Authentication Accounts](#)
- [Generating a List of LDAP Enabled Students/Staff](#)
- [Generating a List of Single Sign On \(SSO\) Enabled Students/Staff](#)

User Account Type Wizard ☆

User Management > Main Tools > User Account Type Wizard

User Account Type Wizard

This batch tool will update a subset of User Accounts using an Ad Hoc selection. Please note that User Accounts uploaded via the Batch Import tool will create a unique Ad Hoc query automatically by date and time and can be easily utilized and/or modified for use in this tool.

Note: Product Security Roles are exempt from a SSO configuration. If a user has a Product Security Role, that user will need to create an additional non-Product Security Role user account for SSO use.

Username

Last Name

First Name

Adhoc Filter

Student Number Filter

User Homepage

User Account Type

Search Results (Person:0 Users:0)


Selected Users (Person:0 Users:0)

Set Account Authentication Type To

Image 1: User Account Type Wizard

Prerequisites

- **If Using SAML SSO:** SAML SSO must be enabled and configured correctly via the [SSO Service Provider Configuration](#) tool.
- **If Using LDAP Authentication:** LDAP authentication must be enabled via the [LDAP Authentication](#) tool.
- Only users assigned a [Product Security Role](#) of **Student Information System (SIS)** are allowed to use this tool.



Step 1. Search for User Accounts

The first step in configuring Campus accounts is to search for and identify which accounts will be converted. Accounts can be identified by either generating a list based on an Adhoc Filter or by searching for accounts using Username, Last Name, First Name, their homepage, or their account type information.

In the example below (Image 2), the user identified the user accounts by selecting an existing **Adhoc Filter**, selecting the **User Account Type** of LDAP, and clicking the **Search Users & Add to Search Results** button.

The identified accounts (Christopher, Kelly, etc) are then placed in the **Search Results** window where they can be individually selected and added to the list of people who will have their authentication converted.

Image 2: Identifying Accounts via Adhoc Filter

Step 2. Determine Which Users to Convert

Once user account search results have been generated and user accounts are identified, you need to add the appropriate accounts to the Selected Users window. These users will have their authentication converted to the value selected in the **Set Account Authentication Type To** field.

Select the user account from the Search Result window and click the right arrow button (→). The user name and account will move from the **Search Results** window to the **Selected Users** window (see Image 3).

To remove a user account from the Selected User window, select the user account name and press the left arrow button (←). The user name and account will move from the **Selected Users** window to the **Search Results** window.

If multiple results are returned in Search Results window and you want to convert all of the

results, click on the **Select All →** button to move all of the result to the Selected Users window. To remove all users from the Selected Results window back to the Search Results window, click the **<← Move All** button.

Image 3: Selecting Users for Conversion

Step 3. Determine the Authentication Method


Once all accounts have been identified and properly added to the Selected Users window, a **Set Account Authentication Type To** value (Image 4) must be selected. See the table below for more information about field values.

Image 4: Authentication Type Field


Allow Only Local Campus Authentication

Selecting this option means all identified user accounts will use their local Campus District ID and password to log into Campus. This also means the account password is managed within Campus and can be reset via the **Reset Password** button in the [User Account](#) tab.

The [User Account](#) tab will allow Administrators with proper tool rights to initiate a password reset via the Reset Password button and the **Authentication Type** field will show a value of 'Allow Only Local Campus Authentication' (see image below).




Account users will log into Campus by entering their local Campus ID and password (select image below).



Allow Only SAML Authentication


Selecting this option means all identified user accounts will use their SSO username and password to log into Campus. This also means account passwords are managed outside of Campus and any modifications that need to be made to credentials must be made by your Network Administrator.

The **User Account** tab will not allow users to initiate a password reset (all password credentials are managed by the network administrator outside of Campus) and the **Authentication Type** field will show a value of 'Allow Only SAML Authentication' (see image below).



Account users will log into Campus by clicking the **Sign in with XXX Single Sign On** button and entering their SSO username and password (select image below).

The name of this button entered and managed in the **SSO Service Provider Configuration** tool.




Allow Only LDAP Authentication


Selecting this option means all identified user accounts will use their LDAP username and password to log into Campus. This also means account passwords are managed outside of Campus and any modifications that need to be made to credentials must be made by your Network Administrator.

The **User Account** tab will not allow users to initiate a password reset (all password credentials are managed by the network administrator outside of Campus) and the **Authentication Type** field will show a value of 'Allow Only LDAP Authentication' (see image below).

You will also need to select the **LDAP Configuration**. This is the LDAP server the user's account is tied to.



Account users will log into Campus by entering their LDAP credentials into the local username and password fields. (select image below).



Step 4. Convert User Accounts

Once user accounts have been added to the Selected Users window and a **Set Account Authentication Type To** value has been set, convert the accounts by selecting the **Convert User Accounts Authentication Type** button (see Image 5).

A pop-up message will appear, indicating how many user accounts were successfully converted.

The User Account Type Wizard can convert up to 9000 accounts per time it is run. If you need to convert more than 9000 accounts, run the tool multiple times until all accounts are converted (assuming you allow for conversion to complete between each tool run).




Image 5: Convert User Accounts

Converting User Accounts Back to Campus Authentication Accounts

Converting user accounts back to a Campus-authenticated account will require the use of the User Account [Batch and Import Wizards](#) in order to reset passwords to use local Campus account passwords. When local Campus accounts are converted to third party authentication or uploaded as third party authentication records, the password will either be forgotten or non-existent since user accounts can be uploaded without a password. Because of this, when a selection of SSO or LDAP user accounts are converted to Campus accounts, an Ad Hoc filter with the list of person IDs will be created by default so the User Account Batch Management workflow can be utilized to reset the passwords.

The workflows can be found here:

- [Account Letter Designer](#)
- [Account Letter Builder](#)
- [User Account Messenger](#)

The Ad Hoc filter will have a naming convention of "UATW_PersonList_" plus the date and time of the creation of the ad hoc (YYYY-MM-DD-HH-MM-SS).

Generating a List of LDAP Enabled Students/Staff

PATH: *Ad Hoc Reporting > Filter Designer*

You can filters and reports of which students and staff members have LDAP enabled (or disabled) by using the Filter Designer and selecting the usage.ldapAccount field.

For detailed steps of this process, see the Generating a List of LDAP Enabled Students/Staff section of the LDAP Authentication article.

Ad Hoc Query Wizard - Field Selection

Select fields to use for creating a filter for which logic and output formatting may be applied. Click a field within the All Fields window, or use the Add Function option to add the field to the Selected Fields window. To remove a field from the Selected Fields window, select the field(s) and click the back arrow <--. The output will sequence the fields in the order selected; however, the sequence can be changed on the Output Formatting screen. At least one field must be selected to continue.

[Field Selection > Filter Parameters > Output Formatting > Grouping and Aggregation](#)

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By

All Fields

- [-] Campus Usage
- [-] User Account/Summary
 - userID
 - personID
 - districtID
 - username
 - allModules
 - allCalendars
 - failCount
 - forceChangePassword
 - disable
 - expiresDate
 - homepage
 - name
 - serverName
 - remoteIP
 - remoteName
 - remoteBrowser
 - timestamp
 - appServer
 - ssoAccount
 - ldapAccount
 - localPasswordSet

Selected Fields

- usage.ldapAccount
- student.firstName
- student.lastName
- usage.username

Save To: User Account Folder:

User Groups

Image 6: LDAP Enabled Filter

Generating a List of Single Sign On (SSO) Enabled Students/Staff

PATH: Ad Hoc Reporting > Filter Designer

You can filters and reports of which students and staff members have SSO enabled (or disabled) by using the Filter Designer and selecting the usage.ssoAccount field.

Ad Hoc Query Wizard - Field Selection

Select fields to use for creating a filter for which logic and output formatting may be applied. Click a field within the All Fields window, or use the Add Function option to add the field to the Selected Fields window. To remove a field from the Selected Fields window, select the field(s) and click the back arrow <--. The output will sequence the fields in the order selected; however, the sequence can be changed on the Output Formatting screen. At least one field must be selected to continue.

[Field Selection](#) > [Filter Parameters](#) > [Output Formatting](#) > [Grouping and Aggregation](#)

*Query Name:

Short Description:

Long Description:

Select categories & fields

Filter By

All Fields

- [-] Campus Usage
 - [-] User Account/ Summary
 - userID
 - personID
 - districtID
 - username
 - allModules
 - allCalendars
 - failCount
 - forceChangePassword
 - disable
 - expiresDate
 - homepage
 - name
 - serverName
 - remoteIP
 - remoteName
 - remoteBrowser
 - LDAPDN
 - LDAPGUID
 - ssoAccount
 - ldapAccount
 - Account Management
 - Online Payments

Selected Fields

- individual.firstName
- individual.lastName
- usage.username
- usage.ssoAccount

Save To: User Account
Folder:

User Groups

Image 7: Creating an SSO Account Filter

Once you have selected the usage.ssoAccount field, Campus recommends adding additional fields to the filter, preferably identifiers such as first name, last name, username, etc to help in identifying and differentiating between filter results. Below are a few examples:

- student.firstName
- student.lastName
- usage.username

Click the **Next** button. You be redirected to the Filter Parameters editor (Image 8). To generate a list of users with SSO accounts, give the usage.ssoAccount the following values:

- An **Operator** of =
- A **Value** of 1 (see image below).

Ad Hoc Query Wizard - Filter Parameters

Parameters are used to filter data based on specific logic. Use the operators to apply logic to designated fields. Logic may be applied even if a field is not being output. Click the Add Field button to apply additional logic criteria to a single field already assigned an Operator. Additionally, use a Logical Expression (optional) to set conditions for the operators using AND, OR, and NOT conditions. If a Logical Expression is not used, the condition AND will be applied to all operators. If using Logical Expression, include all fields that have Operators or the Operator for the missing field will not apply.

[Field Selection](#) > [Filter Parameters](#) > [Output Formatting](#) > [Grouping and Aggregation](#)

*Query Name:

Short Description:

Long Description:

Filter the data

ID	*Field	Operator	Value
1	individual.firstName		
2	individual.lastName		
3	usage.username		
4	usage.ssoAccount	=	1

➔

Logical Expression (Optional):

If logical expression is left blank, all operators will be applied.
Allowed symbols: AND OR NOT () IDs
Example Syntax: (1 AND (2 OR 3) AND 4 AND (NOT 5 OR 6))

Save To: User Account
Folder: /

User Groups

➔

Image 8: Entering Filter Parameters

Once you have entered in the proper filter parameters, select the **Save & Test** button. A report will generate in a separate window, displaying users who are SSO authenticated (Image 9).

SSO Accounts Total Records: 5			
All Records			
individual.firstName	individual.lastName	usage.username	usage.ssoAccount
System	Administrator	devadmin-01	1
System	Administrator	teststudent	1
Alex	Ron	ron	1
Core	Tester	Testersaml(1)	1
Core	Tester	testersaml(2)	1
All Records			

Image 9: Example of an SSO Account Report