

CALPADS Student Information (SINF)

Last Modified on 10/22/2022 10:14 am CDT

[Report Logic](#) | [Non-Binary Gender Reporting](#) | [Validate SINF Data](#) | [Report Editor](#) | [Generate the Extract](#) | [Student Information File Layout](#)

Classic View: CA State Reporting > CALPADS Student Information

Search Terms: CALPADS Student Information

The CALPADS Student Information File is used to submit demographic, grade level, EL, immigrant status, and address data on a student or to manage changes to this data. This record uses the Effective Date processing method; meaning, when there is previous data for the student, CALPADS establishes an end date that is one day prior to the new start date.

This extract should be submitted after a new student is assigned an SSID and any time student data should be updated in the CALPADS database. This record is required in the Fall 1 collection.

☰
🔍
Infinite Campus

CALPADS Student Information ☆

CALPADS Student Information

This extract is submitted for Fall 1, and any time that student demographic, or address data needs to be updated or changed. It should also be submitted after a new student is assigned an SSID.

To report for Fall 1:
 Enter a Reporting Date (Fall Info Day) and a Previous Submission Date (the last day of the previous year), Record Type=SINF. Records will report for all students actively enrolled on the Reporting Date; the student's Enrollment Start Date will report as the Effective Start Date.

BEST PRACTICE is to run a Student Enrollment (SENR) extract, followed by a Student Information (SINF) extract at least biweekly to keep the CALPADS database updated as students enter or exit from district schools.

To report new or changed student data:
 Enter a Reporting Date (students expected to report must be enrolled on this day) and a Previous Submission Date (the Reporting Date you used on the prior submission), Record Type=see below. Records will report for all students actively enrolled on the Reporting Date IF they have any data changes in the date range Previous Submission Date + 1 day to Reporting Date.
 All data elements are reported/updated. Specific data elements can be updated in CALPADS based on the Record Type selected.

Use of the Effective Date fields:
 The Effective Start Date field should ordinarily not be entered unless you are intending to insert a record with a specific Start Date. For most reporting, the date reported in the extract will be derived based on the Report Type.
 The Effective End Date is not required to report and should ordinarily not be entered unless the extract is intended to insert changes in historical information. An Effective End date should NOT be reported on the SINF just because a student's enrollment ends.

This file uses Effective Date processing. CALPADS uses the SSID from the extract to process records. If a record exists in CALPADS for the SSID, the system will insert the new record and adjust the Effective Start/End Dates of the existing records according to the submitted Effective Date(s). If a record does not exist in CALPADS with the SSID, a new record will be inserted with the submitted Effective Start Date. A new record is always created in the CALPADS database when an Effective End Date is reported.
 Records can also be submitted for deletion during the current Academic Year using the Transaction Type: Delete.

Extract Options

Reporting Date

Previous Submission Date

Include all Identities

Effective Start Date

Effective End Date

Transaction Type

Format

Ad Hoc Filter

Select Calendars

Which calendar(s) would you like to include in the report?

active year

list by school

list by year

21-22

21-22 Abbott Elementary

20-21

20-21 Abbott Elementary

20-21 Baird Elementary

20-21 Chowen Middle

20-21 Drew Middle

20-21 Emerson High

20-21 Fremont High

CALPADS Student Information

Best Practice for generating this extract is to maintain student data in the CALPADS database on an ongoing basis. Enter a **Reporting Date** and a **Previous Submission Date** to select students who have changes during this date range.

For example, running the report as Record Type SINP and entering 11/01/CCYY as the Reporting Date and 10/1/CCYY as the Previous Submission Date allows all students who have an Enrollment Start Date between 10/02/CCYY and 11/01/CCYY to report with their Enrollment Start Date as the Effective Start Date in the extract. This serves to enter demographic information on new students as well as updating grade level data for any students who may have been promoted mid-year.

Report Logic

All students actively enrolled on the Reporting Date are reported, unless the Previous Submission Date is also chosen (see next paragraph). Only one record reports, no matter how many enrollments a student may have, unless the **Include All Identities** checkbox is marked. In that case, all instances of a student's identity are included in the report when the student is actively enrolled between the Previous Submission Date and the Reporting Date.

When the Previous Submission Date is also entered, only students who have data changes between the Previous Submission Date and the Reporting Date are included in the report.

The Effective Start Date is used to populate field 4, Effective Start Date. This date can be before the Reporting Date. When a date is entered in this field, it populates every record in the submission. When the Effective Start Date is before the Start Date of the enrollment that is active on the Report Date, the Enrollment Start Date reports.

When a value is not entered in the Effective Start Date field, the Enrollment Start Date reports as the Effective Start Date.

The Effective End Date is used to populate field 5, Effective End Date, unless the student has exited since the reporting date. See the description of the Effective End Date in the [Report Editor Table](#) for the logic in that situation. This date does not usually need to be entered.

Students do not report when:

- They are not enrolled on the Reporting Date.
- Their enrollment record has a Service Type of N.
- Their enrollment record is marked as No Show or as State Exclude.
- The grade level of enrollment is marked as State Exclude.
- The calendar of enrollment is marked as State Exclude.

All enrollment-related data reports from the enrollment that is active on the Reporting Date.

Address Logic Used in Student Enrollment File

The student's residential address reports. When there is only one address for the student, this is the residential address. When the address is marked as mailing and there is another active address that is not marked as mailing, the address not marked as mailing reports.

Operational Key

- SSID (Field 9)

CAASPP Address Decision Table and Logic

When the CAASPP Address checkbox is marked, only the primary household's mailing address reports when the student has both a primary and secondary household that both have mailing addresses. This applies to the following fields:

- Residential Address Line 2
- Residential City
- Residential State
- Residential Zip

When the Primary Address is NOT active at the time of generating this report (the address has an end date prior to the reporting date entered on the report editor, or the end date is prior to the effective date in the date range entered on the report editor), the Secondary Household Primary Address reports.

In addition:

- When the student has multiple addresses and none are marked as mailing, the most recent address reports.
- When the student has multiple addresses marked as mailing in one household, the most recent address reports.
- When the student has multiple addresses marked as mailing in multiple households, the most recent address from the household not marked as Secondary reports.
- When the student has multiple addresses marked as mailing in multiple households and neither is marked as secondary, the most recent address of all addresses in the households reports.

The following table defines what address reports when a student is in two households both with mailing addresses.

Address Scenario	Primary Household Mailing Address	Secondary Household Mailing Address	No Mailing Address	Multiple Mailing Addresses	PO Box
One Primary Household	Reports	Does not report	Reports the newest address.	Reports the newest mailing address.	When CAASPP is not marked, the PO Box reports.

Address Scenario	Primary Household Mailing Address	Secondary Household Mailing Address	No Mailing Address	Multiple Mailing Addresses	PO Box
One Primary Household, One Secondary Household	Reports	Does not report	Reports the newest address for the primary household.	Reports the newest mailing address for the primary household.	When CAASPP is not marked, the PO Box reports for the primary household.
One Secondary household, One Primary Household with end date within the date range	Does not report	Reports	Reports the newest address for the secondary household.	Reports the newest mailing address for the secondary household.	When CAASPP is not marked and the PO Box exists on the secondary household without an end date, the PO Box reports.
One Secondary Household, One Primary Household with an end date BEFORE the date range	Does not report	Reports	Reports the newest address for the secondary household.	Reports the newest mailing address for the secondary household.	When CAASPP is not marked and the PO Box exists on the secondary household without an end date, the PO Box reports.
One Secondary Household, One Primary Household with an end date AFTER the date range	Reports	Does not report	Reports the new address for the primary household.	Reports the newest mailing address for the primary household.	When CAASPP is not marked, the PO Box reports.
One Household with two addresses, one marked as Primary	Reports	Does not report	N/A	N/A	When CAASPP is not marked, the PO Box reports.

Address Scenario	Primary Household Mailing Address	Secondary Household Mailing Address	No Mailing Address	Multiple Mailing Addresses	PO Box
Two Households with multiple addresses marked as mailing	Reports the address with the newest start date that does not have an end date and is marked as mailing.	Does not report	N/A	Reports the address with the newest start date that does not have an end date and is marked as mailing.	When CAASPP is not marked, the PO Box reports.

Non-Binary Gender Reporting

Schools can assign students a gender of M: Male, F: Female or X: Non-binary. This is done on the [Identities](#) tool and/or the [Demographics](#) tool.

CALPADS Extracts use the Legal Gender field included in the Protected Identity Information to report student identity information.

To properly record a gender of X: Non-Binary, on the Identities tool:

1. Assign the **Gender of X: Non-Binary** in the standard identify fields.
2. Assign the **Protected Identity Information Legal Gender** field to either M: Male or F: Female.
3. Save the record when finished.

Gender and Legal Gender Assignment

Validate SINF Data

Use the [Data Validation Report](#) to correct any student data prior to the submitting the CALPADS file to the state. Validation Groups and Validation Rules are provided by Infinite Campus for a specific CALPADS extract (listed below). These groups are used to return certain rules assigned to each group.

- CALPADS SSID Enrollment
- CALPADS Student Information
- CALPADS Student Programs
- CALPADS Student English Language Acquisition
- CALPADS Student Discipline
 - Student Incident File
 - Student Incident Result File
 - Student Offense File
- CALPADS Staff Demographics
- CALPADS Staff Assignments
- CALPADS Course Section
- CALPADS Student Course Section
- CALPADS Work-Based Learning
- CALPADS Postsecondary Status Summary

Modifications to the Validation Rules and Validation Groups can be made if your district has purchased the [Campus Analytics Suite](#); otherwise, they are read-only.

Users can select the **Missing or Incorrect Data** Validation Group, which returns any missing or incorrect data that is reported in the CALPADS Extract, like a missing enrollment exit reason or an incorrect date, for example.

Note that examples refer to CALPADS SENR.

Data Validation Report - Missing/Incorrect Data

The report first lists a Summary of the issues found and the total number of occurrences.

District: **SENR - Missing/Incorrect Data**

Time: Wed Sep 01 08:36:36 CDT 2021

Preview: Results limited to 100 records per Rule

Summary

Rule	Severity	Occurrences
SENR0013 (via Stored Proc)	Warning	1
SENR0013 - Enrollment Start Date before Birth Date (via Stored Proc)	Warning	1
SENR0014 (via Stored Proc)	Warning	0
SENR0014 - Enrollment Start Date Greater than Current Date plus 6 months (via Stored Proc)	Warning	0
SENR0015 (via Stored Proc)	Warning	1
SENR0015 - Missing Exit Date (via Stored Proc)	Warning	1
SENR0018 (via Stored Proc)	Warning	1
SENR0018 - Invalid exit date for the submitted Exit Reason (via Stored Proc)	Warning	1
SENR0019 (via Stored Proc)	Warning	1
SENR0019 - Enrollment Exit Date Greater than Current Date plus 30 days (via Stored Proc)	Warning	1
SENR0020 (via Stored Proc)	Warning	819

Validate Report Summary List

Then, click the Rule in the Summary column (for HTML format), or scroll through the report to see which students meet the criteria of the rule logic.

SENR0013 (via Stored Proc) [Back To Summary](#)

recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstName	middleName	lastName	gender	suffix	birthDate
SENR0013	2020-2021	20-21 High School	2020-12-28 00:00:00.0		false		123456789	123456	John		Student	M	SR	2020-12-29 00:00:00.0

SENR0013 - Enrollment Start Date before Birth Date (via Stored Proc) [Back To Summary](#)

recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstName	middleName	lastName	gender	suffix	birthDate
SENR0013	2020-2021	20-21 High School	2020-12-28 00:00:00.0		false		123456789	123456	John		Student	M	SR	2020-12-29 00:00:00.0

SENR0014 (via Stored Proc) [Back To Summary](#)

No results

SENR0014 - Enrollment Start Date Greater than Current Date plus 6 months (via Stored Proc) [Back To Summary](#)

No results

SENR0015 (via Stored Proc) [Back To Summary](#)

recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstName	middleName	lastName	gender	suffix
SENR0015	2020-2021	20-21 High School	2020-09-01 00:00:00.0		false	E130	234567890	123456	David		Student	M	

Validate Report Results

Refer to the tables below, which includes the rule, rule logic and location, for correcting the data.

Missing or Incorrect Data

The Missing or Incorrect Data Report uses the following rules and logic (open the Click here to Expand section below to see each rule).

▶ [Click here to expand...](#)

Report Editor

Field	Description
Reporting Date	Indicates the date of the report. This field displays the current date and includes all students enrolled on this date unless a previous submission date is entered.
Previous Submission Date	Date the file was previously submitted. When entered, only students who have a data change since this date report, based on the record type.
Include All Identities	<p>Allows every instance of a student's Identity records to be included in the report. Multiple identities report as separate records for the student between the Previous Submitted Date and the entered Reporting Date.</p> <p>When marked, the student's Enrollment Start Date is used as the Effective Start Date.</p> <p>This checkbox is automatically marked. When only one instance of the student's identity records (the most current record) should be included in the extract, clear the checkbox selection.</p>
Effective Start Date	<p>A date entered in this field populates the Effective Start Date field on the extract. This field is normally left blank for ongoing submissions, which allows the appropriate start date (depending on the record type) to populate the extract field.</p> <p>This date CANNOT be earlier than the date entered in the Previous Submission Date field. When there is no date entered in the Previous Submission Date field, this date CANNOT be earlier than the start date of the school year.</p> <p>A date entered in this field is reported, unless the student's Enrollment Start Date is later than the Effective Start Date, in which case the Enrollment Start Date reports.</p> <ul style="list-style-type: none"> • For SINF, the highest value of the Identity Start Date and the Enrollment Start Date reports. • For SIAD, the most recent enrollment start date or address start data that is after the Previous Submission Date reports. When there is more than one of these start dates, the most recent date reports, but not when it's after the Reporting Date. <p>This field does not display when the Include All Identities checkbox is marked.</p>
Effective End Date	<p>A date entered in this field populates the Effective End Date field in the extract. This field is normally left blank, which allows the appropriate End Date (depending on the Record Type) to populate the extract field when necessary.</p> <p>This field does not display when the Include All Identities checkbox is marked.</p>

Field	Description
Transaction Type	Indicates the type of transaction that occurs - Add/Update or Delete.
Format	Determines how the report generates. Select State Format (Caret Delimited) when submitting records to the state. Other formats available for testing and review purposes are CSV and HTML.
Ad hoc Filter	Select which students to include in the extract by choosing a filter that was created in the Filter Designer .
Calendar Selection	Select the calendar of enrollment from which to pull student data. Calendars can be chosen by the active year, by the school name or by the year.
Report Generation Options	Choose the Generate Extract to display the results of the chosen items immediately, or choose the Submit to Batch option to generate the report at a specified time. This option is helpful when generating large amounts of data.

Generate the Extract

1. Enter the **Reporting Date** in *mmddyy* format, or use the calendar icon to select a date.
2. Enter the **Previous Submission Date** in *mmddyy* format, or use the calendar icon to select a date.
3. Verify the **Include All Identities** checkbox is marked to report all instances of a student's identity. When only one record should be included, clear the checkbox selection.
4. When the **Include All Identities** checkbox is NOT marked, enter the **Effective Start Date** in *mmddyy* format, or use the calendar icon to select a date only when all records should have the same Effective Start Date.
5. When the **Include All Identities** checkbox is NOT marked, enter the **Effective End Date** in *mmddyy* format, or use the calendar icon to select a date only when all records should have the same Effective End Date. Ordinarily, a date should not be entered in this field.
6. Select the **Transaction Type** from the dropdown list - Add/Update or Delete.
7. Select the **Format** of the file.
8. Use the **Ad hoc Filter** to select students already included in a filter. This is not required. When not chosen, all students who have the appropriate enrollment start or end status during the entered date range are included.
9. Select the **Calendars** to include in the file.
10. Click the **Generate Extract** button. Or generate the extract at a specified time using the **Submit to Batch** button. The file appears in a new window in the selected format.

Student Information File Layout

X indicates a required field.

Elements	Description	Location
Record Type Code X	Type of data record being submitted as chosen on the Extract Editor. SINF is the default. <ul style="list-style-type: none"> • Reports as <i>SINF.txt</i> for the State Format • Reports as <i>SINF.csv</i> for the CSV Format <i>Alphanumeric, 4 characters</i>	Not dynamically stored
Transaction Type Code	Action the state should take with this record as chosen on the Extract Editor. Add/Update is the default. <ul style="list-style-type: none"> • D = Delete • R = Replace • Blank or no transaction type = Add/Update <i>Alphanumeric, 1 character</i>	Not dynamically stored
Local Record ID	N/A	N/A

Elements	Description	Location
<p>Effective Start Date</p> <p>X</p>	<p>When an Effective Start Date is entered in the editor, that date reports.</p> <ul style="list-style-type: none"> • UNLESS the Enrollment Start Date from the enrollment active on the Reporting Date is later. Then the enrollment start date reports. <p>When the Effective Start Date is not entered, the reported date is based on the Record Type code.</p> <ul style="list-style-type: none"> • SINF: the most recent Enrollment Start Date that is after the Previous Submission Date. • SIAD: Reports the most recent Enrollment Start Date or Address Start Date that is after the Previous Submission Date. When there is more than one of these Start Dates, report the most recent (but not when it's after the Reporting Date). <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Student Information > General > Enrollments > Start Date</p> <p>Enrollment.startDate</p> <hr/> <p>Student Information > Program Participation > English Learners (EL) > Identified Date or Program Exit Date.</p> <p>lep.identifiedDate lep.programExitDate</p>

Elements	Description	Location
<p>Effective End Date</p>	<p>The month, day and year on which the data within the record stops being effective/current.</p> <p>The Effective End Date selected in the editor is reported unless the student has an enrollment end date and the end status is not blank, 440 or E490 in the enrollment record that was active on the report date. In that case, the earlier of the two dates is reported.</p> <p>When no date is chosen, this field is blank unless the student has an enrollment end date/status as described above.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Student Information > General > Enrollments > End Date</p> <p>Enrollment.endDate</p>

Elements	Description	Location
<p>Reporting LEA X</p>	<p>A unique identifier for the educational service institution responsible for obtaining and maintaining a student's Statewide Student Identifier by way of an enrollment record in CALPADS.</p> <p>When the reporting calendar is from a School assigned Type 15: Independently Reporting Charter, the State School Number reports (not the State District Number).</p> <p>This field reports the Secondary District Number when the reporting calendar has a School Type of 16: Secondary State District Number.</p> <p><i>Numeric, 7 digits</i></p>	<p>System Administration > Resources > District Information > State District Number</p> <p>District.number</p> <hr/> <p>System Administration > Resources > School > School Number</p> <p>School.number</p> <hr/> <p>System Administration > Resources > School > Type</p> <p>School.type</p>
<p>School of Attendance</p>	<p>A unique identifier for the school that delivers a majority of educational instruction and services and is where the student attends. A District-level school entity should use the State District Number for the State School Number.</p> <p>When the CDS Number is populated on the School editor, that value reports.</p> <p><i>Numeric, 7 digits</i></p>	<p>System Administration > Resources > School > State School Number</p> <p>School.Number</p> <hr/> <p>System Administration > Resources > School > CDS Number</p>

Elements	Description	Location
Academic Year ID X	<p>A unique identifier assigned to a specific Academic Year. An Academic Year is the period during which school is in regular session and provides a required number of days of instruction.</p> <p><i>Date field, 9 characters (CCYY-CCYY)</i></p>	<p>System Administration > Calendar > School Years > Start Year/End Year</p> <p>Calendar.schoolYear</p>
SSID X	<p>The unique identifier for the student assigned to or by the first California district in which the student is enrolled in accordance with CDE established standards. This number follows the student from school to school throughout his/her K-12 career.</p> <p><i>Alphanumeric, 10 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > State ID</p> <p>Person.stateID</p>
Local Student ID X	<p>A unique identifier assigned to the student by a local educational agency. This may not necessarily be the same as the identifier assigned to the student at the school level.</p> <p><i>Alphanumeric, 15 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > Student Number</p> <p>Person.studentNumber</p>

Elements	Description	Location
<p>Legal First Name X</p>	<p>Reports the student's legal first name of the student when that field is populated on the Identities record.</p> <p>When the Legal First Name field is not populated, information reports from the First Name field on the Demographics record.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > First Name</p> <p>Identity.firstName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal First Name</p> <p>Identity.legalFirstName</p>
<p>Legal Middle Name</p>	<p>Reports the legal Middle name of the student when the Legal Middle Name field is populated on the Identities record.</p> <p>When the Legal Middle Name field is not populated, information reports from the Middle Name field on the Demographics record.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > Middle Name</p> <p>Identity.middleName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal Middle Name</p> <p>Identity.legalMiddleName</p>

Elements	Description	Location
<p>Legal Last Name X</p>	<p>Reports the Legal Last Name of the student.</p> <p>When the Legal Last Name field is populated, information reports from that field.</p> <p>When the Legal Last Name field is not populated, information reports from the Last Name field on the Demographics record.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p>
<p>Suffix</p>	<p>Legal abbreviation following person's name containing information specific to that person (i.e., Sr, Jr etc.).</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > Suffix</p> <p>Identity.suffix</p>

Elements	Description	Location
<p>Alias First Name</p>	<p>Alternative first name given to the student reported from a previous identity.</p> <p>When the Legal First Name field is populated on the earlier identity, information reports from that field.</p> <p>When the Alias First Name, Alias Middle Name and Alias Last Name is the same as the Legal First Name, Legal Middle Name, and Legal Last Name, this field reports blank.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > First Name</p> <p>Identity.firstName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal First Name</p> <p>Identity.legalFirstName</p>
<p>Alias Middle Name</p>	<p>Alternative middle name given to the student reported from a previous identity.</p> <p>When the Legal middle Name field is populated on the earlier identity, information reports from that field.</p> <p>When the Alias First Name, Alias Middle Name and Alias Last Name is the same as the Legal First Name, Legal Middle Name, and Legal Last Name, this field reports blank.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > Middle Name</p> <p>Identity.middleName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal Middle Name</p> <p>Identity.legalMiddleName</p>

Elements	Description	Location
<p>Alias Last Name</p>	<p>Alternative last name given to the student reported from a previous identity.</p> <p>When the Legal Last Name field is populated on the earlier identity, information reports from that field.</p> <p>When the Alias First Name, Alias Middle Name and Alias Last Name is the same as the Legal First Name, Legal Middle Name, and Legal Last Name, this field reports blank.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p>
<p>Birth Date X</p>	<p>The month, day and year on which a person was born.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Census > People > Demographics > Person Identifiers > Birth Date</p> <p>Identity.birthDate</p>
<p>Gender X</p>	<p>Student's designated gender.</p> <p>When the Legal Gender field is populated, information reports from that field.</p> <p>See the Non-Binary Gender Reporting section for additional information.</p> <p><i>Alphanumeric, 1 character (M or F)</i></p>	<p>Census > People > Demographics > Person Identifiers > Gender</p> <p>Identity.gender</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal Gender</p> <p>Identity.legalGender</p>

Elements	Description	Location
Birth City	<p>Formal name of the city or town in which a person was born.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Demographics > Person Information > Birth City</p> <p>Identity.birthCity</p>
Birth State	<p>The state/province where an individual was born.</p> <p>XX = country code (US, MX, etc.) YYY = state or province (CA, OR, etc.)</p> <p><i>Alphanumeric, 6 characters (XX-YY or XX-YYY)</i></p>	<p>Census > People > Demographics > Person Information > Birth State</p> <p>Identity.birthState</p>
Birth Country X	<p>A coded value representing the country where an individual was born.</p> <p>Reports the default value on the attribute when the student does not have a value entered or reports "US" when the student does not have a value entered AND there is no default value on the attribute.</p> <p><i>Alphanumeric, 2 characters (XX-YY or XX-YYY)</i></p>	<p>Census > People > Demographics > Person Information > Birth Country</p> <p>Identity.birthCountry</p>

Elements	Description	Location
Hispanic Ethnicity	<p>An indication of whether a student identifies as having a Hispanic ethnicity.</p> <ul style="list-style-type: none"> • Reports a value of Y when <i>Is the individual Hispanic/Latino?</i> is set to Yes. • Reports a value of N when <i>Is the individual Hispanic/Latino?</i> is set to No. • Reports a blank value when <i>Is the individual Hispanic/Latino?</i> is not populated (null) OR the Race/Ethnicity Determination is 05 (Intentionally Blank). <p><i>Alphanumeric, 1 character (Y/N/Blank)</i></p>	<p>Census > Demographics > Person Information > Is the individual Hispanic/Latino?</p> <p>Identity.hispanicEthnicity</p>
Missing Ethnicity Indicator	<p>An indication of whether or not the student's Ethnicity has intentionally been left blank.</p> <ul style="list-style-type: none"> • Reports a value of Y when <i>Is the Individual Hispanic/Latino</i> is blank (null) or the Race/Ethnicity Determination is 05 (Intentionally Blank). • Otherwise, reports a value of N. <p><i>Alphanumeric, 1 character (Y/N)</i></p>	<p>Census > Demographics > Person Information > Race/Ethnicity Determination</p> <p>Identity.raceEthnicityDetermination</p>
Race Code 1	<p>A coded value representing a person's Race Category. The first race selected for the student.</p> <p><i>Numeric, 3 digits or blank</i></p>	<p>Census > Demographics > Person Information > Race checkbox</p> <p>Identity.caRace</p>

Elements	Description	Location
Race Code 2	<p>A coded value representing a person's Race Category. The second race selected for the student.</p> <p><i>Numeric, 3 digits or blank</i></p>	<p>Census > Demographics > Person Information > Race checkbox</p> <p>Identity.caRace</p>
Race Code 3	<p>A coded value representing a person's Race Category. The third race selected for the student.</p> <p><i>Numeric, 3 digits or blank</i></p>	<p>Census > Demographics > Person Information > Race checkbox</p> <p>Identity.caRace</p>
Race Code 4	<p>A coded value representing a person's Race Category. The fourth race selected for the student.</p> <p><i>Numeric, 3 digits or blank</i></p>	<p>Census > Demographics > Person Information > Race checkbox</p> <p>Identity.caRace</p>
Race Code 5	<p>A coded value representing a person's Race Category. The fifth race selected for the student.</p> <p><i>Numeric, 3 digits or blank</i></p>	<p>Census > Demographics > Person Information > Race checkbox</p> <p>Identity.caRace</p>
Race Missing Indicator	<p>An indication of whether or not the student's Ethnicity has intentionally been left blank.</p> <p>Y reports when no race check boxes are marked. Otherwise, N reports.</p> <p><i>Alphanumeric, 1 character (Y/N)</i></p>	<p>Census > Demographics > Person Information > Race checkbox</p> <p>Identity.caRace</p>

Elements	Description	Location
Residential Address Line 1 X	<p>The address where an individual either receives mail or resides. See the Address Logic section for more information.</p> <p>An Address Number is not required.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census > Address > Address Information > Number, Prefix, Street, Tag, Direction, Apt</p> <p>Address.Number Address.Prefix Address.Street Address.Tag Address.Direction Address.Apt</p>
Residential Address Line 2	<p>Reports address overflow reported in Residential Address Line 1 field.</p> <p>See the Address Logic section for more information.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census > Address > Address Information > Number, Prefix, Street, Tag, Direction, Apt</p> <p>Address.Number Address.Prefix Address.Street Address.Tag Address.Direction Address.Apt</p>
Residential City X	<p>The formal name of the city or town where mail is sent or received.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p>See the Address Logic section for more information.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > Address > Address Information > City</p> <p>Address.City</p>
Residential State X	<p>A coded value representing the abbreviation for a State/Province in an address.</p> <p>See the Address Logic section for more information.</p> <p><i>Alphanumeric, 4 characters (US-XX)</i></p>	<p>Census > Address > Address Information > State</p> <p>Address.State</p>

Elements	Description	Location
Residential Zip X	<p>The ZIP code used for the location where mail is sent or received, inclusive of the four-digit ZIP code extension.</p> <p>See the Address Logic section for more information.</p> <p><i>Numeric, 10 digits (XXXXX or XXXXX-XXXX)</i></p>	<p>Census > Address > Address Information > Zip</p> <p>Address.Zip</p>
Initial US School Enrollment Date	<p>The date of the student's first enrollment in a kindergarten through 12th grade public or private school in the US, including its territories. This field is required when the student's Birth Country is not US or PR or when the student's English Proficiency is EL.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Census > People > Demographics > Person Information > Date Entered US School</p> <p>Identity.dateEnteredUSSchool</p>

Elements	Description	Location
<p>Enrolled less than three years</p>	<p>An indication of whether or not a student has been enrolled in a US school for less than three cumulative years.</p> <p>This is calculated using the Start Date in the Early Learning editor. When the Early Learning Start Date is blank, this is calculated using the Date Entered US School. When multiple Early Learning records exists this is calculated using the earliest start date among the existing records.</p> <ul style="list-style-type: none"> • This reports as Y when the First US Enroll Date is less than three years before the Reporting Date. • This reports Y when the EL Enrolled Less Than 3 Years field is marked even when First US Enroll Date is more than three years before the Reporting Date of the extract. • Otherwise, it reports as N. • Students with no First US Enroll Date entered report blank. <p>This field is required when the student's Birth Country is not US or PR.</p> <p>This reports as Y when the Schooling in US check box is marked regardless of the dates listed in Kindergarten Enrollment or the Early Learning Start Date.</p> <p><i>Alphanumeric, 1 character (Y</i></p>	<p>Census > People > Demographics > EL enrolled less than 3 years</p> <p>Identity.schoolingUS</p> <hr/> <p>Student Information > Program Participation > Early Learning > Start Date</p>

Elements	<i>or M</i> Description	Location
<p>Guardian Highest Education X</p>	<p>Coded value representing the highest educational level of the parent/guardian.</p> <p>When the field is not populated on the student's Demographics record, then the selection made on the guardian's demographics tabs is used.</p> <p>When neither education level is selected, this field reports blank.</p> <p>When the field is populated on both the student's Demographics record AND the parent's Demographics record, the lowest code between the two entries reports.</p> <p>When the field is populated for one guardian, but not the other, and the field is blank on the student's Demographics record, the value reported for the one guardian reports.</p> <p>This field reports blank when the field is blank for all guardians and the student.</p> <p>When a guardian is marked as such as a non-household relationship, that person's Parent Ed value factors into the calculation to determine the highest ED level.</p> <p><i>Numeric, 2 digits</i></p>	<p>Census > People > Demographics > Person Information > Education Level (for parent)</p> <p>Identity.educationlevel</p>

Elements	Description	Location
<p>Guardian 1 First Name</p>	<p>First name of the first parent/guardian contact listed for the student.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p>When a guardian's first name is longer than 30 characters, the name up and including the 30th character prints. Any characters thereafter do not print.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Relationships > Guardian</p> <p>Identity.firstName</p>
<p>Guardian 1 Last Name</p>	<p>The last name of the first Parent/Guardian contact listed for a student.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p>When a guardian's last name is longer than 50 characters, the name up and including the 50th character prints. Any characters thereafter do not print.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Relationships > Guardian</p> <p>Identity.lastName</p>

Elements	Description	Location
<p>Guardian 2 First Name</p>	<p>The first name of the second Parent/Guardian contact listed for a student.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p>When a guardian's first name is longer than 30 characters, the name up and including the 30th character prints. Any characters thereafter do not print.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > People > Relationships > Guardian</p> <p>Identity.firstName</p>
<p>Guardian 2 Last Name</p>	<p>The first name of the second Parent/Guardian contact listed for a student.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p>When a guardian's last name is longer than 50 characters, the name up and including the 50th character prints. Any characters thereafter do not print.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Relationships > Guardian</p> <p>Identity.lastName</p>

Elements	Description	Location
<p>Student Preferred First Name</p>	<p>Reports the student's First Name from the Demographics field when the Legal First Name field is populated on the Identities record.</p> <p>This only reports when both the Legal First Name and Legal Last Name fields are populated on the Identities record.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > First Name</p> <p>Identity.firstName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal First Name</p> <p>Identity.legalFirstName</p>
<p>Student Preferred Last Name</p>	<p>Reports the student's Last Name from the Demographics field when the Legal LastName field is populated on the Identities record.</p> <p>This only reports when both the Legal First Name and Legal Last Name fields are populated on the Identities record.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Demographics > Person Identifiers > Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census > People > Identities > Identity Information > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p>

Elements	Description	Location
<p>Mailing Address 1</p>	<p>Reports the student's active Number and Street information from the Household that is active on the entered Reporting Date (a household with a start date prior to the reporting date or a household with no start date is considered active).</p> <p>When the household has multiple addresses marked as Mailing, the address marked as Secondary or PO Box reports.</p> <p>When the primary household has a single address, logic looks for a secondary household and reports the address form that household.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census > Households > Addresses > Household Location Editor > Address</p> <p>Address.number Address.prefix Address.street Address.tag Address.direction Address.apt</p>
<p>Mailing Address 2</p>	<p>Reports address overflow reported in Residential Address Line 1 field.</p> <p>See the Report Logic section for more information.</p> <p><i>Alphanumeric, 60 characters</i></p>	<p>Census > Households > Addresses > Household Location Editor > Address</p> <p>Address.number Address.prefix Address.street Address.tag Address.direction Address.apt</p>

Elements	Description	Location
Mailing Address City	<p>The formal name of the city or town where mail is sent or received.</p> <p>This field may only include alphabetic letters, numbers, periods, hyphens and apostrophes.</p> <p>See the Report Logic section for more information.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census > Households > Addresses > Household Location Editor > Address</p> <p>Address.city</p>
Mailing Address State	<p>A coded value representing the abbreviation for a State/Province in an address.</p> <p>See the Report Logic section for more information.</p> <p><i>Alphanumeric, 4 characters (US-XX)</i></p>	<p>Census > Households > Addresses > Household Location Editor > Address</p> <p>Address.state</p>
Mailing Address Zip	<p>The ZIP code used for the location where mail is sent or received, inclusive of the four-digit ZIP code extension.</p> <p>See the Report Logic section for more information.</p> <p><i>Numeric, 10 digits (XXXXX or XXXXX-XXXX)</i></p>	<p>Census > Households > Addresses > Household Location Editor > Address</p> <p>Address.zip</p>

Previous Versions

[CALPADS Student Information \(SINF\) \[.2144 - .2223\]](#)