

# IAR Pre-ID Extract (Illinois)

Last Modified on 10/22/2022 10:18 am CDT

[Report Logic](#) | [Report Editor](#) | [Generate the IAR Pre-ID Report](#) | [Report Layout](#)

**Classic View:** IL State Reporting > IAR Pre-ID Extract

**Search Terms:** IAR Pre-ID Extract

The IAR Pre-ID Extract produces a file for IAR Pre-ID Label reports. Students in grades 03-12 who have an active enrollment as of the effective date are included and have a [Test Accommodations](#) record for one of the IAR Assessments.

IAR PreID Extract

## Report Logic

All students who have an active enrollment as of the entered effective date and are enrolled in grades 03-12 report. If the student has multiple enrollments, the most recent primary enrollment reports; if there is no primary enrollment, the most recent active Special Education or Partial enrollment reports.

Students are included multiple times if they are tied to multiple courses and/or have multiple test accommodation records in the selected calendar that meet the following course criteria:

- All of the student's active courses as of the effective date with an assessment tied to the course are found.
- The assessment must have a **Consortium Code** of one of the following:

- ALG01
- ALG02
- GEO01
- MAT11
- MAT21
- MAT31
- MAT03
- MAT04
- MAT05
- MAT06
- MAT07
- MAT08
- ELA03
- ELA04
- ELA05
- ELA06
- ELA07
- ELA08
- ELA09
- ELA10
- ELA11

*Assessment Consortium Code*

- If the Session Name and Class Name Format is Course Number-Teacher Last Name-Period or Course/Section Number-Teacher Last Name, AND the student is active in multiple sections as of the effective date, both sections report; otherwise, only one record per course reports.

In addition to the **Consortium Code** being populated on the **Test Detail** (see above), the Test also needs to be assigned to a **Course** in which the student is scheduled (Scheduling > Courses > Course > Assessments) and the student must have a score for that **Test** (Student Information > General > Assessment).

*Course Assessments*

*Student Assessments*

Students are not reported when:

- Their enrollment record is marked as State Exclude.
- They are enrolled in a Grade Level marked as State Exclude.
- The Calendar of enrollment is marked as State Exclude.

The report sorts data in the following order:

- Test Code
- Assessment Session Name
- Last Name
- First Name
- State ID

## Report Editor

Field	Description
<b>Report Type</b>	Indicates which report generates, either the <b>IAR Pre-ID</b> or the <b>Errors and Warnings Report</b> . There is no logic surrounding the Errors and Warning type.
<b>Session Name and Class Name Format</b>	When populated, the selected value reports the values in the Assessment Session Name and Class Name fields in the IAR Pre-ID Layout. Options are: <ul style="list-style-type: none"> <li>• Course Number-Teacher Last Name-Period</li> <li>• Course/Section Number-Teacher Last Name</li> <li>• User Populated</li> </ul> <p>When the User Populated option is selected, a text box displays (Session Name and Class Name). This is NOT a required selection to generate the report.</p>
<b>File Identifier</b>	A numeric field that notes the number of times the report has been generated. This field is used in the File Naming Convention of the extract to be used when submitting the extract in the State Format (RCDTS or District Name + __ + MMDDYY File Identifier).
<b>Strip Apostrophes</b>	When marked, the following marks are removed from student names and other reported data: <ul style="list-style-type: none"> <li>• Apostrophes ('), Commas (,), Periods (.)</li> <li>• Umlaut (Ö)</li> <li>• Tilde (Ñ)</li> <li>• Grave Accents (Ò), Acute Accents (Ó)</li> <li>• Circumflex (Ô)</li> </ul> <p>When not marked, these marks are not removed.</p>
<b>Effective Date</b>	Entered date is used to report students who are actively enrolled. Dates may be entered in <i>mmddyy</i> format or by clicking the calendar icon and selecting a date.
<b>First Year in US School Date</b>	Entered date is used to locate students who have been enrolled in school for less than 365 days, based on the date entered on the Date Entered US on the student's Demographics tab.
<b>Report Protected Identities</b>	When marked, student identity information (last name, first name, etc.) reports from the Protected Identity Information fields.
<b>Format</b>	The report can be generated in either <b>HTML</b> or in the <b>State Format (Comma Delimited)</b> . The HTML format can be used to review data prior to submission of the extract. The State Format should be used when submitting information to the state.
<b>Choose Grades</b>	Users can select a grade level, multiple grade levels or all grade levels. Use the CTRL and SHIFT keys to select multiple grade levels.
<b>Ad hoc Filter</b>	Selecting an ad hoc filter further narrows the student set to be only those students who are included in the selected filter.

Field	Description
<b>Calendar Selection</b>	A calendar must also be selected when generating the report. This selection only returns students who are enrolled in that calendar and who also meet the reporting criteria.
<b>Report Generation</b>	Use the <b>Generate Extract</b> button to immediately display the results of the extract. For a larger data set, use the <b>Submit to Batch</b> button. This allows the selection of a specific time in which the extract generates (after school hours). See the <a href="#">Batch Queue</a> article for more information.

## Generate the IAR Pre-ID Report

1. Select the **IAR Pre-ID** as the **Report Type**.
2. If desired, select the **Session Name and Class Name Format** option.
3. Enter the correct **File Identifier**.
4. If desired, mark the **Strip Apostrophes** checkbox.
5. Enter the desired **Effective Date** and the **First Year in US School Date**.
6. If desired, mark the **Report Protected Identities** checkbox.
7. Select the desired **Format**.
8. Chose which **Grades** to include in the report.
9. If desired, select an **Ad hoc Filter**.
10. Choose the desired **Calendars**.
11. Click the **Generate Report** to display results of the report immediately; choose the **Submit to Batch** button to determine when the report generates.

Records:1				
Name	Student Count	File Name	Today	RCDTS
IAR Pre-ID 486		IAR_Pre-ID_31045300026_02172021_001.html[02/17/2021][310453000260000]		

  

Records:486										
StateAbbreviation	TestingDistrictCode	TestingSchoolCode	HomeDistrictCode	HomeSchoolCode	StateStudentIdentifier	LocalStudentIdentifier	UniquePersonStudentIdentifier	LastOrSurname	FirstName	MiddleN
IL	310453000000000	310453000000000	310453000000000	310453000000000	123456789	123456		Student	Asher	Dylan
IL	310453000000000	310453000000000	310453000000000	310453000000000	234567890	234567		Student	Benson	*
IL	310453000000000	310453000000000	310453000000000	310453000000000	345678901	234567		Student	Callie	*
IL	310453000000000	310453000000000	310453000000000	310453000000000	456789012	456789		Student	Benson	*
IL	310453000000000	310453000000000	310453000000000	310453000000000	567890123	567890		Student	Dylan	Arthur
IL	310453000000000	310453000000000	310453000000000	310453000000000	678901234	678901		Student	Evie	*

IAR Pre-ID Extract - HTML Format

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	
1	IAR Pre-ID	486	IAR_Pre-ID_2/17/2021	3.1E+14					Student	Asher	Dylan	9/14/2005	M		9	Y	N	N	N	N	N	Y
2	IL	3.1E+14	3.1E+14	3.1E+14	3.1E+14	123456789	123456		Student	Benson	*	6/10/2006	M		9	Y	N	N	N	N	N	N
3	IL	3.1E+14	3.1E+14	3.1E+14	3.1E+14	234567890	234567		Student	Callie	*	5/13/2006	F		9	Y	N	N	N	N	N	N
4	IL	3.1E+14	3.1E+14	3.1E+14	3.1E+14	345678901	345678		Student	Ben	*	3/16/2006	M		9	Y	N	N	N	N	N	N
5	IL	3.1E+14	3.1E+14	3.1E+14	3.1E+14	456789012	456789		Student	Dylan	Arthur	5/8/2006	M		9	Y	N	N	N	N	N	N
6	IL	3.1E+14	3.1E+14	3.1E+14	3.1E+14	567890123	567890		Student	Dylan	Arthur	5/8/2006	M		9	Y	N	N	N	N	N	N
7	IL	3.1E+14	3.1E+14	3.1E+14	3.1E+14	678901234	678901		Student	Evie	*	5/17/2006	F		9	Y	N	N	N	N	N	N
8																						

IAR Pre-ID Extract - Comma Delimited (State Format)

## Report Layout

Data Element	Description	Location
<b>Report Header</b>		
<b>Report Name</b>	Reports the name of the extract being generated. This always report a value of <b>IAR Pre-ID</b> .	N/A
<b>Student Count</b>	Reports the total number of records that appear on the report.	N/A
<b>File Name</b>	IAR_Pre-ID_310453000260_01302015_001.txt)	N/A

Data Element	Description	Location
<b>Date</b>	Reports the date the extract was generated.  <i>Date field, 10 characters (MM/DD/YYYY)</i>	N/A
<b>RCDTS Code</b>	The Region-County-District-Type-School code that uniquely identifies the school generating the extract.  <i>RRCCDDDDDTSSSS, 15 characters</i>	System Administration > Resources > District Information > State District Number, Type, Region Number, County  System Administration > Resources > School > State School Number  District.districtID District.county District.region School.number
<b>Report Layout</b>		
<b>State Abbreviation</b>	Reports a value of IL.  <i>Alphabetic, 2 characters</i>	N/A
<b>Testing District Code</b>	Reports the district code responsible for administering the assessment for the student, as entered on the student's Enrollment record.  This reports a concatenation of the Testing District and Testing School codes.  When the Testing District and Testing School fields are not populated, the value reports from the Serving District and Serving School fields.  <i>Alphanumeric, 15 characters</i>	Student Information > General > Enrollments > State Reporting Fields > Testing District, Testing School  Enrollment.testingRCDTS Enrollment.testingSchool  Student Information > General > Enrollments > State Reporting Fields > Serving District, Serving School  Enrollment.servingRCDTS Enrollment.servingSchool
<b>Testing School Code</b>	Reports the school code responsible for administering the assessment for the student, as entered on the student's Enrollment record.  This reports a concatenation of the Testing District and Testing School codes.  When the Testing District and Testing School fields are not populated, the value reports from the Serving District and Serving School fields.  <i>Alphanumeric, 15</i>	Student Information > General > Enrollments > State Reporting Fields > Testing District, Testing School  Enrollment.testingRCDTS Enrollment.testingSchool  Student Information > General > Enrollments > State Reporting Fields > Serving District, Serving School  Enrollment.servingRCDTS Enrollment.servingSchool

Data Element	Description	Location
<b>Home District Code</b>	<p>Reports the district code responsible for specific educational services and/or instruction of the student, as entered on the student's Enrollment record.</p> <p>This reports a concatenation of the Home District and Home School codes.</p> <p>When the Home District and Home school fields are not populated, the value reports a concatenation of the District Region Number, District County Number, District State District Number, District Type, and School Number.</p> <p><i>Alphanumeric, 15 characters (RRCCDDDDTTSSSS)</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Home District, Home School</p> <p>Enrollment.residentDistrict Enrollment.residentSchool</p> <hr/> <p>System Administration &gt; Resources &gt; District Information &gt; State District Number, Type, Region Number, County</p> <p>System Administration &gt; Resources &gt; School &gt; State School Number</p> <p>District.districtID District.county District.region School.number</p>
<b>Home School Code</b>	<p>Reports the unique number or alphanumeric code assigned to an institution by a school, school system, a state, or other agency or entity.</p> <p>This reports a concatenation of the Home District and Home School codes.</p> <p>When the Home District and Home school fields are not populated, the value reports a concatenation of the District Region Number, District County Number, District State District Number, District Type, and School Number.</p> <p><i>Alphanumeric, 15 characters (RRCCDDDDTTSSSS)</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Home District, Home School</p> <p>Enrollment.residentDistrict Enrollment.residentSchool</p> <hr/> <p>System Administration &gt; Resources &gt; District Information &gt; State District Number, Type, Region Number, County</p> <p>System Administration &gt; Resources &gt; School &gt; State School Number</p> <p>District.districtID District.county District.region School.number</p>
<b>State Student Identifier</b>	<p>Reports the student's state-assigned state ID.</p> <p><i>Numeric, 9 digits</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Identifiers &gt; State ID</p> <p>Person.stateID</p>
<b>Local Student Identifier</b>	<p>Reports the student's local student number.</p> <p><i>Numeric, 6 digits</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Identifiers &gt; Student Number</p> <p>Person.studentNumber</p>
<b>Unique Pearson Student Identifier</b>	<p>Reports blank.</p>	<p>N/A</p>

Data Element	Description	Location
<b>Last Name</b>	<p>Reports the student's last name.</p> <p>When the Report Protected Identities checkbox is marked on the report editor, the student's last name reports from the Legal Last Name field if populated.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Identity Information &gt; Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Protected Identity Information &gt; Legal Last Name</p> <p>Identity.legalLastName</p>
<b>First Name</b>	<p>Reports the student's first name.</p> <p>When the Report Protected Identities checkbox is marked on the report editor, the student's first name reports from the Legal First Name field if populated.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Identity Information &gt; First Name</p> <p>Identity.firstName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Protected Identity Information &gt; Legal First Name</p> <p>Identity.LegalfirstName</p>
<b>Middle Name</b>	<p>Reports the student's middle name.</p> <p>When the Report Protected Identities checkbox is marked on the report editor, the student's first name reports from the Legal Middle Name field if populated.</p> <p><i>Alphanumeric, 35 characters</i></p>	<p>Census &gt; People &gt; Identity Information &gt; First Name</p> <p>Identity.middleName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Protected Identity Information &gt; Legal First Name</p> <p>Identity.LegalMiddleName</p>
<b>Birth Date</b>	<p>Reports the student's birth date.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Birth Date</p> <p>Identity.birthdate</p>
<b>Sex</b>	<p>Reports the student's gender as either Male (M) or Female (F).</p> <p><i>Alphabetic, 1 character</i></p>	<p>Census &gt; People &gt; Identity Information &gt; Gender</p> <p>Identity.gender</p>
<b>State Field 1</b>	<p>Reports blank.</p>	N/A
<b>Grade Level When Assessed</b>	<p>Reports the state grade of the student.</p> <p><i>Alphanumeric, 2 characters</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; Grade</p> <p>Enrollment.grade</p>
<b>Hispanic or Latino Ethnicity</b>	<p>Reports whether the student is considered to be of Hispanic or Latino ethnicity.</p> <p><i>Alphabetic, 1 character (Y or N)</i></p>	<p>Census &gt; Demographics &gt; Race/Ethnicity &gt; Is the individual Hispanic/Latino?</p> <p>Identity.hispanicEthnicity</p>

Data Element	Description	Location
<b>American Indian or Alaska Native</b>	Reports whether the student is considered to be of American Indian or Alaska Native ethnicity.  <i>Alphabetic, 1 character (Y or N)</i>	Census > Demographics > Race/Ethnicity > American Indian or Alaska Native  Identity.raceEthnicity
<b>Asian</b>	Reports whether the student is considered to be of Asian ethnicity.  <i>Alphabetic, 1 character (Y or N)</i>	Census > Demographics > Race/Ethnicity > Asian  Identity.raceEthnicity
<b>Black or African American</b>	Reports whether the student is considered to be Black or of African American ethnicity.  <i>Alphabetic, 1 character (Y or N)</i>	Census > Demographics > Race/Ethnicity > Black or African American  Identity.raceEthnicity
<b>Native Hawaiian or Other Pacific Islander</b>	Reports whether the student is considered to be Native Hawaiian or Other Pacific Islander.  <i>Alphabetic, 1 character (Y or N)</i>	Census > Demographics > Race/Ethnicity > Native Hawaiian or Other Pacific Islander  Identity.raceEthnicity
<b>White</b>	Reports whether the student is considered to be white.  <i>Alphabetic, 1 character (Y or N)</i>	Census > Demographics > Race/Ethnicity > White  Identity.raceEthnicity
<b>State Field 2</b>	Reports blank	N/A
<b>Two or More Races</b>	Reports whether the student is considered to be of two more races.  Reports Y when multiple options are marked on the RaceEthnicity fields on the Demographics record, or if M: Multi Racial is selected.  <i>Alphabetic, 1 character (Y or N)</i>	Census > Demographics > Race/Ethnicity  Identity.raceEthnicity
<b>English Learner</b>	Reports a value of Y when the student has an EL Program Status of LEP.  Otherwise, reports a value of N.  <i>Alphabetic, 1 character (Y or N)</i>	Student Information > Program Participation > English Learning (EL) > EL > Program Status  ProgramParticipation.programStatus
<b>Title III Limited English Proficient</b>	Reports a value of Y when the student has an EL Program Status of LEP.  Otherwise, reports a value of N.  <i>Alphabetic, 1 character (Y or N)</i>	Student Information > Program Participation > English Learning (EL) > EL > Program Status  ProgramParticipation.programStatus
<b>Gifted and Talented</b>	Reports a value of Y when the student is participating in and served by a Gifted/Talented program.  Otherwise, reports a value of N.  <i>Alphabetic, 1 character (Y or N)</i>	Student Information > General > Enrollments > State Reporting Fields > Gifted and Talented  Enrollment.giftedTalented



Data Element	Description	Location
<b>Migrant Status</b>	<p>Reports a value of Y when the student or the student's parents are considered to be migratory.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphabetic, 1 character (Y or N)</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Migrant</p> <p>Enrollment.migrant</p>
<b>Economic Disadvantage Status</b>	<p>Reports a value of Y when the student has met the state criteria for classification as having an economic disadvantage.</p> <p>Otherwise, reports a value of N.</p> <p><i>Alphabetic, 1 character (Y or N)</i></p>	<p>FRAM &gt; Eligibility</p> <p>POSEligibility.eligibility</p>
<b>Student with Disabilities</b>	<p>Indicates whether the student has a disability.</p> <ul style="list-style-type: none"> <li>• A value of IEP reports when the Special Ed Status on the Enrollment record is Yes.</li> <li>• A value of B reports when the Special Ed Status on the Enrollment record is Yes and the Section 504 field on the Enrollment record is marked.</li> <li>• A value of 504 reports when the Special Ed Status on the Enrollment record is No and the Section 504 field on the Enrollment record is marked.</li> </ul> <p>Otherwise, reports a value of N.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Section 504</p> <p>Enrollment.504</p> <hr/> <p>Student Information &gt; General &gt; Enrollments &gt; Special Ed Fields &gt; Special Ed Status &gt;</p> <p>Enrollment.specialEdStatus</p>
<b>Primary Disability Type</b>	<p>Indicates the student's overriding disability condition when the Special Ed Status is Y.</p> <p>Reports the code assigned to the disability.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; Special Ed Fields &gt; Primary Disability</p> <p>Enrollment.disability1</p>
<b>State Field 3 - State Field 14</b>	Reports blank.	N/A
<b>Assessment Test Taken</b>	Reports blank.	N/A
<b>Learning Option</b>	Reports blank.	N/A

Data Element	Description	Location
<p><b>Session Name</b></p>	<p>Reports the location where the student is taking the assessment, based on the Session Name and Class Name Format field in the Report Editor.</p> <p>When <b>Course Number-Teacher Last Name- Period</b> is selected, this field reports the course number (from course.number), the last name of the primary teacher that was active as of the effective date on the extract editor, and the name of the period in which the section takes place.</p> <p>When <b>Course/Section Number-Teacher Last Name</b> is selected, this field reports the course number combined with the section number and the last name of the primary teacher that was active as of the effective date on the extract editor, tied to the course/section where the student is active as of the effective date and the assessment is tied.</p> <ul style="list-style-type: none"> <li>• If the student is active in multiple sections, a record reports for each section.</li> <li>• If no active primary teacher is/was assigned to course as of effective date, no teacher reports.</li> </ul> <p>When <b>User Populated</b> is selected AND there is a value entered in the the text box, this field reports the selected value. Otherwise, a blank value reports.</p> <p>When no value is selected. a blank value reports.</p> <p>When the user has a value in the assessment location override field on the accommodations tab, that value report over the selection made on the extract editor.</p> <p><i>Alphanumeric, 38 characters</i></p>	<p>IL State Reporting &gt; IAR Pre-ID Extract &gt; Session Name and Class Name Format</p> <hr/> <p>Student Information &gt; Test Accommodations &gt; Alt Testing Location</p> <p>Test Accommodations.altTestingLocation</p>

Data Element	Description	Location
<p><b>Class Name</b></p>	<p>Reports a unique number or alphanumeric code assigned to a room by a school, school system, state or other agency/entity, based on the Session Name and Class Name Format field in the Report Editor.</p> <p>When <b>Course Number-Teacher Last Name- Period</b> is selected, field reports the course number (from course.number), the last name of the primary teacher that was active as of the effective date on the extract editor, and the name of the period in which the section takes place.</p> <ul style="list-style-type: none"> <li>• If the section takes place in multiple periods, the earliest instructional period reports.</li> <li>• If no active primary teacher is/was assigned to course as of effective date, no teacher reports.</li> </ul> <p>When <b>Course/Section Number-Teacher Last Name</b> is selected, field reports the course number combined with the section number and the last name of the primary teacher that was active as of the effective date on the extract editor, tied to the course/section where the student is active as of the effective date and the assessment is tied.</p> <ul style="list-style-type: none"> <li>• If the student is active in multiple sections, a record reports for each section.</li> <li>• If no active primary teacher is/was assigned to course as of effective date, no teacher reports.</li> </ul> <p>When <b>User Populated</b> is selected AND there is a value entered in the the text box, report the selected value. Otherwise, a blank value reports.</p> <p>When no value is selected. a blank value reports.</p> <p>When the user has a value in the Alt Testing Location field on the Accommodations tab, that value reports over the selection made on the extract editor.</p> <p><i>Alphanumeric, 45 characters</i></p>	<p>IL State Reporting &gt; IAR Pre-ID Extract &gt; Session Name and Class Name Format</p> <hr/> <p>Student Information &gt; Test Accommodations &gt; Alt Testing Location</p> <p>Test Accommodations.altTestingLocation</p>

Data Element	Description	Location
<b>Test Administrator</b>	<p>Reports the Staff State ID of the staff person overseeing the student(s) in the test session.</p> <p>When multiple staff persons are assigned to a course section, the Staff State ID reports the Primary Teacher first, then the Teacher, then the Section Staff Member.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Identifiers &gt; Staff State ID</p> <p>Person.staffStateID</p>
<b>Staff Member Identifier</b>	<p>Reports the Staff State ID of the staff person.</p> <p>When multiple staff persons are assigned to a course section, the Staff State ID reports the Primary Teacher first, then the Teacher, then the Section Staff Member.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Identifiers &gt; Staff State ID</p> <p>Person.staffStateID</p>
<b>Test Code</b>	<p>Reports the state code assigned at the course level.</p> <p><i>Alphanumeric, 5 characters</i></p>	<p>Scheduling &gt; Courses &gt; Course &gt; Assessment</p> <hr/> <p>Assessment &gt; Test Setup &gt; Consortium Code</p> <p>Test.consortiumCode</p>
<b>Test Format</b>	<p>Reports the format of the test (O: Online or P: Paper).</p> <p><i>Alphabetic, 1 character</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Format</p> <p>TestAccommodations.testFormat</p>
<b>Retest</b>	<p>Reports a value of Y when the <b>Retest</b> field is marked. Otherwise, a blank value reports.</p> <p><i>Alphabetic, 1 character</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Retest</p> <p>TestAccommodations.retest</p>
<b>Blank Field</b>	<p>Reports blank.</p>	N/A
<b>Frequent Breaks</b>	<p>Reports a value of Y when the <b>Frequent Breaks</b> field is marked. Otherwise, a blank value reports.</p> <p><i>Alphabetic, 1 character</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Frequent Breaks</p> <p>TestAccommodations.frequentBreaks</p>
<b>Separate/Alternate Location</b>	<p>Reports a value of Y when the <b>Alternate Location</b> field is marked. Otherwise, a blank value reports.</p> <p><i>Alphabetic, 1 character</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Frequent Breaks</p> <p>TestAccommodations.altTestingLocation</p>
<b>Small Group Testing</b>	<p>Reports a value of Y when the <b>Small Testing Group</b> field is marked. Otherwise, a blank value reports.</p> <p><i>Alphabetic, 1 character</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Small Testing Group</p> <p>TestAccommodations.smallTestingGroup</p>

Data Element	Description	Location
<b>Specialized Equipment or Furniture</b>	Reports a value of Y when the <b>Special Equipment</b> field is marked. Otherwise, a blank value reports.  <i>Alphabetic, 1 character</i>	Student Information > General > Test Accommodations > Special Equipment  TestAccommodations.specializedEquipment
<b>Specified Area or Setting</b>	Reports a value of Y when the <b>Specified Area</b> checkbox is marked. Otherwise, reports a blank value.  <i>Alphabetic, 1 character</i>	Student Information > General > Test Accommodations > Specified Area or Setting  TestAccommodations.specifiedAreaOrSetting
<b>Time of Day</b>	Reports a value of Y when the <b>Time of Day</b> checkbox is marked.  Otherwise, reports a blank value.  <i>Alphabetic, 1 character</i>	Student Information > General > Test Accommodations > Time of Day  TestAccommodations.timeOfDay
<b>Answer Masking</b>	Reports a value of Y when the <b>Answer Masking</b> checkbox is marked.  Otherwise, reports a blank value.  <i>Alphabetic, 1 character</i>	Student Information > General > Test Accommodations > Answer Masking  Test Accommodations.masking
<b>Student Read Aloud to Self</b>	Reports a value of Y when the <b>Read Assessment Aloud</b> checkbox is marked.  Otherwise, reports a blank value.  <i>Alphabetic, 1 character</i>	Student Information > General > Test Accommodations > Read Assessment Alout  TestAccommodations.studentReadsToThemselves
<b>Color Contrast</b>	Reports the selected code on the <b>Test Accommodations</b> tool.  <i>Numeric, 2 digits</i>	Student Information > General > Test Accommodations > Color Contrast  Test Accommodations.colorContrast
<b>ASL Video</b>	Reports a value of Y when the <b>ASL Video</b> field is marked.  Otherwise, a blank value reports.  <i>Alphabetic, 1 character (Y)</i>	Student Information > General > Test Accommodations > ASL Video  Test Accommodations.aslVideo
<b>Assistive Technology - Screen Reader</b>	Reports a value of Y when the <b>Screen Reader</b> field is marked.  Otherwise, a blank value reports.  <i>Alphabetic, 1 character (Y)</i>	Student Information > General > Test Accommodations > Assistive Technology Screen Reader  Test Accommodations.atScreenReader
<b>Assistive Technology - Non-Screen Reader</b>	Reports a value of Y when the <b>Non-Screen Reader</b> field is marked.  Otherwise, a blank value reports.  <i>Alphanbetic, 1 character (Y)</i>	Student Information > General > Test Accommodations > Assistive Technology Non-Screen Reader  Test Accommodations.nonScreenReader

Data Element	Description	Location
<b>Closed Captioning for ELA/L</b>	<p>Reports a value of Y when the student has a test accommodation record in the selected calendar where the <b>Closed Captioning ELA/L</b> checkbox is marked.</p> <p>Otherwise, a blank value reports.</p> <p><i>Alphanbetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Closed Captioning for ELA/L</p> <p>TestAccommodations.closedCaptions</p>
<b>Refreshable Braille Display for ELA/L</b>	<p>Reports a value of Y when the student has a test accommodation record in the selected calendar where the <b>Refreshable Braille Display for ELA/L</b> checkbox is marked.</p> <p>Otherwise, a blank value reports.</p> <p><i>Alphanbetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Refreshable Braille Display for ELA</p> <p>TestAccommodations.brailleDisplay</p>
<b>Alternate Representation - Paper Test</b>	<p>Reports a value of Y when the student has a test accommodation record in the selected calendar where the <b>Alternative Representation Paper Test</b> checkbox is marked.</p> <p>Otherwise, a blank value reports.</p> <p><i>Alphanbetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Alternate Representation Paper Test</p> <p>TestAccommodations.altRepresentationPaperTest</p>
<b>Large Print</b>	<p>Reports a value of Y when the student has a test accommodation record in the selected calendar where the <b>Large Print</b> checkbox is marked.</p> <p>Otherwise, a blank value reports.</p> <p><i>Alphanbetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Large Print</p> <p>TestAccommodations.largePrint</p>
<b>Braille with Tactile Graphics</b>	<p>Reports the selected value in the <b>Braille with Tactile Graphics</b> field in the Test Accommodations.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Braille with Tactile Graphics</p> <p>TestAccommodations.brailleTactileGraphics</p>
<b>Blank Field</b>	<p>Reports blank.</p>	<p>N/A</p>
<b>Human Signer for Test Directions</b>	<p>Reports a value of Y when the <b>Human Signer</b> field is marked on the Test Accommodations record.</p> <p>Otherwise, reports a blank value.</p> <p><i>Alphabetetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Human Reader or Human Signer</p> <p>TestAccommodations.humanSigner</p>

Data Element	Description	Location
<b>Answers Recorded in Test Book</b>	<p>Reports a value of Y when the <b>Answers Recorded in Test Book</b> checkbox is marked.</p> <p>Otherwise, reports a blank value.</p> <p><i>Alphabetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Answers Recorded in Test Book</p> <p>TestAccommodations.answersInTestBook</p>
<b>Braille Response</b>	<p>Reports the value selected in the <b>Braille Response</b> field in the Test Accommodations tab.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Braille Response</p> <p>TestAccommodations.brailleResponse</p>
<b>Calculation Device and Mathematics Tools</b>	<p>Reports the assigned value when the <b>Calculation Device and Math Tools</b> field is marked.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Calculation Device and Math Tools</p> <p>TestAccommodations.calculator</p>
<b>ELA/L Constructed Response</b>	<p>Reports the selected value in the <b>ELA/L Constructed Response</b> field.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; ELA/L Constructed Response</p> <p>TestAccommodations.constructedResponse</p>
<b>ELA/L Selected Response or Technology Enhanced Items</b>	<p>Reports the selected value in the <b>ELA/L Selected Response or Technology</b> field.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; ELA/L Selected Response or Technology</p> <p>TestAccommodations.selectedResponse</p>
<b>Mathematics Response</b>	<p>Reports the selected value in the <b>Mathematics Response</b> field.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Response Math</p> <p>TestAccommodations.mathResponse</p>
<b>Monitor Test Response</b>	<p>Reports a value of Y when the <b>Monitor Test Response</b> checkbox is marked. Otherwise, reports a blank value.</p> <p><i>Alphabetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Monitor Test Response</p> <p>TestAccommodations.monitorTestResponse</p>
<b>Word Prediction for ELA/L</b>	<p>Reports a value of Y when the <b>Word Prediction</b> checkbox is marked. Otherwise, reports a blank value.</p> <p><i>Alphabetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Word Prediction</p> <p>TestAccommodations.wordPrediction</p>
<b>Administration Directions Clarified in Student's Native Language</b>	<p>Reports a value of Y when the <b>Directions in Read Aloud in Native Language</b> is marked. Otherwise, reports a blank value.</p> <p><i>Alphabetic, 1 character (Y)</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Directions Read Aloud in Native Language</p> <p>TestAccommodations.directionsNativeLan</p>
<b>Mathematics Response - EL</b>	<p>Reports the selected value in the <b>Mathematics Response EL</b> field.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information &gt; General &gt; Test Accommodations &gt; Mathematics Response - EL</p> <p>TestAccommodations.mathResponseEL</p>

Data Element	Description	Location
<b>Spanish Transadaptation of the Mathemative Assessment</b>	Reports the option selected in the <b>Spanish Transadaptation of Mathematics</b> field. Otherwise, reports a blank value.  <i>Numeric, 2 digits</i>	Student Information > General > Test Accommodations > Translation of Math Test to Spanish  TestAccommodations.translateMathToSpanish
<b>Word to Word Dictionary (English/Native Language)</b>	Reports a value of Y when the <b>Word to Word Dictionary (English/Native Language)</b> checkbox is marked. Otherwise, reports a blank value.  <i>Alphabetic, 1 character (Y)</i>	Student Information > General > Test Accommodations > Word to Word Dictionary (English/Native Language)  Test Accommodations.dictionaryInNativeLang
<b>Text-to-Speech</b>	Reports the value selected in the <b>Text to Speech</b> field. Otherwise, reports a blank value.  <i>Numeric, 2 digits</i>	Student Information > General > Test Accommodations > Text to Speech  Test Accommodations.textToSpeechMath
<b>Human Reader or Human Signer</b>	Reports the value selected for <b>Human Read Aloud</b> (04) or <b>Human Signer</b> (03) on the Test Accommodations tool. Otherwise, reports a value of 00.  <i>Numeric, 2 digits</i>	Student Information > General > Test Accommodations > Human Reader or Human Signer  Test Accommodations.readerSigner
<b>Unique Accommodation</b>	Reports a value of Y when the <b>Unique Accommodation</b> field is marked. Otherwise, reports a blank value.  <i>Alphabetic, 1 character (Y)</i>	Student Information > General > Test Accommodations > Unique Accommodation  TestAccommodations.uniqueAccommodation
<b>Emergency Accommodation</b>	Reports the selection code when the <b>Emergency Accommodation</b> field is populated.  <i>Numeric, 2 digits</i>	Student Information > General > Test Accommodations > Emergency Accommodation  TestAccommodations.emergencyAccommodation
<b>Extended Time</b>	Reports the selected value in the <b>Extended Time</b> field in the Test Accommodations tool.  <i>Numeric, 2 digits</i>	Student Information > General > Test Accommodations > Extended Time  Test Accommodations.extendedTime
<b>PreID Barcode Number</b>	Reports blank.	N/A
<b>End-of-Record</b>	Reports blank.	N/A