

# Indiana Ed-Fi Data v2.4/3.1 - Locations

Last Modified on 10/22/2022 10:19 am CDT

**Classic View:** System Administration > Ed-Fi

**Search Terms:** Ed-Fi

This entity represents the physical space where students gather for a particular class/section. The location may be an indoor or outdoor area designated for the purpose of meeting the educational needs of students.

## Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	When a new Room is created and saved. <ul style="list-style-type: none"> <li>Do not send if the School is marked as Exclude.</li> </ul>
Post	When a Room Name is changed and saved.
Put	When the room number changes.
Delete	When a Room is deleted.
Delete/Post	When a Room Name is changed and saved.
Delete/Post	When there are two rooms with the same natural key and 1 is deleted, the other record will post with the remaining records data.

## School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Delete	If a resource is toggled to 'OFF' after data has sent and an action is performed that would trigger a delete, that data will remain in the ODS until a resync is done.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

## Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
--------	---------

Action	Trigger
Delete/Post	If any of the following changes in the Schools resource: <ul style="list-style-type: none"> <li>If the School Number/Ed-Fi School Number changes, a delete/post will occur with the cascading deletes from the School ID Change triggers.</li> </ul>
Delete/Post	If the Room Name changes.

## Scope Year Logic

This table describes scope year logic of this object.

Logic
Rooms are not aligned to a year so all Rooms will send to each scoped year.
Data will only send for years that have valid configuration.

## Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
rooms	Post/Put/Delete	The primary table used for sending data for this resource.

## Object Data Elements

This table describes data elements sent within the Locations resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.		M		
<b>classroomIdentificationCode</b>	A unique number or alphanumeric code assigned to a room by a school, school system, state, or other agency or entity.	1. Reports the Room Name.	M	System Administration> Resources> Resources> Rooms	room.name

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
<b>schoolReference</b>	A reference to the related School resource.	<ol style="list-style-type: none"> <li>1. Reports as 10+District+School.</li> <li>2. Report from the Ed-Fi ID Override on School if Multiple Keys and Secrets.</li> </ol>	M	System Administration> Resources> School> State School Number  System Administration> Resources> District Information > State District Number	district.Num school.num
maximumNumberOfSeats	The most number of seats the class can maintain.	<ol style="list-style-type: none"> <li>1. Reports the Capacity.</li> <li>2. If blank, do not report.</li> </ol>	O	System Administration> Resources> Resources> Capacity	room.capac
optimalNumberOfSeats	The number of seats that is most favorable to the class.	Does not report.	O		
_etag	A unique system-generated value that identifies the version of the resource.	Does not report.	O		