

KAN-DIS Extract (Kansas)


Last Modified on 10/22/2022 10:20 am CDT

[Report Logic](#) | [Report Editor](#) | [Generate the KAN-DIS Extract](#) | [KAN-DIS Report Layouts](#)

Classic View: KS State Reporting > KAN-DIS Extract

Search Terms: KAN-DIS Extract

KAN-DIS is a browser-based reporting system that stores behavior data on the KSDE servers. KAN-DIS data is entered through online data entry on an incident-by-incident basis or through a batch file upload, where information on multiple incidents is extracted from Campus in a tab delimited file format.



Report Logic

For every discipline event that occurs there should be incident data, incident type (at least one), offender data (at least one), action taken data (at least one) and victim data if applicable.

The following incident types are required and should be reported:

- All incidents involving violence, weapons and/or substance abuse:
 - If the incident involves a weapon, the type of weapon must be reported.
 - If the incident involves a school staff member victim, information on the type of victim and the type of injury sustained by that victim (or victims) must be included.

- If the incident involves a special education student offender and results in major injury for one or more victim, the type of victim and the type of injury sustained by that victim (or victims) must be included.
- All incidents resulting in a suspension (in-school or out-of-school) or expulsion.
 - Length in days must be reported for incidents resulting in a suspension (in or out of school) or an expulsion.
 - If the length of expulsion for weapons-related incidents is modified based on the Gun Free Schools Act, a description of the modification must be included.
- All incidents resulting in referral to local law enforcement.
 - If an incident results in referral to local law enforcement, the outcome of that referral (misdemeanor charge, felony charge, no charge, or unknown) must be reported.

This includes students with a state resolution code of any of the following, or a resolution sub-type of expulsion or suspension or a weapon indicator or a violence indicator.

460	750
470	770
570	850
710	860
730	870

The event must also have a valid State Event Code.

In order to have a victim reported, a person will have to be added to the event with a Role of Victim and a value of 2 or 3 needs to be entered in the victim injury dropdown list. A victim record also reports for any non-student victims on the Behavior Event.

In order to have an offender report, a person needs to be added to the event with a Role of Offender.

Report Editor

The following defines the available options on the KAN-DIS Report editor.

Data Element	Description
Effective Date	Entered date narrows the results of students included on the report to those who have active enrollment records as of that date and narrows the behavior events to those that occurred before that date. Dates are entered in <i>mmddyy</i> format or by clicking the calendar icon to select a date.

Data Element	Description
Format	<p>The KAN-DIS Extract can be generated in the following formats. Use the CSV, HTML or XML options to review data prior to uploading the information to the state in tab delimited format.</p> <ul style="list-style-type: none"> • State Format (Tab Delimited) • CSV • HTML • XML
Calendar	<p>Select a calendar (or more than one) from which to pull student discipline records. At least one calendar must be selected in order for the report to generate. The number of calendars chosen at one time may affect the generation of the report.</p>

Generate the KAN-DIS Extract

1. Enter an **Effective Date** for the extract.
2. Select the **Calendars** to include on the report.
3. Select the **Format** of the extract.
4. Click the **Generate Report** button. The report will appear in the selected format in a new window.

KANDIS Header Records:1						
RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character	
TH	01/12/2012	10:07:58	1326384478	1.0	Delimiter=0X09	
KANDIS Details Records:137						
recordTypeI	district	school	incidentTitle	incidentID	date	
I	D0405	5642		2834	01/12/2011	10:06
recordTypeI	incidentTypeGroup	incidentTypeClassifier	incidentDescription			
T	1200	1030				
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GFSAModificationDate
O	1				2	
recordTypeW	weaponCode	weaponDescription				
W	999	broken glass bottle				
recordTypeA	behaviorCode	LengthInSchoolDays	Comments			
A	730	1.00				
recordTypeI	district	school	incidentTitle	incidentID	date	
I	D0405	5642	Excessive Tardies	2821	04/15/2011	14:59

KAN-DIS Extract - HTML Version

File Edit Format View Help

```

TH 01/12/2012 10:25:04 1326385504 1.0 Delimiter=0X09
I D0405 5642 2834 01/12/2011 10:06:00 100 120 100
T 1200 1030
O 1 123456789 2 2 2 1 2
W 999 broken glass bottle
A 730 1.00
I D0405 5642 Excessive Tardies 2821 04/15/2011 14:59:00 100 125
T 5100 5130
O 1 123456789 2 2 2 2
A 450 1.00
V 1 234567890 2
V 3 2
V 9 2
I D0405 5642 Cumulative tardies 2820 10/26/2010 09:32:00 100 110
T 5100 5130
O 1 123456789 2 2 2 2
A 450 2.00
I D0405 5642 Inappropriate Behavior on the School Bus 2819 04/05/2011 08:33:00
T 3300 3399 Inappropriate Behavior on the school bus
O 1 456789012 2 2 2
A 520 5.00
I D0405 5642 had too many tardies. 2671 04/25/2011 14:11:00 100 110
T 5100 5130
O 1 567890123 2 2 2 2
A 450 3.00
I D0405 5642 had too many tardies. 2670 11/11/2010 14:09:00 100 110
T 5100 5130
O 1 678901234 2 2 2 2
A 450 3.00
  
```

KAN-DIS Extract - State Format

	A	B	C	D	E	F	G	
1	TH	1/12/2012	10:28:22	1326385702	1	Delimiter=0X09		
2	I	D0405	5642		2834	1/12/2011	10:06:00	100
3	T	1200	1030					
4	O	1	123456789			2		2
5	W	999	broken glass bottle					
6	A	730	1					
7	I	D0405	5642	Excessive Tardies	2821	4/15/2011	14:59:00	100
8	T	5100	5130					
9	O	1	123456789			2		2
10	A	450	1					
11	V	1	123456789	2				
12	V	3		2				
13	V	9		2				
14	I	D0405	5642	Cumulative tardies	2820	10/26/2010	9:32:00	100
15	T	5100	5130					
16	O	1	123456789			2		2
17	A	450	2					
18	I	D0405	5642	Inappropriate Behavior on the School Bus	2819	4/5/2011	8:33:00	200

KAN-DIS Extract - CSV Format

```

KAN_DIS.txt.xml - Notepad
File Edit Format View Help
<?xml version="1.0" encoding="UTF-8"?><campusRoot><Header baseUrl="https://ie.infinitecampus.com/ie/" date="01/12/2
otificationEnabled="false">
<Param name="calendarID" value="85">
</Param>
  <Param name="format" value="xml">
  </Param><Param name="saveAs" value="KAN_DIS.txt">
  </Param><Param name="effectiveDate" value="05/31/2011"></Param>
  <Param name="x" value="stateReporting.ks.KandISReport"></Param><User userID="1" username="admin" allModules=

<KANDISHeader name="KANDIS Header"><record RecordType="TH" ExtractDate="01/12/2012" ExtractTime="10:32:08" Transmiss
<Extract name="KANDIS Details">
<record recordTypeI="I" district="D0405" school="5642" incidentTitle="" incidentID="2834" date="01/12/2011" time="10
<record recordTypeO="O" offenderType="1" offenderID="123456789" offenderReferral="" offenderDescription="" gFSAModif
<record recordTypeW="W" weaponCode="999" weaponDescription="broken glass bottle"></record>
<record recordTypeA="A" behaviorCode="730" LengthInSchoolDays="1.00" Comments=""></record>
<record recordTypeI="I" district="D0405" school="5642" incidentTitle="Excessive Tardies" incidentID="2821" date="04/
<record recordTypeT="T" incidentTypeGroup="5100" incidentTypeClassifier="5130" incidentDescription=""></record>
<record recordTypeO="O" offenderType="1" offenderID="123456789" offenderReferral="" offenderDescription="" gFSAModif
<record recordTypeA="A" behaviorCode="450" LengthInSchoolDays="1.00" Comments=""></record><record recordTypeV="V" Vi

```

KAN-DIS Extract - XML Format

KAN-DIS Report Layouts

[Header Record Layout](#) | [Incident Record Layout](#) | [Type Record Layout](#) | [Offender Record Layout](#) | [Weapon Record Layout](#) | [Action Taken Record Layout](#) | [Victim Record Layout](#) | [Footer Record Layout](#)

There are six report records included in the KAN-DIS Extract. Each generation of the report also includes a Header Record and a Footer Record.

Each record is reported on its own line, identified by the record type in the first column of each row. The following section describes the record layouts with the elements defined, logic used for reporting and the path to the element in the user interface.

Header Record Layout

Data Element	Description
Record Type	Reports a value of TH. <i>Alphabetic, 2 characters</i>
Extract Date	Date the export was created. <i>Date field, 10 characters (MM/DD/YYYY)</i>
Extract Time	Time the export was created. <i>Time field, 8 characters (HH:MM:SS)</i>
Transmission ID	Used as a tracking number only. Header Transmission ID must match the Footer Transmission ID. <i>Numeric, 10 digits</i>
Version	Always reports as 1.0. <i>Numeric, 3 digits (X.X)</i>

Data Element	Description
Character	Always reports as Delimiter=0X09 <i>Alphanumeric, 10 characters</i>

KANDIS Header Records:1					
RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character
TH	01/12/2012	09:38:14	1326382694	1.0	Delimiter=0X09

KANDIS Details Records:64						
recordTypeI	district	school	incidentTitle	incidentID	date	time
I	D0405	5642	Cumulated tardies	2820	10/26/2010	09:32:00
recordTypeT	incidentTypeGroup	incidentTypeClassifier	incidentDescription			
T	5100	5130				
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GFSAModificationD
O	1	1234567890			2	
recordTypeA	behaviorCode	LengthInSchoolDays	Comments			
A	450	2.00				
recordTypeI	district	school	incidentTitle	incidentID	date	time
I	D0405	5642	Student had too many tardies	2670	11/11/2010	14:09:00

KAN-DIS Extract - Header Record Information

KAN-DIS Extract, Header Record Information

Incident Record Layout

Data Element	Description	Location
Record Type	Indicator of the type of record the row contains. Always reports as I. <i>Alphabetic, 1 character</i>	Data not stored
District	The reporting district's state identification number. <i>Numeric, 5 digits</i>	System Administration > Resources > District Information > State District Number District.number
School	The reporting school's state identification number. <i>Numeric, 4 digits</i>	System Administration > Resources > School > State School Number School.number

Data Element	Description	Location
Incident Title	<p>Brief description of incident used for searching and record identification.</p> <p>When the Incident Title field is null, this field reports a concatenated value of the Incident Type and Date of Incident values.</p> <p><i>Alphanumeric, 255 characters</i></p>	<p>Behavior > Behavior Management > Event Editor > Comments</p> <p>BehaviorIncident.title</p>
Local Incident ID	<p>Numeric identifier created by schools/ districts to be used to resubmit the record to KAN-DIS without creating a new incident.</p> <p><i>Numeric, 15 characters</i></p>	<p>Behavior > Behavior Management > Event Editor > Event ID</p> <p>BehaviorEvent.eventID</p>
Date	<p>The date of the behavior event.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Behavior > Behavior Management/Behavior Referral > Time of Incident</p> <p>BehaviorIncident.timestamp</p>
Time	<p>The time the behavior event occurred.</p> <p><i>Time field, 8 characters (HH:MM:SS)</i></p>	<p>Behavior > Behavior Management/Behavior Referral > Time of Incident</p> <p>BehaviorIncident.timestamp</p>
Time Group	<p>The time the incident occurred defined - inside or outside of the school day.</p> <p>If the time classifier is being reported a 1XX, report 100. If reported as 2XX, report 200.</p> <p><i>Alphanumeric, 4 characters</i></p>	<p>Student Information > General > Behavior > Behavior Event > Event Time</p>
Time Classifier	<p>Description of when the incident occurred.</p> <p><i>Alphanumeric, 4 characters</i></p>	<p>Behavior > Behavior Management/Behavior Referral > Context</p> <p><i>BehaviorIncident.context</i></p>

Data Element	Description	Location
Time Description	<p>Further time of incident description. Detail is required if Other is chosen for Time Classifier.</p> <p>Required only if 199 or 299 is selected for Time Classifier field.</p> <p><i>Alphanumeric, 255 characters</i></p>	<p>Behavior > Behavior Management/ Behavior Referral > Context Description</p> <p>BehaviorEvent.contextDescription</p>
Location Group	<p>Indicates whether the incident occurred on campus or off campus.</p> <p>If the location classifier is being reported a 1XX, report 100. If reported as 2XX, report 200.</p> <p><i>Alphanumeric, 4 characters</i></p>	<p>Data not stored</p>
Location Classifier	<p>Describes where the behavior event took place.</p> <p><i>Numeric, 4 digits</i></p>	<p>Behavior > Behavior Management/Behavior Referral > Location</p> <p>BehaviorIncident.location</p>
Location Description	<p>Further location description detail required if other (199 or 299) is chosen for the Location Classifier.</p> <p>Required only if 199 or 299 is reported in the Location Classifier.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Behavior > Behavior Management/Behavior Referral > Location Description</p> <p>BehaviorIncident.locationDescription</p>
Reporter	<p>Incident Reporter Type</p> <p><i>Numeric, 1 digit</i></p>	<p>Behavior > Behavior Management > Reporter Type</p> <p>BehaviorEvent.reporterType</p>

Data Element	Description	Location
School Year	Ending year of the current school session (2020-21 would report as 2021). <i>Numeric, 4 digits</i>	System Administration > Calendar > School Years > End Year Calendar.endYear
Incident Log	Optional memo field identical to the Incident Title. <i>Alphanumeric, 255 characters</i>	Behavior > Behavior Management/Behavior Referral > Event > Comments BehaviorEvent.comments

KANDIS Header Records:1						
RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character	
TH	01/12/2012	09:38:14	1326382694	1.0	Delimiter=0X09	
KANDIS Details Records:64						
recordTypeI	district	school	incidentTitle	incidentID	date	time
I	D0405	5642	Cumulative tardies	2820	10/26/2010	09:32:00
recordTypeT	incidentTypeGroup	incidentTypeClassifier	incidentDescription			
T	5100	5130				
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GFSAModificationD
O	1	123456789			2	
recordTypeA	behaviorCode	LengthInSchoolDays	Comments			
A	450	2.00				
recordTypeI	district	school	incidentTitle	incidentID	date	time
I	D0405	5642	Student had too many tardies.	2670	11/11/2010	14:09:00

Incident Record Information

Time Classifier Options

Code	Description
110	Before Classes
115	After Classes
120	Morning Classes
125	Afternoon Classes
130	Morning Recess/Break
140	Lunch
150	Afternoon Recess/Break
199	Other During School Hours

Code	Description
210	In Transit
230	At School-Sponsored Activity
299	Other Outside School Hours

Location Classifier Options

Code	Description
101	Classroom
105	Hallway/Stairwell
110	Cafeteria
120	Gym
130	Restrooms
140	Auditorium
150	Outside
160	Stadium
199	Other on Campus
210	Sponsored Activity Off Campus
230	Sponsored Transportation
299	Other Off Campus

Type Record Layout

Data Element	Description	Location
Record Type	Indicator of the type of record the row contains. Always reports as T. <i>Alphabetic, 1 character</i>	Data not stored
Incident Type Group	The State Code to which a behavior event is mapped. <i>Numeric, 4 characters</i>	Behavior > Behavior Management > State Event Code BehaviorType.stateEventCode

Data Element	Description	Location
Incident Type Classifier	An additional labeling of the state event code. Values of 3000, 3800, 3900, 4000, 4100, 4200, 4300, 5000, 9999 do not report. <i>Numeric, 4 characters</i>	Behavior > Behavior Management > Incident Type BehaviorEvent.incidentType
Incident Description	Further description of Type of Incident. Required if 9999 is selected for Incident Type Group or 1099, 1299, 2099, 2199, 2399, 2599, 3399, 4499, 5199 is selected for Incident Type Classifier. <i>Alphanumeric, 255 characters</i>	Behavior > Behavior Management > Incident Description BehaviorEvent.incidentDescription

KANDIS Header Records:1						
RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character	
TH	01/12/2012	09:38:14	1326382694	1.0	Delimiter=0X09	
KANDIS Details Records:64						
recordTypeI	district	school	incidentTitle	incidentID	date	time
I	D0405	5642	Cumulative tardies	2820	10/26/2010	09:32:00
recordTypeT	incidentTypeGroup	incidentTypeClassifier	incidentDescription			
T	5100	5130				
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GFSAModificationDescription
O	1	123456789			2	
recordTypeA	behaviorCode	LengthInSchoolDays	Comments			
A	450	2.00				
recordTypeI	district	school	incidentTitle	incidentID	date	time
I	D0405	5642	Student had too many tardies.	2670	11/11/2010	14:09:00
recordTypeT	incidentTypeGroup	incidentTypeClassifier	incidentDescription			

Type Record Information

Incident Type Group Options

Code	Description
1000	Assault
1200	Weapons
2000	Threat
2100	Alcohol Related

Code	Description
2300	Drug Related
2500	Tobacco Related
3000	Arson
3800	Forgery
3900	Gambling
4000	Theft
4100	Sexual Offenses - Nonviolent
4200	Trespassing
4300	Truancy
4400	Vandalism
5000	Inappropriate Computer Use
5100	Cumulative
9999	Other

Offender Record Layout

Data Element	Description	Location
Record Type	Indicates the type of record the row contains. Always reports as O. <i>Alphanumeric, 1 character</i>	Data not stored
Offender Type	Identifies the offender as a student or a non-student. <i>Alphanumeric, 2 characters</i>	Behavior > Behavior Management > Participant Editor > Relationship to School and Role BehaviorEvent.offenderType
Offender Student ID Number	Student number of the offending student. <i>Numeric, 10 digits</i>	Census > People > Demographics > Person Identifiers > State ID Person.stateID

Data Element	Description	Location
Offender Referrals	<p>Describes the service or services to which the student was referred.</p> <p><i>Alphanumeric, 255 characters</i></p>	<p>Behavior > Behavior Management > Participant Editor > Offender Referral</p> <p>BehaviorEvent.offenderReferral</p>
Offender Description	<p>Describes the offender of the behavior incident.</p> <p><i>Alphanumeric, 255 characters</i></p>	<p>Behavior > Behavior Management > Participant Editor > Details</p> <p>BehaviorRole.comments</p>
GFSA Modification	<p>Expulsion length was shortened or changes to a suspension by the superintendent under the case-by-case modification provisions of Section 414 (b)(I) of the GFSA.</p> <p>Reports when the Role starts with O. If selected, reports 1. If not selected, reports 2.</p> <p><i>Numeric, 1 digit</i></p>	<p>Behavior > Behavior Management > Resolution Editor > GFSA Modification</p> <p>BehaviorResolution.ModificationReason</p>
GFSA Modification Description	<p>Describes the GFSA Modification. Reports when the Role starts with O.</p> <p><i>Alphanumeric, 255 characters</i></p>	<p>Behavior > Behavior Management > Resolution Editor > GFSA Modification Description</p> <p>BehaviorResolution.modificationDescription</p>

Data Element	Description	Location
IDEA Disability	<p>Calculates from the student's Education plan and indicates whether the student had an IEP for the disability as defined in IDEA at the time of the incident.</p> <ul style="list-style-type: none"> • Reports when the Role starts with O and if Primary Exceptionality is any code other than GA or NULL. • The Behavior Event Date should be on or after the student's Special Education start date and before or on the Special Education Exit Date if it exists. <p><i>Numeric, 1 digit</i></p>	Data not stored
Disability Manifest	<p>Indicates the incident was a manifestation of the student's disability as determined by a Due Process Hearing Officer.</p> <p>If checked, reports 1. If not checked, reports 2.</p> <p><i>Numeric, 1 digit</i></p>	<p>Behavior > Behavior Management > Participant Detail Editor > Disability Manifest</p> <p>BehaviorRole.disabilityManifest</p>
Zero Tolerance	<p>Discipline action would not have been pursued were it not for the school's Zero Tolerance Policy.</p> <p><i>Numeric, 1 digit</i></p>	<p>Behavior > Behavior Management > Resolution Editor > Zero Tolerance</p> <p>BehaviorRole.zeroTolerance</p>

Data Element	Description	Location
Motivation	Indicates the event was a motivated incident. Used for Positive Behavior Support. <i>Numeric, 2 digits</i>	Behavior > Behavior Management > Resolution Editor > Motivation BehaviorRole.motivationCode
Motivation Description	Details the motivation that caused the event. <i>Alphanumeric, 255 characters</i>	Behavior > Behavior Management > Participant Editor > Motivation Description BehaviorRole.motivationDescription

KANDIS Header Records:1						
RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character	
TH	01/12/2012	09:38:14	1326382694	1.0	Delimiter=OX09	
KANDIS Details Records:64						
recordTypeI	district	school	incidentTitle	incidentID	date	time
I	D0405	5642	Cumulative tardies	2820	10/26/2010	09:32:00
recordTypeT	incidentTypeGroup	incidentTypeClassifier	incidentDescription			
T	5100	5130				
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GFSAModificationDescription
O	1	123456789			2	
recordTypeA	behaviorCode	LengthInSchoolDays	Comments			
A	450	2.00				
recordTypeI	district	school	incidentTitle	incidentID	date	time
I	D0405	5642	Student had too many tardies.	2670	11/11/2010	14:09:00
recordTypeT	incidentTypeGroup	incidentTypeClassifier	incidentDescription			

Offedner Record Information

Offender Type Options

Code	Description
001	Offender - Current Student
002	Offender - Expelled/Suspended Student
003	Offender - Former Student
004	Offender - Student at Different School
005	Offender - Teacher
006	Offender - Principal/Vice-Principal
007	Offender - Other Staff Member
008	Offender - Parent

Code	Description
009	Offender - Other

Weapon Record Layout

Data Element	Description	Location
Record Type	<p>Indicator of the type of record the row contains. Always report as W.</p> <p><i>Alphabetic, 1 character</i></p>	Data not stored
Weapon Code	<p>Indicates the weapon type used in the behavior incident. Reports when Role starts with O.</p> <p>If 1200 is selected as the Incident Type Group, only one record per weapon is reported, even if the incident has multiple resolutions.</p> <p><i>Numeric, 4 digits</i></p>	<p>Behavior > Behavior Management/Behavior Referral > Events/Participants > Participant Details > Weapon</p> <p>BehaviorWeapon.WeaponCode</p>
Weapon Description	<p>Describes the weapon used by the offender.</p> <p>Reports when Role starts with O. Required if 999 or 300 is selected on GFSA Modification.</p> <p><i>Alphanumeric, 255 characters</i></p>	<p>Behavior > Behavior Management/Behavior Referral > Events/Participants > Participant Details > Weapon Description</p> <p>BehaviorWeapon.weaponDescription</p>

KANDIS Header Records:1							
RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character		
TH	01/12/2012	10:07:58	1326384478	1.0	Delimiter=OX09		
KANDIS Details Records:137							
recordTypeI	district	school	incidentTitle	incidentID	date	time	T
I	D0405	5642		2834	01/12/2011	10:06:00	100
recordTypeI	incidentTypeGroup	incidentTypeClassifier	incidentDescription				
T	1200	1030					
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GFSAModificationDescription	IDE
O	1	123456789			2		2
recordTypeW	weaponCode	weaponDescription					
W	999	broken glass bottle					
recordTypeA	behaviorCode	LengthInSchoolDays	Comments				
A	730	1.00					
recordTypeI	district	school	incidentTitle	incidentID	date	time	T
I	D0405	5642	Excessive Tardies	2821	04/15/2011	14:59:00	100
recordTypeI	incidentTypeGroup	incidentTypeClassifier	incidentDescription				

Weapon Record Information

Action Taken Record Layout

Data Element	Description	Location
Record Type	Indicator of the type of record the row contains. Will always report as A. <i>Alphabetic, 1 character</i>	Data not stored
Action Taken	Reports the state behavior resolution. <i>Numeric, 4 digits</i>	Behavior > Behavior Management > Resolution Editor > Resolution Type BehaviorResType.stateResCode
Length in School Days	Length of the suspension or expulsion in school days. If blank, calculates from the Resolution Date through the End Date. Required entry if Action Taken is 450, 510, 515, 520, 525, 550, 555, 560 or 565. <i>Numeric, 6 digits</i>	Behavior > Behavior Management > Resolution Editor > Duration in School Days BehaviorResolution.schoolDaysDuration

Data Element	Description	Location
Action Taken Description	<p>Describes the resolution given to the student.</p> <p>Required if 710 through 999 is selected in the Action Taken field.</p> <p><i>Alphanumeric, 255 characters</i></p>	<p>Behavior > Behavior Management > Resolution Editor > Details</p> <p>BehaviorResolution.comments</p>

KANDIS Header Records:1							
RecordType	ExtractDate	ExtractTime	TransmissionID	Version	Character		
TH	01/12/2012	10:07:58	1326384478	1.0	Delimiter=OX09		
KANDIS Details Records:137							
recordTypeI	district	school	incidentTitle	incidentID	date	time	T
I	D0405	5642		2834	01/12/2011	10:06:00	100
recordTypeI	incidentTypeGroup	incidentTypeClassifier	incidentDescription				
T	1200	1030					
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GFSAModificationDescription	IDE
O	1	123456789			2		2
recordTypeW	weaponCode	weaponDescription					
W	999	broken glass bottle					
recordTypeA	behaviorCode	LengthInSchoolDays	Comments				
A	730	1.00					
recordTypeI	district	school	incidentTitle	incidentID	date	time	T
I	D0405	5642	Excessive Tardies	2821	04/15/2011	14:59:00	100
recordTypeI	incidentTypeGroup	incidentTypeClassifier	incidentDescription				

Action Record Information

Victim Record Layout

Data Element	Description	Location
Record Type	<p>Indicator of the type of record the row contains. Will always report as V.</p> <p><i>Alphabetic, 1 character</i></p>	Data not stored
Victim Type	<p>Determines if the victim is a student or a non-student. This will only report for an event where the value for the Victim Injury is 2 or 3.</p> <p><i>Numeric, 2 digits</i></p>	<p>Behavior > Behavior Management > Participant Editor > Relationship to School and Role</p> <p>BehaviorRole.role</p>
Victim Student ID	<p>State-assigned identification number if the victim was a student.</p> <p><i>Numeric, 10 digits</i></p>	<p>Census > People > Demographics > Person Identifiers > State ID</p> <p>Person.StateID</p>

Data Element	Description	Location
Victim Injury	Lists the extent of the injury if one occurred. If no value is entered, field reports 1. Options are: <ul style="list-style-type: none"> • 1 - No Injury • 2 - Minor Injury • 3 - Major Injury <p><i>Numeric, 1 digit</i></p>	Behavior > Behavior Management > Participant Editor > Victim Injury BehaviorEvent.injury
Victim Referrals	Description of service or services to which the student was referred. <i>Alphanumeric, 255 characters</i>	Behavior > Behavior Management > Participant Editor > Victim Referral BehaviorEvent.victimReferral
Victim Description	Lists additional comments from the victim or about the victim, if needed. If Victim Type is 10 (other), this is a required field. <i>Alphanumeric, 255 characters</i>	Behavior > Behavior Management > Participant Editor > Victim Referral BehaviorEvent.description

recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GF
O	1	9269238318			2	
recordTypeW	weaponCode	weaponDescription				
W	999	broken glass bottle				
recordTypeA	behaviorCode	LengthInSchoolDays	Comments			
A	730	1.00				
recordTypeI	district	school	incidentTitle	incidentID	date	
I	D0405	5642	Excessive Tardies	2821	04/15/2011	14:5
recordTypeT	incidentTypeGroup	incidentTypeClassifier	incidentDescription			
T	5100	5130				
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModification	GF
O	1	123456789			2	
recordTypeA	behaviorCode	LengthInSchoolDays	Comments			
A	450	1.00				
recordTypeV	VictimType	VictimID	VictimInjury	VictimReferral	VictimDescription	
V	1	234567890	2			
recordTypeV	VictimType	VictimID	VictimInjury	VictimReferral	VictimDescription	
V	3		2			
recordTypeV	VictimType	VictimID	VictimInjury	VictimReferral	VictimDescription	
V	9		2			
recordTypeI	district	school	incidentTitle	incidentID	date	
I	D0405	5642	Cumulative tardies	2820	10/26/2010	09:2

Victim Record Information

Footer Record Layout

Data Element	Description
Record Type	Reports the value of TT. <i>Alphabetic, 2 characters</i>
Transmission ID	Used as a tracking number only. Header Transmission ID must match the Footer Transmission ID. <i>Numeric, 10 digits</i>
Record	Total number of records included in the extract. <i>Numeric, 3 digits</i>

recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModific:
O	1	9269238318			2
recordTypeA	behaviorCode	LengthInSchoolDays	Comments		
A	450	2.00			
recordTypeI	district	school	incidentTitle	incidentID	date
I	D0405	5642	Unexcused Absence 9/17/10	2280	09/17/2010
recordTypeT	incidentTypeGroup	incidentTypeClassifier	incidentDescription		
T	3300	3399	Unexcused Absence		
recordTypeO	offenderType	offenderID	offenderReferral	offenderDescription	gFSAModific:
O	1	123456789			2
recordTypeA	behaviorCode	LengthInSchoolDays	Comments		
A	450	1.60			

KANDIS Footer Records:1		
RecordType	TransmissionID	record
TT	1326382694	66

Footer Record Information