

Student Discipline and Health Related Exclusion (Maryland)

Last Modified on 10/22/2022 10:23 am CDT

[Report Logic](#) | [Report Editor Fields](#) | [Report Elements](#)

Classic View: MD State Reporting > Student Discipline and Health Related Exclusion

Search Terms: Student Discipline and Health Related Exclusion

The Student Discipline and Health Related Exclusion extract reports discipline incidents that are associated with a state-coded disposition.

Student Discipline and Health Related Exclusion ☆

[Reporting](#) > [MD State Reporting](#) > Student Discipline and Health Related Exclusion

Student Discipline and Health Related Exclusion

The Student Discipline and Health Related Exclusion report will report a record for incidents with a state coded resolution. Choose the State Format to get the state defined flat file format, otherwise choose one of the testing/debugging formats.

Extract Options

Run Date:

Date Range:

Choose Grades:

CTRL-click and SHIFT-click for multiple

Ad Hoc Filter:

Format:

Select school(s) to be included in the report

All Schools

CTRL-click and SHIFT-click for multiple

Refresh Show top tasks submitted between and

Batch Queue List	Queued Time	Report Title	Status	Download

Student Discipline and Health Related Exclusion Editor

Report Logic

- This extract reports Behavior Incidents that have a state-coded resolution and incident dates between July 1st and June 30th of the reporting year.

- All incidents with a state coded resolution report regardless of whether or not they occur on the same date.
- If an incident contains multiple events, only the most serious event in which the the student participated reports. This is based on the event being marked as Most Severe. If multiple events have Most Severe marked or no events have it marked, the lowest event ID event reports.
- Offense Codes 001 (Immunization) and 002 (Personal health), report from the student's attendance. The student must be absent for the entire day and have the Role "Offender" to report.

Title I Determination Logic

- If the student has an active Title1 Flag with a state code of T1 and is marked as state reported as of the incident date Y reports; otherwise, move onto following logic.
- If the student has a value in the home school field on their enrollment AND there is a school in the district with that state school code, then Campus finds the school record that falls as of the end date in the extract editor and reports the value from the Title 1 field on that school.

Code in School	Description	Reports
TGELGBNOPROG	Targeted Assistance Eligible - No Program	N
TGELGBTGPROG	Targeted Assistance Program	N
SWELIGTGPROG	School wide Eligible - Targeted Assistance	N
SWELIGNOPROG	School wide Eligible- No Program	N
SWELIGSWPROG	School wide Program	Y
NOTTITLE1ELIG	Not a Title I School	N

- If all values are null, **N** reports.

Absent Calculation for 001 and 002 Offense Codes

If the student does NOT have an FTE override filled out on their enrollment, the following logic applies.

Campus calculates the total number of absences for the reporting period based on the values found in System Administration > Calendar > Whole Day (absence), and Half Day (absence) Absences are defined by any attendance code tied to a state code of **17** or **99**.

If the student HAS a value in the FTE override field on their enrollment, the following logic applies.

Step	Action
1	Campus finds the student's FTE on their enrollment.
2	Campus finds the number of student day minutes from the calendar.

Step	Action												
3	Campus multiplies the number of student day minutes by the FTE.												
4	<p>Campus divides the number of minutes the student was absent by the product from number 3.</p> <p>Absences are defined by any attendance code tied to a state code of 17 or 99.</p> <table border="1"> <thead> <tr> <th>Percent Absent</th> <th>Absent Value</th> <th>Attendance Value</th> </tr> </thead> <tbody> <tr> <td>0-33</td> <td>0</td> <td>1</td> </tr> <tr> <td>34-66</td> <td>.5</td> <td>.5</td> </tr> <tr> <td>67-100</td> <td>1</td> <td>0</td> </tr> </tbody> </table>	Percent Absent	Absent Value	Attendance Value	0-33	0	1	34-66	.5	.5	67-100	1	0
Percent Absent	Absent Value	Attendance Value											
0-33	0	1											
34-66	.5	.5											
67-100	1	0											

Report Editor Fields

Field	Description
Run Date	This date populates the Submission Date field on the extract.
Date Range	<p>The report can be run to only include data with a date range.</p> <ul style="list-style-type: none"> By default, the date range start date is July 1 of the reporting year. By default, the date range end date is June 30th of the reporting year. The End Date cannot be greater than June 30th of the reporting year.
Choose Grades	Only grade levels from schools that are active during the report date range display.
Ad Hoc Filter	Ad Hoc Filters are available for you to narrow report results.
Format	Determines the format for the report. Use the Fixed Width (State Format) when submitting the final data. Use HTML or CSV for data review and testing.
Select Schools	<p>The School(s) from which data is pulled for the report.</p> <p>The extract editor excludes schools not active during the report date range. Schools must have at least one instructional day on/after the start date OR on/before the end date of the report Date Range to appear in the Select Schools list.</p>
Generate Report Submit to Batch	Users have the option of submitting the report request to the batch queue by clicking Submit to Batch instead of Generate Extract . This process allows larger reports to generate in the background without disrupting the use of Campus. For more information about submitting a report to the batch queue, see the Batch Queue article.

Report Elements

Element	Logic	Campus Interface
LEA Number	<p>The two-digit state designation of the local education agency (LEA).</p> <p>Numeric, 2 digits</p>	<p>System Administration > Resources > District Information > State District Number</p>
School Number	<p>The home school number from the student's enrollment as of the Incident Date. If the home school number is null, the school number on the school table tied to the enrollment reports.</p> <p>Numeric, 4 digits</p>	<p>System Administration > Resources > School > State School Number</p>
State Assigned Student ID (SASID)	<p>The student's state-assigned ID number.</p> <p>Numeric, 10 digits</p>	<p>Census > People > Demographics > Student State ID</p>
Local Student ID Number	<p>The student's LEA-assigned ID number.</p> <p>Numeric, 10 digits</p>	<p>Census > People > Demographics > Student Number</p>
Last Name	<p>The student's last name.</p> <p>Reports the last name from the current Identity record. Legal Last Name reports. If Legal Last Name is null, the Last Name reports.</p> <p>Alpha, 25 characters</p>	<p>Census > People > Identities > Current Identity > Legal Last Name or Last Name</p>
First Name	<p>The student's first name.</p> <p>Reports the first name from the current Identity record. Legal First Name reports. If Legal First Name is null, the First Name reports.</p> <p>Alpha, 15 characters</p>	<p>Census > People > Identities > Current Identity > Legal First Name or First Name</p>
Middle Name	<p>The student's middle name.</p> <p>Reports the middle name from the current Identity record. Legal Middle Name reports. If Legal Middle Name is null, the Middle Name reports.</p> <p>Alpha, 15 characters</p>	<p>Census > People > Identities > Current Identity > Legal Middle Name or Middle Name</p>
Generational Suffix	<p>The suffix tied to the student's name.</p> <p>Reports the suffix from the current Identity record. If the Legal First Name and Legal Name are not null, Legal Suffix reports. If the Legal First Name and Legal Middle Name are null, Suffix reports.</p> <p>Alpha, 3 characters</p>	<p>Census > People > Identities > Current Identity > Legal Suffix or Suffix</p>

Element	Logic	Campus Interface
Preferred Name	<p>An alternative first name preferred by the student.</p> <p>Alphanumeric, 15 characters</p>	<p>Census > People > Identities > Current Identity > Preferred Name</p>
Date of Birth	<p>The student's date of birth.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Census > People > Identities > Current Identity > Date of Birth</p>
Grade	<p>The student's grade level.</p> <p>Numeric, 2 digits</p>	<p>Student Information > General > Enrollments > Grade</p>
Gender	<p>The student's gender.</p> <p>1 = Male 2 = Female X: Non-Binary</p> <p>Reports the gender from the current Identity record. Legal Gender reports. If Legal Gender is null, Gender reports.</p> <p>Numeric, 1 digit</p>	<p>Census > People > Identities > Current Identity > Legal Gender or Gender</p>
Hispanic or Latino Ethnicity	<p>Indicates whether the student is considered Hispanic/Latino.</p> <p>If the Is the individual Hispanic/Latino? field = Yes, Y reports. Otherwise, N reports.</p> <p>Alpha, 1 character Y or N</p>	<p>Census > People > Demographics > Race Ethnicity > Is the individual Hispanic/Latino?</p>

Element	Logic	Campus Interface
American Indian or Alaska Native	<p>Indicates whether the person has origins in any of original peoples of North and South America (including Central America) and who maintains cultural identification through tribal affiliation or community attachment.</p> <p>1 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	<p>Census > People > Demographics > Race/Ethnicity > American Indian or Alaska Native</p>
Asian	<p>Indicates whether the person has origins in any of original peoples of the Far East, Southeast Asia, or the Indian Subcontinent. This area includes Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, Philippine Islands, Thailand, and Vietnam.</p> <p>2 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	<p>Census > People > Demographics > Race/Ethnicity > Asian</p>
Black or African American	<p>Indicates whether the person has origins in any of the black racial groups of Africa.</p> <p>3 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	<p>Census > People > Demographics > Race/Ethnicity > Black or African American</p>
Native Hawaiian or Other Pacific Islander	<p>Indicates whether the person has origins in any of original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.</p> <p>4 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	<p>Census > People > Demographics > Race/Ethnicity > Native Hawaiian or Other Pacific Islander</p>
White	<p>Indicates whether the person has origins in any of original peoples of Europe, Middle East, or North Africa.</p> <p>5 = Yes 0 = No or Null</p> <p>Alpha, 1 character</p>	<p>Census > People > Demographics > Race Ethnicity > White</p>

Element	Logic	Campus Interface										
Homelessness Status	<p>Indicates whether the student lacks a fixed, regular, and adequate nighttime residence.</p> <p>Alpha, 1 character Y or N</p>	<p>Student Information > General > Enrollments > State Reporting Fields > Homeless</p>										
Title I Indicator	<p>Indicates whether the student participated in a Title 1 program.</p> <p>See the Title I Determination Logic for more information.</p> <p>Alpha, 1 character</p>	<p>System Administration > Resources > School > Title 1 and Student Information > General > Enrollments > State Reporting Fields > Title 1 OR System Administration > Resources > School > Title 1 = School wide program</p>										
Free/Reduced Price Meals	<p>Indicates if the student receives free/reduced price meals.</p> <p>If the Migrant element reports Y, then this field reports F.</p> <p>Otherwise, the field reports from the FRAM record as of the end date entered on the extract editor.</p> <table border="1" data-bbox="419 1211 839 1525"> <thead> <tr> <th data-bbox="419 1211 691 1270">Eligibility</th> <th data-bbox="691 1211 839 1270">Reports</th> </tr> </thead> <tbody> <tr> <td data-bbox="419 1270 691 1335">Free</td> <td data-bbox="691 1270 839 1335">F</td> </tr> <tr> <td data-bbox="419 1335 691 1400">Reduced</td> <td data-bbox="691 1335 839 1400">R</td> </tr> <tr> <td data-bbox="419 1400 691 1464">Non-Reimbursable</td> <td data-bbox="691 1400 839 1464">N</td> </tr> <tr> <td data-bbox="419 1464 691 1525">Paid</td> <td data-bbox="691 1464 839 1525">N</td> </tr> </tbody> </table> <p>Alpha, 1 character</p>	Eligibility	Reports	Free	F	Reduced	R	Non-Reimbursable	N	Paid	N	<p>FRAM > Eligibility > Eligibility</p>
Eligibility	Reports											
Free	F											
Reduced	R											
Non-Reimbursable	N											
Paid	N											
Migrant	<p>Indicates whether the student is a migrant.</p> <p>Alpha, 1 character</p>	<p>Student Information > General > Enrollment > State Reporting Fields > Migrant</p>										

Element	Logic	Campus Interface				
<p>Foreign Exchange Student</p>	<p>Indicates whether the student is a foreign exchange student.</p> <p>If the student is in grade 9-12 as of the end date selected on the extract editor, Y reports if the Foreign Exchange record is Y, J1, or F1. Otherwise, N reports.</p> <p>If the student is not in grades 9-12, N reports.</p> <p>Alpha, 1 character Y or N</p>	<p>Student Information > General > Enrollment > State Reporting Fields > Foreign Exchange</p>				
<p>Special Education</p>	<p>Indicates the student's special education services.</p> <p>Values are reported as of the Effective Date entered on the extract editor.</p> <table border="1" data-bbox="419 840 1043 1424"> <thead> <tr> <th data-bbox="419 840 536 902">Value</th> <th data-bbox="536 840 1043 902">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="419 902 536 1424"> <p>2</p> </td> <td data-bbox="536 902 1043 1424"> <p>The student is in Code 504.</p> <p>2 reports when the student has an active 504 record with a Start Date before the extract editor End Date and one of the following:</p> <ul style="list-style-type: none"> • 504 End Date is NULL OR • 504 End Date is after the extract editor End Date <p>AND the student does not flag as E or 3</p> <p>Students do NOT need an IEP to report as a 2.</p> </td> </tr> </tbody> </table>	Value	Description	<p>2</p>	<p>The student is in Code 504.</p> <p>2 reports when the student has an active 504 record with a Start Date before the extract editor End Date and one of the following:</p> <ul style="list-style-type: none"> • 504 End Date is NULL OR • 504 End Date is after the extract editor End Date <p>AND the student does not flag as E or 3</p> <p>Students do NOT need an IEP to report as a 2.</p>	<p>Student Information > General > Enrollment > Special Ed Fields > Special Ed Status</p>
Value	Description					
<p>2</p>	<p>The student is in Code 504.</p> <p>2 reports when the student has an active 504 record with a Start Date before the extract editor End Date and one of the following:</p> <ul style="list-style-type: none"> • 504 End Date is NULL OR • 504 End Date is after the extract editor End Date <p>AND the student does not flag as E or 3</p> <p>Students do NOT need an IEP to report as a 2.</p>					

Element	Logic	Description	Campus Interface
	3	<p>The student has exited special education services and has been placed in Code 504.</p> <p>3 reports when the student has a 504 flag that meets all of the following</p> <ul style="list-style-type: none"> • Active as of extract editor End Date • Start Date is after special ed exit Date <p>AND</p> <ul style="list-style-type: none"> • The most recent locked IEP meets ALL of the following. <ul style="list-style-type: none"> ◦ Special Ed Start Date that is prior to or equal to report extract editor End Date ◦ IEP Closed Date is less than or equal to the extract editor Run Date ◦ Exit code is A or J 	
	E	<p>The student has exited special education services and is not currently receiving special education services.</p> <p>E reports when</p> <ul style="list-style-type: none"> • the student's most recent IEP has a Special Ed Start Date that is prior to or equal to report extract editor End Date and the latest IEP Closed Date is less than or equal to the extract editor Run Date <p>AND</p> <ul style="list-style-type: none"> • the Exit code is A or J AND Special Ed Exit Date is before the incident date. <p>AND</p> <ul style="list-style-type: none"> • the student has no 504 record OR the student has a 504 record with a Start Date before the Special Ed Exit Date 	

Element	Logic Description	Campus Interface				
	<table border="1"> <tr> <td data-bbox="421 257 536 389">N</td> <td data-bbox="536 257 1043 389">The student does not have an IEP and is not receiving special education services.</td> </tr> <tr> <td data-bbox="421 389 536 1095">Y</td> <td data-bbox="536 389 1043 1095"> <p>The student has an IEP and is receiving special education services. Y reports when the most recent IEP has a Special Ed Start Date that is prior to or equal to the report extract editor End Date and the latest IEP Closed Date is less or equal to the extract editor Run Date AND meets one of the following:</p> <ul style="list-style-type: none"> • Exit code is null OR • Exit code is not Null and is not A or J Or • Exit code is A or J AND Special Ed Exit Date after the report End Date </td> </tr> </table>	N	The student does not have an IEP and is not receiving special education services.	Y	<p>The student has an IEP and is receiving special education services. Y reports when the most recent IEP has a Special Ed Start Date that is prior to or equal to the report extract editor End Date and the latest IEP Closed Date is less or equal to the extract editor Run Date AND meets one of the following:</p> <ul style="list-style-type: none"> • Exit code is null OR • Exit code is not Null and is not A or J Or • Exit code is A or J AND Special Ed Exit Date after the report End Date 	
N	The student does not have an IEP and is not receiving special education services.					
Y	<p>The student has an IEP and is receiving special education services. Y reports when the most recent IEP has a Special Ed Start Date that is prior to or equal to the report extract editor End Date and the latest IEP Closed Date is less or equal to the extract editor Run Date AND meets one of the following:</p> <ul style="list-style-type: none"> • Exit code is null OR • Exit code is not Null and is not A or J Or • Exit code is A or J AND Special Ed Exit Date after the report End Date 					
<p>Special Education End Date</p>	<p>The date on which special education services ended. This date reports from the most recent IEP as of the Effective Date entered on the extract editor.</p> <p>Alphanumeric, 1 character</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Student Information > Special Ed > Documents > IEP > Special Ed Exit Date</p>				

Element	Logic	Campus Interface
<p>Special Education Certificate</p>	<p>Indicates whether the student is on track to receive a MD High School Certificate of Completion. This is required if Special Education Services = Y.</p> <p>Y reports when</p> <ul style="list-style-type: none"> • the student's most recent IEP has a Special Ed Start Date prior to or equal to the report's End Date, AND • the IEP Closed Date is less than or equal to the report Run Date, AND • the Special Ed Certificate checkbox is selected, AND • one of the following requirements is met: <ul style="list-style-type: none"> ◦ Exit Reason is null, OR ◦ Exit Reason is not Null and is not A or J, OR ◦ Exit Code is A or J AND Special Ed Exit date equal to or after the report End Date. <p>Otherwise, N reports.</p> <p>Alphanumeric, 1 character</p>	<p>Student Information > General > Flags Programs Admin > Flags > State Program Type > State Reported (Flag is tied to state program type of certificate and State Reported checkbox is marked)</p>

Element	Logic	Campus Interface														
<p>English Learner (EL) Status</p> <p>-</p> <p>-</p>	<p>Indicates whether the student has a primary or home language other than English and has been assessed as having limited or no ability to understand, speak or read English.</p> <p>Reports the student's most recent EL record where the Identified Date is on or before the End Date on the extract editor.</p> <table border="1" data-bbox="421 548 1043 1137"> <thead> <tr> <th data-bbox="421 548 580 651">EL Status</th> <th data-bbox="580 548 1043 651">Reports</th> </tr> </thead> <tbody> <tr> <td data-bbox="421 651 580 712">EL</td> <td data-bbox="580 651 1043 712">Y</td> </tr> <tr> <td data-bbox="421 712 580 815">Exited EL</td> <td data-bbox="580 712 1043 815">Y - (When incident date is on or before the EL Exited Date)</td> </tr> <tr> <td data-bbox="421 815 580 913">Exited EL</td> <td data-bbox="580 815 1043 913">N - (When incident date is after the EL Exited Date)</td> </tr> <tr> <td data-bbox="421 913 580 974">Not EL</td> <td data-bbox="580 913 1043 974">N</td> </tr> <tr> <td data-bbox="421 974 580 1034">Pending</td> <td data-bbox="580 974 1043 1034">N</td> </tr> <tr> <td data-bbox="421 1034 580 1137">No Record</td> <td data-bbox="580 1034 1043 1137">N</td> </tr> </tbody> </table> <p>Alpha, 1 character</p>	EL Status	Reports	EL	Y	Exited EL	Y - (When incident date is on or before the EL Exited Date)	Exited EL	N - (When incident date is after the EL Exited Date)	Not EL	N	Pending	N	No Record	N	<p>Student Information > Program Participation > English Learners (EL) > EL > Program Status</p>
EL Status	Reports															
EL	Y															
Exited EL	Y - (When incident date is on or before the EL Exited Date)															
Exited EL	N - (When incident date is after the EL Exited Date)															
Not EL	N															
Pending	N															
No Record	N															
<p>English Learner Entry into the US Date</p>	<p>The date when the student began EL services or entered the United States for the first time. If the Date Entered US field is null, the Date Entered US School reports. If the Date Entered US School field is null, the Identified Date from the earliest EL record reports.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Census > People > Demographics > Date Entered US School Student Information > Program Participation > English Learners (EL) > EL > Identified Date</p>														
<p>EL Begin Date</p>	<p>The date when the student's ELL services started.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Student Information > Program Participation > English Learners (EL) > EL > Program Start Date</p>														

Element	Logic	Campus Interface
EL End Date	<p>The date when the student's ELL services ended.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Student Information > Program Participation > English Learners (EL) > EL > Program Exit Date</p>
English Learner ELA Assessment Exempt Status	<p>Indicates the student receiving ESOL services in their first year of enrollment in a U.S. school is exempt from the PARCC English/Language Arts assessment and may substitute the required state assessment with the English Language Proficiency Assessment (ACCESS for ELs 2.0). When EL Status = Y, Y reports for student's in their first year of enrollment in a U.S. School. Otherwise, N reports.</p> <p>Students are exempt if they are within 1 calendar year (365 days) of their first day enrolled in a US school.</p> <p>Alphanumeric, 1 character</p>	<p>Student Information > Program Participation > English Learners (EL) > EL > Program Status</p>
Foster Care Status	<p>Indicates whether the student is in foster care. Y reports when the student has an active foster care record as of the report end date selected in the extract editor OR the student's enrollment end date. Otherwise, N reports.</p> <p>Alpha, 1 character Y or N</p>	<p>Student Information > Program Participation > Foster Care</p>
Military Connected Indicator	<p>Indicates whether the student has a parent or guardian in the military. Reports the value populated:</p> <ul style="list-style-type: none"> • Reports Y for Yes. • Reports U for Unknown. • Reports N for No. <p>Otherwise, reports blank.</p> <p>Alpha, 1 character</p>	<p>Student Information > Enrollments > Military Connected</p>
Filler	N/A	N/A

Element	Logic	Campus Interface
Submission Date	<p>The date the file was submitted to the MSDE. This is generated via the date entered in the Run Date field on extract editor.</p> <p>Date field, 8 characters YYYYMMDD</p>	<p>Not dynamically stored</p>
504 Indicator	<p>Indicates whether the student is 504. Y reports when the student has an active 504 record with a start date on or before the incident date AND has one of the following:</p> <ul style="list-style-type: none"> • 504 End Date is NULL OR • 504 End date is on or after the incident date <p>Alpha, 1 character Y or N</p>	<p>Programs > Flags > 504 with State Reported marked Student Information > General > Flags > 504</p>
Disability Code	<p>Indicates the student's primary disability. The primary disability is the major category of disability under which the student needs special education services.</p> <p>The Disability Code reports from the latest IEP where the Special Ed Start Date is prior to or equal to the incident date and the latest IEP Closed Date for the IEP is less or equal to the extract editor run date AND meets one of the following:</p> <ul style="list-style-type: none"> • Exit code is null, OR • Exit code is not Null and is not A or J, OR • Exit code is A or J AND Special Ed Exit date after the incident date <p>Numeric, 2 digits</p>	<p>Student Information > Special Ed > Documents > IEP > Print Format is MD SPED Date > Detail Editor > Start Date, IEP Closed Date, Exit Code, Disability type</p>
Offense Code	<p>The code that best describes the incident in which the student was disciplined.</p> <p>The State Event Code reports. If the event is not associated with a State Event Code, the Event Code is reported.</p> <p>The first 3 digits of the event code report.</p> <p>Alphanumeric, 3 characters</p>	<p>Behavior > Event and Participant Details > Event Type (mapped to a State Event Code)</p>

Element	Logic	Campus Interface
Date of Offense	<p>The date on which the offense which required disciplinary action occurred.</p> <p>Date field, 8 digits YYYYMMDD</p>	<p>Behavior > Behavior Management > Incident Detail Information > Date of Incident</p>
Disposition Code	<p>Indicates the action taken in response to the offense.</p> <p>The state resolution code reports if it's mapped to one of the following State Resolution Codes: 910-913, 920, 930, 940-942, 950, 960.</p> <p>If the resolution type is not mapped to a state resolution code, the local resolution code reports if the first 3 digits are 910-913, 920, 930, 940-942, 950, or 960.</p> <p>The first 3 digits of the resolution code report.</p> <p>Alphanumeric, 3 characters</p>	<p>Behavior > Behavior Management > Resolution Details > Resolution Type (mapped to a State Event Code)</p>

Element	Logic	Campus Interface
<p>Length of Removal</p>	<p>The number of days the student was removed from their current placement at the time of the offense.</p> <p>When the Offense Code is not 001 or 002, the following logic applies.</p> <ul style="list-style-type: none"> • The days absent report from the Duration in School Days field. • The student must be absent a minimum of a half day to report. Half-day absences report as 000.5. <p>When the Offense Code is 001 or 002 and the Disposition Code is 950, the following logic applies.</p> <ul style="list-style-type: none"> • When the student’s state attendance code is <ul style="list-style-type: none"> ◦ 17: Health Exclusion, OR ◦ 99: Immunization Absence ◦ Student’s absent minutes are calculated according to the Absent Calculation for 001 and 002 Offense Codes. • The student must be absent 1 day to report as an offense. • 1 day absent reports as 001.0. • If the student does not have attendance tied to attendance codes 17 or 99 the event does not report. <p>Records for offense codes of 001 or 002 with a Disposition code of 950 entered in Behavior Management do not report.</p> <p>Numeric, 5 digits NNN.N</p>	<p>Behavior> Resolution Details > Duration in School Days OR Attendance Calculation</p>
<p>Physical Injury</p>	<p>Indicates if the offense resulted in physical injury.</p> <p>Alpha, 1 character</p>	<p>Behavior > Medical Services Provided</p>
<p>Type of Educational Services Provided</p>	<p>The code that best describes the type of educational services the suspended/expelled student is receiving.</p> <p>Numeric, 1 digit</p>	<p>Behavior > Behavior Management > Resolution Details > Educational Services Provided</p>

