

Minnesota Ed-Fi Data v3.1 - Student SAAP Program Association

Last Modified on 10/22/2022 10:26 am CDT

Object Triggering Logic | Object Data Elements

Classic View: System Administration > Ed-Fi

Search Terms: Ed-Fi

This association represents Students in a SAAP Program.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	 When a new enrollment is saved for a student, and there is a SAAP record saved that overlaps the enrollment record. The SAAP Program record must have either a NULL Schools droplist value, or one that matches the school the enrollment is tied to. When a student has two enrollments in the same School, Calendar & Schedule Structure with the same start date, report from the enrollment service type in the following order: P: Primary Enrollment S: Partial/Ancillary N: Special Ed Services When an enrollment with a higher priority is deleted, the enrollment with lower priority will post a new record. Do not send records if the Calendar Exclude check box is checked in the calendar the student is enrolled. Do not send records if the School Exclude check box is checked in the calendar the student is enrolled. Do not send a record if the No Show check box is checked. When a new SAAP record is saved for a student, and there is a reportable enrollment record that overlaps the SAAP record. When the SAAP record's Start Date or End Date are updated so that they newly overlap a reportable enrollment record's Schools droplist was previously tied to a different school, but the School school schools droplist was previously tied to a different school, but the School school schools droplist was previously tied to a different school, but the School school is updated to point to a new school that the student has a reportable enrollment with. Do not send records if the Calendar Grade Level "Exclude from State Reporting" checkbox is selected for the grade level that the student's enrollment is tied to.
Put	 When the start date for an enrollment is changed. When an enrollment with a lower priority is changed, data will not send. When an enrollment is updated for a student. When the SAAP record is updated for a student.



Action	Trigger
Delete	 When an enrollment is deleted. When a student has two enrollments in the same school for the same start date, records with lower priority will not trigger a delete. When the No Show check box is checked. When the SAAP record is deleted. When the SAAP record's Start Date or End Date are updated so that they no longer overlap a reportable enrollment record. When the Enrollment record's Start Date or End Date are updated so that they no longer overlap a reportable enrollment record's Start Date or End Date are updated so that they no longer overlap a sAAP record. When the SAAP record. When the SAAP Program record's Schools droplist is updated so that it no longer matches any of the schools the student is enrolled in during the program record.

Object Data Elements

This table describes data elements sent within the Student SAAP Program Association resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Fie
beginDate	The month, day, and year on which the Student first received services.	 Report the Start Date from the SAAP record. 1. If the Enrollment Start Date takes place after the SAAP record Start Date, report the Enrollment Start Date. 	Μ	Student Information > Program Participation > State Programs > SAAP record > Start Date Student Information > General > Enrollments > Start Date	altprogram. startDate Enrollment. startDate



Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Fie
education Organization Reference	educationOrganizationId The identifier assigned to an education organization.	 Report the Ed-Fi School ID. If Ed-Fi School ID is NULL, report: ttddddsssmmm where: tt = district type dddd = district number, left zero filled sss = school number, left zero filled mmm = 000 for all organizations reported in Ed- Fi 	Μ	System Administration > Resources > School > school record > Ed-Fi School ID tt: System Administration > Resources > District Information > district record > Type dddd: System Administration > Resources > District Information > district record > State District Record > State District Number SSS: System Administration > Resources > School > school record > State School Number	School.entityIE District.type District.numbe School.number



Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Fie
program Reference	educationOrganizationId The identifier assigned to an education organization. programName The formal name of the Program of instruction, training, services, or benefits available through federal, state, or local agencies. programTypeDescriptor The type of program.	Report the following values within the program. • educationOrganizationId: 1. Report the Ed-Fi District Number, if it exists 2. If Ed-Fi District Number is NULL, report: • ttddddsss where: 1. tt = district type 2. dddd = district number, left zero filled 3. sss = 000 • programName: 'Alternative Learning Program' • program'	М	System Administration > Resources > District Information > district record > Ed-Fi District Number tt: System Administration > Resources > District Information > district record > Type dddd: System Administration > Resources > District Information > district record > Type	District.entityII District.type District.numbe
student Reference	studentUniqueld A unique alphanumeric code assigned to a student.	Report the EdFi ID value.	М	Census > People > Demographics > EdFi ID	person.edFild
endDate	The month, day, and year on which the Student exited the Program or stopped receiving services.	 Report the End Date from the SAAP record, if it exists. If the Enrollment Start Date takes place after the SAAP record Start Date, report the Enrollment Start Date. If no SAAP record End Date exists, do not report. 	С	Student Information > Program Participation > State Programs > SAAP record > End Date Student Information > General > Enrollments > Enrollment End Date	altprogram. endDate Enrollment. endDate



Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Fie
independent StudyIndicator	State-approved alternative programs (SAAP) that also have a state-approved Independent Study (IS) component use this flag to identify independent study participants.	 Report 'true' if the "Independent Student Indicator" is checked on the SAAP record. Report 'false' if the "Independent Student Indicator" is not checked on the SAAP record. 	Μ	Student Information > Program Participation > State Programs > SAAP record > Independent Study Indicator	altprogram. independent Study
saapConcurrent Indicator	An indicator representing a Student who is enrolled less than full-time at a traditional school and who is also enrolled at a State Approved Alternative Program (SAAP).	 Report 'true' if the "SAAP Concurrent Indicator" is checked on the SAAP record. Report 'false' if the "SAAP Concurrent Indicator" is not checked on the SAAP record. 	М	Student Information > Program Participation > State Programs > SAAP record > SAAP Concurrent Indicator	altprogram. concurrent
saapCredits	SAAP Credits.	 Report the value. If no value exists, report '0'. 	Μ	Student Information > Program Participation > State Programs > SAAP record > SAAP Credits	altprogram.cre