

Minnesota Ed-Fi Data v3.1 - Student Section Associations

Last Modified on 10/22/2022 10:26 am CDT

[Object Triggering Logic](#) | [School Exclude, Calendar Exclude, Resource Toggle and Resync Logic](#) | [Natural Key Changes, Cascading Updates, and Deletes Logic](#) | [Scope Year Logic](#) | [Event Queue Detail](#) | [Object Data Elements](#) | [Types/Descriptors](#)

Classic View: System Administration > Ed-Fi

Search Terms: Ed-Fi

This association indicates the course sections to which a student is assigned.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	When a student is scheduled into a course section. <ul style="list-style-type: none"> A record will report for each Section record that is reported based on the Sections logic. If roster start date is after the term end date, do not report a record for the prior term. Only send records if the student has an enrollment in the schedule structure where the student is scheduled and is not marked as No Show or State Exclude. Do not send records if the Calendar Exclude check box is checked. Do not send records if the School Exclude check box is checked. Do not send records if the Course is marked as Inactive or Exclude.
Post	Send a new record if a student's roster start date is changed.
Put	When section information is updated for a student or section. <ul style="list-style-type: none"> Update when the course or section's homeroom field is changed.
Delete	When a student is deleted from a course section.
Delete	Delete any future records if the student is given a roster end date for the course. <ul style="list-style-type: none"> Roster End Date must be before Term Start date of future records.
Delete/Post	Delete the record if a student's roster start date is changed.

School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
--------	---------

Action	Trigger
Delete/Post	Natural Key change: <ul style="list-style-type: none"> The natural key logic from Sections and Students will update this resource if they change. If the students Begin Date changes.
Delete/Post	If the natural key changes all dependent data will delete/post. <ul style="list-style-type: none"> Student Section Attendance Events, Grades

Scope Year Logic

This table describes scope year logic of this object.

Logic
Reports records in the scope year in which the course/section's calendar is aligned. <ul style="list-style-type: none"> Data will only send for years that have valid configuration.

Event Queue Detail

This table describes the Event Queue Detail of this object.

Campus Table	Ed-Fi Action	Fields
roster	Post/Put/Delete	The primary table used for sending data for this resource.
roster	Put	End date
terms	Put	End date
course	Put	homeroom
section	Put	homeroom

Object Data Elements

This table describes data elements sent within the Student Section Association resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.		M		
beginDate	Month, day and year of the student's entry or assignment to the section. If blank, default is the start date of the first grading period.	<ol style="list-style-type: none"> Report the roster start date for the term record in which the start date occurs. <ul style="list-style-type: none"> For any records in the future terms for that course, use the earliest term start date. If Start Date is NULL, report the earliest term start date associated with the term descriptor selected for this section based on section schedule placement. 	M	Student Information> General> Schedule> Roster Start Date OR System Administration> Calendar> Calendar> Terms	roster. startdate or terms. startdate

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
section Reference	A reference to the related Section resource.	1. Reports the fields that are part of the Natural Key for the Section resource.	M		
student Reference	A reference to the related Student resource.	1. Reports the fields that are part of the Natural Key for the Student resource.	M		
attemptStatus Descriptor	An indication of the student's attempt status for the section.	1. This is optional, does not report.	O		
endDate	Month, day, and year of the withdrawal or exit of the student from the section.	1. Report the roster end date for the student. <ul style="list-style-type: none"> If a roster end date is entered, delete any records for future terms for that section. 2. If NULL, report the latest term start date associated with the term descriptor selected for this section based on section schedule placement.	O	Student Information> General> Schedule> Roster End Date OR System Administration > Calendar> Calendar > Terms	roster.endDate or terms.endDate
homeroom Indicator	Indicator that the class is the student's designated homeroom used for daily attendance reporting.	1. Report "True" if the check box is checked on either the Section or the Course to which the section is assigned. 2. Else, report False.	O	Scheduling> Course > Homeroom or Scheduling> Course> Section> Homeroom	course.homeroom or section.homeroom
repeatIdentifier Type	An indication as to whether a student has previously taken a given course. NEDM: Repeat Identifier Repeated, counted in grade point average Repeated, not counted in grade point average Not repeated Other.	1. Does not report, this data is not collected in Campus.	O		
teacherStudent DataLink Exclusion	Indicates that the student-section combination is excluded from calculation of value-added or growth attribution calculations used for a particular teacher evaluation.	1. Does not report, this data is not collected in Campus.	O		
section Enrollment Type Descriptor	The Section enrollment type.	Report the mapped value. 1. If no value exists, or is not mapped, do not report	C	Course > Section Enrollment Type	

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
collegeCourseReference	<p>courseCode: A unique alphanumeric code assigned to a course.</p> <p>educationOrganizationId: The identifier assigned to an education organization.</p>	<p>courseCode:</p> <ol style="list-style-type: none"> Report the value. <p>educationOrganizationId:</p> <ol style="list-style-type: none"> Report the Ed-Fi School ID. If Ed-Fi School ID is NULL, report: <ul style="list-style-type: none"> ttdddssmmm where: <ul style="list-style-type: none"> tt = district type dddd = district number, left zero filled sss = school number, left zero filled mmm = 000 for all organizations reported in Ed-Fi 	M	<p>courseCode: Course > Number</p> <p>educationOrganizationId: System Administration > Resources > School > school record > Ed-Fi School ID</p> <p>tt: System Administration > Resources > District Information > district record > Type</p> <p>dddd: System Administration > Resources > District Information > district record > State District Number</p> <p>SSS: System Administration > Resources > School > school record > State School Number</p>	<p>courseCode</p> <ul style="list-style-type: none"> Cou <p>educationOrganizationId</p> <ul style="list-style-type: none"> Sch Dist Dist Sch
instructionalApproaches	<p>An unordered collection of student Section Association Instructional Approaches. Instructional approach as implemented for the student section association. General purpose but initially implemented for Early Education.</p> <p>instructionalApproachDescriptor: Instructional approach.</p> <p>implementationStatusDescriptor: Status of implementation of the instructional approach.</p>	<p>Report the mapped value.</p> <ol style="list-style-type: none"> If no value exists, or is not mapped, do not report. 	M C	<p>instructionalApproachDescriptor: Course > Inst. Approach and Implementation</p> <p>implementationStatusDescriptor: Course > Inst. Approach and Implementation</p>	<p>instructionalApproachDescriptor</p> <p>Course.eAndImp / value</p> <p>implementationStatusDescriptor</p> <p>Course.eAndImp / value</p>
siteBasedInitiatives	<p>An unordered collection of student Section Association SiteBased Initiatives. Site-based initiative as implemented for the student section association. General purpose but initially implemented for Early Education.</p> <p>siteBasedInitiativeDescriptor: Site-based initiative.</p> <p>implementationStatusDescriptor: Status of implementation of the site-based initiative.</p>	<p>Report the mapped value.</p> <ol style="list-style-type: none"> If no value exists, or is not mapped, do not report. 	M C	<p>siteBasedInitiativeDescriptor: Course > Site-Based Initiative and Impl.</p> <p>implementationStatusDescriptor: Course > Inst. Approach and Implementation</p>	<p>siteBasedInitiativeDescriptor</p> <p>Course.eInitAndIn CustomC</p> <p>implementationStatusDescriptor</p> <p>Course.eAndImp / CustomC</p>
etag	<p>A unique system-generated value that identifies the version of the resource.</p>		O		

Types/Descriptors

▶ [Click here to expand...](#)
