

SIRS Attendance Code (New York)

Last Modified on 10/22/2022 10:33 am CDT

[Best Practices](#) | [Reporting Logic](#) | [Extract Editor Field Descriptions](#) | [Attendance Code Extract Layout](#)

Classic View: NY State Reporting >SIRS Extracts > Attendance Code

Search Terms: SIRS Extracts

The Attendance Code reports a list of attendance codes that exist at the school level for labeling a student's attendance record.

☰
Infinite Campus

SIRS Extracts ☆

Reporting > NY State Reporting > SIRS Extracts

NY State Repository System Extracts

This tool will extract student data for SIRS data collection. Choose CSV format when uploading to SIRS, otherwise choose one of the testing/debugging formats.

Extract Options

Extract Type:

Format:

Column Headers:

Select Calendars

Which calendar(s) would you like to include in the report?

active year

list by school

list by year

19-20

- 19-20 Scarsdale Middle School
- 19-20 Edgewood School
- 19-20 Fox Meadow School
- 19-20 Greenacres School
- 19-20 Heathcote School
- 19-20 Quaker Ridge School
- 19-20 Scarsdale HS
- 19-20 Scarsdale MS
- 19-20 Scarsdale UFSD
- 19-20 AARON SCHOOL
- 19-20 ADV THERAPEUTIC CONCE
- 19-20 ALCOTT SCHOOL
- 19-20 ALPINE ACADEMY
- 19-20 ANDALUSIA SCHOOL
- 19-20 ANDERSON SCHOOL
- 19-20 ANDRUS CHILDREN'S CENT
- 19-20 ANNE HUTCHINSON SCHO
- 19-20 ARC INC WESTCHESTER C
- 19-20 ARC PUTNAM CO CHAPTER
- 19-20 ARC ROCKLAND CO CHAPT
- 19-20 ARDSLEY CONCORD RD ELI
- 19-20 ARDSLEY HIGH SCHOOL
- 19-20 ARDSLEY MIDDLE SCHOOL
- 19-20 BEACON
- 19-20 BENEDICTINE SCHOOL (MC
- 19-20 BERKSHIRE JUNIOR-SENI
- 19-20 BICULTURAL DAY
- 19-20 BILINGUALS(ACHIEVE BEYC
- 19-20 BIRCH FAMILY SERVICES

CTRL-click or SHIFT-click to select multiple

Show top tasks submitted between and

Batch Queue List

Queued Time	Report Title	Status	Download

Attendance Code Editor Example

Best Practices

- For a normal suspension code which excludes a student from class for the day without excluding them from the BEDS/SAMS report, set up the local code with a Status/Excuse of Absent/Exempt. This affects the student's instructional time in Staff Student Course, while not counting as an absence on Student Daily Attendance or SAMS/BEDS.
- Separate codes ought to be set up with the appropriate Status/Excuse for students who are absent or tardy when serving a suspension in order to correctly capture the data across the

various reports that consider attendance.

Reporting Logic

This extract reports all Attendance Codes located in System Administration > Attendance > Attendance Codes.

If multiple calendars are selected within the extract editor, the respective output files report sequentially so that identical codes like *Snow Day* report separately for each institution.

If any attendance code in the Attendance Codes table is mapped to a State Code of OSS or ISS, a separate State Code record reports in addition to the Attendance Code record.

State Code records report only once per distinct code per district, no matter how many Attendance Codes are set up with the same State Code mapping.

Extract Editor Field Descriptions

Field	Description
Extract Type	The SIRS Extract to be run.
Format	The Format in which the report should generate. Options are State Format (CSV) and HTML. Use State Format for reporting information to the state and the other types for data review and verification.
Column Headers	Indicates whether Column Headers should be included in the report. This dropdown list applies to State Format (CSV).
Generate Extract/ Submit to Batch	Users have the option of submitting a report request to the batch queue by clicking Submit to Batch instead of immediately generating the report by clicking Generate Extract . The batch process allows larger reports to generate in the background without disrupting the use of Campus. For more information about submitting a report to the batch queue, see the Batch Queue article.
Select Calendars	Identifies which Calendar(s) should be included in the report. Calendars can be sorted by active year, by school or by year.

Attendance Code Extract Layout

#	Element	Logic	Location
---	---------	-------	----------

#	Element	Logic	Location
1	DISTRICT CODE	<p>The identification number of the district. The prefix "NY" is added to the district number. For example, if the district number is 662001, the District Code is NY662001.</p> <p><i>Numeric, 8 digits</i></p>	<p>System Administration > Resources > District Information > District Number</p> <p>District.number</p>
2	ATT CODE	This field reports blank.	N/A
3	ATT DESC	<p>A description of the attendance code. Reports the local attendance PRSNT-IN, PRSNT-OUT, or ENS code description.</p> <p><i>Alphanumeric, 100 characters</i></p>	<p>System Administration > Custom > Attribute/Dictionary > AttendanceExcuse > State Code > Dictionary > Name</p> <p>AttendanceExcuse.stateCode</p> <hr/> <p>System Administration > Attendance > Attendance Codes > AttendanceExcuses Editor > AttendanceExcuse Detail > Description</p> <p>AttendanceExcuse.description</p>
4	ATT CATEGORY	This field reports blank.	N/A
5	ATT CODE LONG	<p>The local attendance PRSNT code. State Codes report the State Code's dictionary code OR Enrolled Not Scheduled (ENS). Otherwise, the Attendance Code's code reports.</p> <p><i>Alphanumeric, 25 characters</i></p>	<p>System Administration > Custom > Attribute/Dictionary > AttendanceExcuse > State Code > Dictionary > Code</p> <p>AttendanceExcuse.stateCode</p> <hr/> <p>System Administration > Attendance > Attendance Codes > AttendanceExcuses Editor > AttendanceExcuse Detail > Code</p> <p>AttendanceExcuse.code</p>
6	ATT TYPE	This field reports blank.	N/A
7	SORT SEQUENCE	This field reports blank.	N/A

#	Element	Logic	Location																
8	ATT STATUS	This field reports blank.	N/A																
9	STATE ATT CODE	<p>The State Attendance PRSNT Code used to indicate the type of absence, tardy, or suspension for state-reportable codes.</p> <p>The value in this field is calculated based on the attendance codes set up in System Administration > Attendance > Attendance Codes > AttendanceExcuses Editor > AttendanceExcuse Detail > Status/Excuse OR State Code. Suspension records report their State Code:</p> <ul style="list-style-type: none"> • ISS • OSS <p>State-reportable absence and tardy records report based on the following Status/Excuse combinations.</p> <table border="1"> <thead> <tr> <th>Status/Excuse</th> <th>Reports</th> </tr> </thead> <tbody> <tr> <td>Absent/Unknown</td> <td>U</td> </tr> <tr> <td>Absent/Excused</td> <td>E</td> </tr> <tr> <td>Absent/Unexcused</td> <td>U</td> </tr> <tr> <td>Tardy/Unknown</td> <td>T-IN</td> </tr> <tr> <td>Tardy/Excused</td> <td>T-IN</td> </tr> <tr> <td>Tardy/Unexcused</td> <td>T-IN</td> </tr> <tr> <td>Present/Any Excuse</td> <td>PRSNT-IN</td> </tr> </tbody> </table> <p>Non-state-reportable attendance codes report blank.</p> <p><i>Alphanumeric, 16 characters</i></p>	Status/Excuse	Reports	Absent/Unknown	U	Absent/Excused	E	Absent/Unexcused	U	Tardy/Unknown	T-IN	Tardy/Excused	T-IN	Tardy/Unexcused	T-IN	Present/Any Excuse	PRSNT-IN	<p>System Administration > Custom > Attribute/Dictionary > AttendanceExcuse > State Code > Dictionary > Code</p> <p>AttendanceExcuse.stateCode AttendanceExcuse.status AttendanceExcuse.excuse</p>
Status/Excuse	Reports																		
Absent/Unknown	U																		
Absent/Excused	E																		
Absent/Unexcused	U																		
Tardy/Unknown	T-IN																		
Tardy/Excused	T-IN																		
Tardy/Unexcused	T-IN																		
Present/Any Excuse	PRSNT-IN																		

#	Element	Logic	Location																		
10	STATE ATT DESC	<p>The State Attendance Code Description for the code reported in the STATE ATT CODE column.</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Reports</th> </tr> </thead> <tbody> <tr> <td>E</td> <td>Excused</td> </tr> <tr> <td>U</td> <td>Unexcused</td> </tr> <tr> <td>T-IN</td> <td>Tardy In School</td> </tr> <tr> <td>T-OUT</td> <td>Tardy Out of School</td> </tr> <tr> <td>ISS</td> <td>In-School Suspension</td> </tr> <tr> <td>OSS</td> <td>Out-of-School Suspension</td> </tr> <tr> <td>PRSNT-IN</td> <td>Present In School</td> </tr> <tr> <td>PRSNT-OUT</td> <td>Present Out of School</td> </tr> </tbody> </table> <p>Non-state-reportable attendance codes report blank.</p> <p><i>Alphanumeric, 255 characters</i></p>	Code	Reports	E	Excused	U	Unexcused	T-IN	Tardy In School	T-OUT	Tardy Out of School	ISS	In-School Suspension	OSS	Out-of-School Suspension	PRSNT-IN	Present In School	PRSNT-OUT	Present Out of School	Not dynamically stored
Code	Reports																				
E	Excused																				
U	Unexcused																				
T-IN	Tardy In School																				
T-OUT	Tardy Out of School																				
ISS	In-School Suspension																				
OSS	Out-of-School Suspension																				
PRSNT-IN	Present In School																				
PRSNT-OUT	Present Out of School																				
11	SCHOOL YEAR	<p>This field always reports as "June 30" of the reported school year.</p> <p><i>Date field, 10 characters YYYY-06-30</i></p>	<p>System Administration > Calendar > School Year</p> <p>Calendar.endDate</p>																		
12	ATT CODE TYPE	<p>This field always reports STUDENT.</p> <p><i>Alphanumeric, 15 characters</i></p>	Not dynamically stored																		
13	ATTENDANCE SHORT DESCRIPTION	<p>This field reports blank.</p>	N/A																		

Previous Versions

[SIRS Attendance Code \(New York\) \[.2215 and previous\]](#)

