

Code Defining (New York)

Last Modified on 10/22/2022 10:33 am CDT

Map Relationship Types to State Codes | Copy Mapped Values from One Year to Another Year | Remove State Codes from Relationship Types

Information on this page is specific to **New York** users.

Classic View: System Administration > Data Defining Tools > Code Defining

Search Term: Code Defining

This mapping tool allows you to map local Relationship Types to codes in the state-defined code list. The codes in the state-defined code list are automatically provided by Campus. The mapping that you create can be copied from one year to another year.

The SIRS: Student Contact Fact extract uses the mapped codes when determining what to report in the *Contact Relationship Code* column.

≡	Infinite Campus			Q Sear
Code Defining ☆ System Settings > Data Defining Tools > Code Defining				
🕒 S	ave 📀 Cancel 2020 🗸		Copy from ye	ar Choose a year 🗸
Object Relatio Course	Defining List Inship Type Name e Level Ia Type	Type Definition PESC Mapping PESC Mapping		
Code Defining Detail Value Definition Accelerated AC:Accelerated				
	It Basic anced Placement		AB:AdultBasic ~ AP:AdvancedPlacement ~ BA:Basic ~	
Inter Colle	rnational Baccalaureate age Level age Preparatory		BA:Basic ~	
Hon			<u> </u>	
Reg	Academic ents		<u> </u>	
Spe	nedial cial Education hnical Preparatory		× ×	
Voc	ational		~	



Map Relationship Types to State Codes

- 1. Select the year for which you want to map Relationship Types. This is a dropdown list found in the upper left-hand corner.
- 2. Click the Add Missing Objects button. Result
 - A confirmation window displays.
- 3. Click **OK**.

Result

The Relationship Type Name object displays in the Code Defining List editor.

4. Click Relationship Type Name in the Code Defining List. Result

The **Value** and **Definition** columns display.

- 5. Select a state-defined code from the **Definition** dropdown list for each Relationship Type in the **Value** column.
- 6. Click Save.

Copy Mapped Values from One Year to Another Year

- 1. Select the year for which you want to map Relationship Types. This is a dropdown list found in the upper left-hand corner.
- 2. Click Relationship Type Name in the Code Defining List. Result

The Value and Definition columns display.

- 3. Select the year from which you to copy. This is a dropdown list found in the upper right-hand corner.
- 4. Click the **Copy from year** button. **Result**

A message window displays confirming you want to continue.

5. Click **OK**.

Result

Campus copies and saves the mapped values.

Remove State Codes from Relationship Types

Relationship Types cannot be deleted until the Relationship Type is no longer mapped.



- 1. Select the year for which you want to remove Relationship Type mappings. This is a dropdown list found in the upper left-hand corner.
- 2. Click Relationship Type Name in the Code Defining List. Result

The Value and Definition columns display.

- 3. Select the blank line in the **Definition** column.
- 4. Click Save.