

Tennessee Ed-Fi Data v3.1 - Local Education Agency Calendars

Classic View: System Administration > Ed-Fi

Search Terms: Ed-Fi

The Local Education Agency Calendar resources reports District Calendar information.

Object Triggering

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	 A Calendars record will be created for each Calendar where: Type = D: District Number >= 1
	When a new Calendar is created and saved via the Calendar Wizard.
	Do not send a record if the Calendars resource is toggled 'OFF' in the Calendars Resource Preferences.
	Do not send if marked as exclude. School Exclude Calendar Exclude
	If the type on Calendar is changed from I: Instructional OR NULL to D: District
Put	 When fields that are not part of the natural key are changed: calendar Type calendar Number Student Day (instructional minutes) Teacher Day (minutes)
	When the Instruction checkbox is modified the instructionalDays and calendarFundingPeriod need to be recalculated.
	 When the following day event types have been ADDED OR REMOVED from the calendar, instructionalDays must be re-calculated and the calendarFundingPeriod array must be recalculated SI: Stockpile Inclement Weather SP: Stockpile Professional Development CS: Calendar Start CE: Calendar End
Delete/Post	If any fields part of the natural key are changed: Instructional Program Number School Number calendarTypeDescriptor _ext.tdoe.submittedForSchoolYearTypeReference.SchoolYear _ext.tdoe.submittedByEducationOrganizationReference.educationOgranizationID
Delete	If the type on Calendar is changed from D: District to I: Instructional OR NULL.
	If a calendar and/or schedule structure is deleted.



School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	No data will send if the School or Calendar is marked as Exclude.
Delete	If the Calendar is marked as exclude after the Calendar or any dependent data is sent, the calendar and all dependent data will delete upon a resync even if the resource is toggled 'OFF'.
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Resync	If a Calendar record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table.
Resync	If a Calendar record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Post/Delete	 Natural Key change: If a 2nd schedule structure is added after data is sent, the first Calendar record will need to be Deleted/Posted with new Calendar Code logic to be Calendar ID + Schedule Structure ID. If a calendar or schedule structure is moved via script, all data send to the ODS will remain and the Delete tool will need to be used to remove all data sent. If the School ID changes, a delete/post will occur with the cascading deletes from the School ID change triggers.

Scope Year Logic

This table describes scope year logic of this object.

Logic

Calendar Dates will only send for the school year to which they are aligned.

• Data will only send for years that have valid configuration.

Resource Preferences

This table describes the Resource Preferences of this object.



Data Element Label	Mapping Needed
calendarTypeDescriptor	calendar.type

Object Data Elements

Data Element Labels in **bold** are part of the Natural Key and are required data elements for Data to send to Ed-Fi.

Data Element Label	Business Requirement	Business Rule	M, C or O	Data Source GUI Path	Database Location
id	The unique identifier for the resource				
scheduledDaysDescriptor	The days of the week that students will be attending school on a regular basis during the calendar (M-F=1, M-S=2).	Holidays are identified using Calendar Day Event Types of: • OH: Holiday Other • CH: Holiday Christmas • SH: Holiday Spring Break For the calendar, identify the FIRST day where the day detail is marked as Instructional and the LAST day where the day detail is marked as Instructional, to establish a date window. Using the date window and taking into account Holidays; If the calendar day is marked as instructional AND scheduled every Saturday, populate "2".	М	System Administration > Calendar > Days > Day Event > Type	



Data Element Label	Business Requirement	Business Rule	M, C or O	Data Source GUI Path	Database Location
stockpileInclement WeatherDays	The number of stockpile days that have been designated in the calendar for inclement weather.	Populate SP Inclement Weather. Report NULL as zeros.	0	System Administration > Calendar > Calendar > SP Inclement Weather	calendar.track
stockpileProfessional DevDays	The number of days allocated by stockpiling that may be applied to instructional days in the calendar for professional development.	For the calendar, sum the Day Event duration of all day events of type SP: Stockpile Professional Development If the sum does not equal a number that can be divided evenly by 100, report zeros. Otherwise, report the quotient.	0	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type
inServiceDays	The number of days the LocalEducationAgency designates for discretionary In Service days.	For the calendar, sum the Day Event duration of all day events of type IS: In Service Day. If the number is not evenly divisible by 100, report the quotient.	М	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type
optionalInService Days	The number of days allocated for individual choice of professional development activities.	For the calendar, sum the Day Event duration of all day events of type IO: In Service Optional. If the number is not evenly divisible by 100, report the quotient.	М	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type



Data Element Label	Business Requirement	Business Rule	M, C or O	Data Source GUI Path	Database Location
parentTeacher ConferenceDays	The number of days allocated for parents and teachers to meet.	For the calendar, sum the Day Event duration of all day events of type PT: Parent-Teacher Conference. If the sum does not equal a number that can be divided evenly by 100, report zeros. Otherwise, report the quotient.	М	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type
teacherVacation Days	The number of days allocated for teachers paid vacation.	For the calendar, sum the Day Event duration of Day Events where the Day Event Types are the following: • TV: Teacher Vacation • CH: Holiday Christmas • SH: Holiday Spring Break • OH: Holiday Other If the sum does not equal a number that can be divided evenly by 100, report blank Else report the quotient	Μ	System Administration > Calendar > Days > Day Event Type	dayEvent.durat dayEvent.type



Data Element Label	Business Requirement	Business Rule	M, C or O	Data Source GUI Path	Database Location
abbreviated Days	The number of days allocated for instructional days that have been shortened to less than the state minimum school day of 6.5 hours.	For the calendar, sum the Day Event duration of all day events of type AD: Abbreviated Day. If the sum does not equal a number that can be divided evenly by 100, report zeros. Otherwise, report the quotient.	Μ	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.durat dayEvent.type
discretionaryTeacher VacationDays	The number of days the LocalEducationAgency designates for discretionary Teacher Vacation days.	For the calendar, sum the Day Event duration of all day events of type OV: Discretionary Teacher Vacation. If the number is not evenly divisible by 100, report the quotient.	Μ	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type
discretionaryIn ServiceDays	The number of days the LocalEducationAgency designates for discretionary In Service days.	For the calendar, sum the Day Event duration of all day events of type OS: Discretionary In Service. If the number is not evenly divisible by 100, report the quotient.	М	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type



Data Element Label	Business Requirement	Business Rule	M, C or O	Data Source GUI Path	Database Location
discretionary Administrative Days	The number of days the LocalEducationAgency designates for discretionary administrative activities.	For the calendar, sum the Day Event duration of all day events of type OA - Discretionary Administrative. If the number is not evenly divisible by 100, report the quotient.	Μ	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type
discretionary InstructionalDays	The number of days the LocalEducationAgency designates for discretionary Instructional days.	For the calendar, sum the Day Event duration of all day events of type OI - Discretionary Instructional. If the number is not evenly divisible by 100, report the quotient.	М	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type
discretionary OtherDays	The number of days the LocalEducationAgency designates for discretionary other days.	For the calendar, sum the Day Event duration of all day events of type OO: Discretionary Other. If the number is not evenly divisible by 100, report the quotient.	М	System Administration > Calendar > Calendar > Days > Day Event Type	dayEvent.dural dayEvent.type
instructional Days	The number of days for classroom instruction.	For the calendar, establish a temporary reporting window where: • The calendar date of the first day event of type CS: Calendar Start is the start of the temporary reporting window.	М	System Administration > Calendar > Calendar > Day Detail	day.date day.instruction dayEvent.dural dayEvent.type



Data Element Label	Business Requirement	Business Randar date of the first day event of type CE: Calendar	M, C or O	Data Source GUI Path	Database Location
		End is the end of the temporary reporting window.			
		For days that occur within the temporary reporting window, sum the duration of the following Day Events Types: • SI: Stockpile Inclement Weather • SP: Stockpile Professional Development			
		Divide by 100 to create a quotient that will be used as the result. If the sum does not equal a number that can be divided evenly by 100, round down and use the rounded down value rather than the quotient as the result.			
		For days that occur within the temporary reporting window, sum the numbers of days marked as instruction for a total. Sum the result and total for an outcome.			
		outcome.			



Data Element Label	Business Requirement	Business Rule	M, C or O	Data Source GUI Path	Database Location
calendarCode	The identifier for the Calendar.	Populate the Number (of the calendar) Format: 2 digit integer left zero padded.	Μ	System Administration > Calendar > Calendar > Number	calendar.numb
calendarType Descriptor	Indicates the type of Calendar.	Current Calendar Year is defined as the start year of the school year tied to the calendar. Identify the calendar date of the first occurrence of Day Event Type "AS". If the date is scheduled BEFORE August 1st of the current calendar year, populate "Year Round". Otherwise, populate "Traditional".	M	N/A	N/A
localEducationAgenc yReference.local EducationAgencyID	District ID	Populate the State District Number. Format: Remove leading zeros.	Μ	System Administration > Resources > District Information	district.numbeı
_ext.tdoe.submittedFor SchoolYearTypeReference. schoolYear	Key for School Year	Report End Year of school year. Format: CCYY	М	System Administration > Calendar > Calendar	schoolYear.end
_ext.tdoe.submittedBy EducationOrganization Reference.education OrganizationID	The identifier assigned to an education organization	Populate the State District Number. Format: Remove leading zeros.	М	System Administration > Resources > District Information	district.number

Type/Descriptor

• Click here to expand...