

# **Tennessee Ed-Fi Data v3.1 - Locations**

Last Modified on 10/22/2022 10:37 am CDT

Classic View: System Administration > Ed-Fi

#### Search Terms: Ed-Fi

This entity represents the physical space where students gather for a particular class/section. The location may be an indoor or outdoor area designated for the purpose of meeting the educational needs of students.

# **Object Triggering Logic**

This table describes logic for triggering syncing of this object.

Action	Trigger
Post	<ul><li>When a new Room is created and saved.</li><li>Do not send if the School is marked as Exclude.</li></ul>
Post	When a Room Name is changed and saved.
Put	When the Maximum Number Of Seats is modified.
Delete	When a Room is deleted.
Delete/Post	When a Room Name is changed and saved.
Delete/Post	When there are two rooms with the same natural key and 1 is deleted, the other record will post with the remaining records data.

### School Exclude, Calendar Exclude, Resource Toggle and Resync Logic

This table describes the School Exclude, Calendar Exclude, Resource Toggle and Resync logic of this object.

Action	Trigger
None	If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send.
Delete	If a resource is toggled to 'OFF" after data has sent and an action is performed that would trigger a delete, that data will remain in the ODS until a resync is done.
Resync	If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed- Fi Identity Mapping table.
Resync	If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS.
Resync	If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes.

# Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

Action	Trigger
Delete/Post	<ul> <li>If any of the following changes in the Schools resource:</li> <li>School ID: If the Ed-Fi School Number changes</li> <li>School ID: If the State School Number changes and the Ed-Fi School Number is NULL.</li> </ul>
Delete/Post	If the Room Name changes.

# **Scope Year Logic**

This table describes scope year logic of this object.

Logic
Rooms are not aligned to a year so all Rooms will send to each scoped year.
Data will only send for years that have valid configuration.

# **Event Queue Detail**

This table describes the Event Queue Detail of this object.

Campus Table Ed-Fi Action		Fields				
rooms	Post/Put/Delete	The primary table used for sending data for this resource.				

## **Object Data Elements**

This table describes data elements sent within the Locations resource.

Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
id	The unique identifier of the resource.		Μ		



Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
classroomIdentificationCode	A unique number or alphanumeric code assigned to a room by a school, school system, state, or other agency or entity.	Reports the Room Name.	Μ	System Administration> Resources> Resources> Rooms	room.name
schoolReference	A reference to the related School resource.	Reports the fields that are part of the Natural Key for the School resource.	М		
maximumNumberOfSeats	The most number of seats the class can maintain.	<ol> <li>Reports the Capacity.</li> <li>If blank, do not report.</li> </ol>	0	System Administration> Resources> Resources> Capacity	room.capacity
optimalNumberOfSeats	The number of seats that is most favorable to the class.	Does not report. This element is not collected.	0		
_ext.tdoe.submitted ForSchoolYearType Reference.schoolYear	Indicates the school year for which the record is reporting.	Using the End Year tied to the calendar, report the year.	М	System Administration > Calendar > Calendar	schoolYear. endYear
_ext.tdoe.submittedBy EducationOrganization Reference.education OrganizationID	The identifier assigned to an education organization.	Populate State District Number + State School Number.	М	System Administration > Resources > District Information System Administration > Resources > School	district.number



Data Element Label	Business Requirement	Business Rules	M, C or O	Data Source GUI Path	Database Field
_etag	A unique system- generated value that identifies the version of the resource.	Does not report.	0		