

CIRS Actions (SLDS) (Vermont)

Last Modified on 10/22/2022 10:39 am CDT

[Report Logic](#) | [Report Editor](#) | [Report Layout](#)

Classic View: [VT State Reporting](#) > [SLDS](#) > [Extract Type](#) > [18 CIRS Actions](#)

Search Term: SLDS

The CIRS Actions submission enhances Vermont's ability to efficiently and accurately manage, analyze, and use education data.

Example 18 CIRS Actions Extract Editor

Report Logic

All Behavior Resolutions that meet the following requirements report.

- The related incident date is on or after the first instructional day of the selected calendar.
- The related incident date is on or before the Effective Date selected on the extract editor.
- Only students with a Role of Offender report.

Report Editor

Field	Description
Submission Code for File Name	The report naming convention based on the submission time frame of the report.
Extract Type	18 CIRS Actions
Effective Date	The date from which data is pulled for the report.

Field	Description
Format	Determines the format for the report. Use State Submission when submitting the final data. Use HTML for data review and testing.
Select Calendars	The calendar(s) from which data is pulled for the report. This option is only available when you select <i>HTML</i> for the File Format and can assist you with verifying data for individual calendars.
Generate Report Submit to Batch	Users have the option of submitting the report request to the batch queue by clicking Submit to Batch instead of Generate Extract . This process allows larger reports to generate in the background without disrupting the use of Campus.

Report Layout

Element	Logic	Format and Length	Campus Database	Campus Location
ADMINID	The VT AOE assigned unique identifier for the Supervisory Union/District that is submitting data.	Alphanumeric, 6 characters	District.number	System Administration > Resource > District Information District Det > State District Number
Action_Num	A unique identifier assigned by the school to each action taken in response to an individual incident.	Numeric, 15 digits	BehaviorResolution.resolutionID	Student Information General > Behavior Tracking > Behavior Resolution Resolution (System Generated)
Incident_Num	A unique identifier assigned by the school to each incident in a school year.	Numeric, 15 digits	BehaviorEvent.eventID	Student Information General > Behavior Tracking > Behavior Event > Event ID
off_IDNUM	A unique identifier assigned by the school to each offender involved in an individual incident.	Numeric, 15 digits	Person.stateID	Census > People > Demographics > Person Identifiers : Student State ID

Element	Logic	Format and Length	Campus Database	Campus Location						
ENRORGID	The VT AOE assigned unique identifier for an organization providing direct instructional or educational services.	Alphanumeric, 6 characters	School.number	System Administration > Resource > School > School Details > State School Number						
Action_Type	A state resolution code indicating the type of action taken.	Numeric, 2 digits	BehaviorResType.stateResCode	Behavior > Behavior Management > New Resolution Resolution						
Action_Start_Date	The date when an action commenced.	Date Field MM/DD/YYYY	BehaviorResolution.timeStamp	Behavior > Behavior Management > New Resolution Resolution Start Date						
Action_End_Date	The date representing the end of the period in which an action was taken. If the Resolution End Date is null, this element reports blank.	Date Field MM/DD/YYYY	BehaviorResolution.endTimeStamp	Behavior > Behavior Management > New Resolution Resolution End Date						
Susp_Red	Indicates whether the school board reduced a weapons-possession suspension to less than one year. If the State Incident_Type is 46: Weapon , then Y reports if Suspension Reduction is selected and N reports if it is not selected.	Alphanumeric, 1 character	BehaviorResolution.durationReason	Behavior > Behavior Management > New Resolution Suspensor Reduction						
Susp_Length	<p>The number of school days missed due to an in school or out-of-school suspension.</p> <table border="1"> <thead> <tr> <th>If the Resolution is...</th> <th>And the End Date is...</th> <th>Then...</th> </tr> </thead> <tbody> <tr> <td>10:Suspension - In School</td> <td>not null</td> <td>the number of instructional days between the Resolution Date and End Date report.</td> </tr> </tbody> </table>	If the Resolution is...	And the End Date is...	Then...	10:Suspension - In School	not null	the number of instructional days between the Resolution Date and End Date report.	Numeric, 5 digits NNN,NN	BehaviorResolution.timeStamp BehaviorResolution.endTimeStamp	Behavior > Behavior Management > New Resolution Resolution Start and End Date
If the Resolution is...	And the End Date is...	Then...								
10:Suspension - In School	not null	the number of instructional days between the Resolution Date and End Date report.								

Element	Ucode	And the	Then...	Format and Length	Campus Database	Campus Location
	is...	End Date is...				
	10:Suspension - In School	null	the number of instructional days between the Resolution Date and Effective Date from the extract editor report.			
	11:Suspension - Out-Of-School	not null	the number of instructional days between Resolution Date and End Date report.			
	11:Suspension - Out-Of-School	null	the number of instructional days between Resolution Date and Effective Date from the extract editor report.			
Exp_Svcs	Indicates whether the student received educational services during an expulsion. If the Action_Type element is 5: <i>Expulsion</i> , Y reports if Education Services is selected or reports N if Educational Services is not selected. Otherwise, this element reports blank.			Alphanumeric, 1 character	BehaviorResType. stateResCode BehaviorResolution. expulsionServiceProvided	Behavior > Behavior Manageme > New Resolution Educationa Services
SY	The school year for which data is being submitted.			Numeric, 4 digits YYYY	Calendar. endYear	N/A

Element	Logic	Format and Length	Campus Database	Campus Location
Seclusion	A code indicating whether the student was placed in seclusion.	Alphanumeric, 1 character Y or N	BehaviorResType. name	Behavior > Behavior Manageme > New Response > Response Type = <i>Seclusio</i>
Restraint	A code indicating whether the student was restrained.	Alphanumeric, 1 character Y or N	BehaviorResType. name	Behavior > Behavior Manageme > New Response > Response Type = <i>Restraini</i>