

Wisconsin Ed-Fi Data v3.3 - Student School Association

Last Modified on 10/22/2022 10:41 am CDT

Classic View: System Administration > Ed-Fi

Search Terms: Ed-Fi

This association represents the school in which a student is enrolled.

Object Triggering Logic

This table describes logic for triggering syncing of this object.

| Action | Trigger |
|--------|---|
| Post | <p>When a new enrollment is saved for a student. A record will report for each distinct enrollment in a School and Enrollment Start Date.</p> <ul style="list-style-type: none"> When a student has two enrollments in the same School, Calendar & Schedule Structure with the same start date, report from the enrollment service type in the following order: <ol style="list-style-type: none"> P: Primary Enrollment S: Partial/Ancillary N: Special Ed Services When an enrollment with a higher priority is deleted, the enrollment with lower priority will post a new record. Do not send a student record for an enrollment that is marked as State Exclude, No Show, or WISE Exclude. Do not send a record if enrollment is in a calendar marked as State Exclude, Summer School, or in a School marked Exclude. If Ed-Fi Configuration Profile = Choice + Opt in report a record for all eligible students if Choice = Yes or No on the student's enrollment. If Ed-Fi Configuration Profile = Choice AND Choice = No on Student enrollment, do not report a record. |
| Post | <p>When the start date for an enrollment is changed.</p> <ul style="list-style-type: none"> When an enrollment with a lower priority is changed, data will not send. |
| Put | When a State Enrollment Type is updated for a student. |
| Delete | When an enrollment is deleted. |
| Delete | When the start date of an enrollment is changed. |
| Delete | When the State Exclude, No Show, or WISE Exclude check box is checked. |

Resource Toggle and Resync Logic

This table describes the Resource Toggle and Trigger logic of this object.

| Action | Business Rule |
|--------|--|
| None | If a resource is toggled to 'OFF' after data has sent, all sent data will remain in the ODS but no new data will send. |
| Put | If the natural key of the Calendar Reference is changed, a put will be done to update the Calendar Reference even if the Student School Association resource is turned 'OFF' |
| Resync | If a record is in the Ed-Fi Identity Mapping table and not in the ODS, it will be deleted from the Ed-Fi Identity Mapping table |
| Resync | If a record is in the ODS and it does not have a matching record in Campus or the Ed-Fi Identity Mapping table, it will be deleted from the ODS. |
| Resync | If a mapping is changed in Resource Preferences, a resync will need to be done to reflect the changes. |

Natural Key Changes, Cascading Updates, and Deletes Logic

This table describes the Natural Key Changes/Cascading Updates and Deletes logic of this object.

| Action | Business Rule |
|-------------|---|
| Post/Delete | Natural Key changes: <ul style="list-style-type: none"> If the School ID changes, all data will remain under the old number and a resync will need to be completed to populate data under the new number. The delete tool would need to be used to remove all data from the old School ID. If an Ed-Fi ID changes, this will happen with the cascading deletes from the Ed-Fi ID Change trigger. If the enrollment start date changes, all dependent resources will be deleted and reposted. If a dependent resource is turned off, all dependent resources will be deleted and not reposted. |
| Delete | Cascading Deletes: If the Student School Association is deleted, all dependent resources will be deleted. <ul style="list-style-type: none"> Student Parent Associations, Student Education Organization Associations, Student Section Associations, Graduation Plans, Student Program Associations, Student CTE Program Associations, Student Special Education Program Associations, Student Title 1 Part A Program Associations, Student Academic Records, Course Transcripts, Grades, Student Discipline Incident Associations, Discipline Actions, Student Cohort Associations, Student School Attendance Events, Student Section Attendance Events |

Scope Year Logic

This table describes scope year logic of this object.

| Logic |
|---|
| The record will send to the scope year for the school year the enrollment is associated with. |
| Data will only send for the years that have valid configuration. |

Identity Mapping Object Key

This table describes the Identity Mapping Object Key of this object.

| campusObjectType | Object Key Data Source |
|------------------|------------------------|
| Enrollment | enrollmentID |

Event Queue Detail

This table describes the Event Queue Detail of this object.

| Campus Table | Ed-Fi Action | Fields |
|----------------------|-----------------|---|
| enrollment | Post/Put/Delete | The primary table used for sending data for this resource |
| person | Post/Delete | Student ID in Student Reference |
| graduation | Put | Class of School Year Type Reference |
| programs | Put | Graduation Plan Reference |
| programparticipation | Put | Graduation Plan Reference |

Object Data Elements

This table describes data elements sent within the Student School Association resource.

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--------------------|--|--------------------------------------|-----------|---|----------------|
| id | The unique identifier of the resource. | | M | | |
| entryDate | The month, day, and year on which an individual enters and begins to receive instructional services in a campus. | 1. Report the enrollment start date. | M | Student Information> General> Enrollments> Start Date | enrollment.s |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|----------------------------------|--|---|-----------|---|----------------|
| calendarReference | A reference related to the Calendar resource. | 1. Report the Calendar reference for the calendar in which the student is enrolled that is being reported. | O | | |
| classOfSchoolYearType Reference | The year the student is expected to graduate. | 1. This is optional, does not report. | O | | |
| graduationPlanReference | A reference to the related GraduationPlan resource. | 1. This is optional, does not report. | O | | |
| schoolReference | A reference to the related School resource. | 1. Reports the fields that are part of the Natural Key for the School resource. | M | | |
| schoolYearType Reference | The school year the student is being reported in. | 1. This is optional, does not report. | O | | |
| studentReference | A reference to the related Student resource. | 1. Report the reference for the student being reported. | M | | |
| educationPlans | An unordered collection of studentSchoolAssociationEducationPlans. This association represents the school in which a student is enrolled. | 1. This is optional, does not report. | O | | |
| employedWhile Enrolled | An individual who is a paid employee or works in his or her own business, profession, or farm and at the same time is enrolled in secondary, postsecondary, or adult education. | 1. This is optional, does not report. | O | | |
| entryGradeLevel Descriptor | The grade level or primary instructional level at which a student enters and receives services in a school or an educational institution during a given academic session. | 1. Report the Ed-Fi Code from the Grade Level mapping for the grade selected on the student's enrollment. 2. If a mapping is not available, the record will error. | M | Student Information> General> Enrollments> Grade | |
| entryGradeLevel ReasonDescriptor | A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table. | 1. This is optional, does not report. | O | | |
| entryTypeDescriptor | A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table. | • This is optional, does not report. | O | | |
| exitWithdrawDate | The month, day, and year of the first day after the date of an individual's last attendance at a campus (if known), the day on which an individual graduated, or the date on which it becomes known officially that an individual left school. | 1. Report the enrollment end date. | O | Student Information> General> Enrollments> End Date | enrollment.e |
| exitWithdrawType Descriptor | A unique identifier used as Primary Key, not derived from business logic, when acting as Foreign Key, references the parent table. | 1. Report the Ed-Fi Code Value from the End Status selected. 2. If blank, do not report. | O | Student Information> General> Enrollments> End Status | enrollment.e |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|-------------------------|--|--|-----------|---|-----------------------------|
| primarySchool | Indicates if a given enrollment record should be considered the primary record for a student. If omitted, the default is true. | <ol style="list-style-type: none"> 1. Report 'True' if State Enrollment Type = P "Primary". 2. Otherwise, if Service Type = P: Primary. 3. Else, report 'False'. | M | Student Information> General> Enrollments> State Enrollment Type Student Information> General> Enrollments> Service Type | enrollmentV enrollment.t |
| termcompletionIndicator | Indicates whether or not a student completed the most recent school term. | <ol style="list-style-type: none"> 1. For the enrollment that determines the entry date. 2. If State Enrollment Type is NOT = Primary, do not report. 3. Otherwise, if State Enrollment Type = Primary, continue to calculate. 4. If the enrollment is ended prior to the last day of the school year. <ul style="list-style-type: none"> ◦ AND end Status = HSC: High School Completion, report TRUE ◦ AND end status is any other status, report FALSE 5. If the current date is after the last day of the school year. <ul style="list-style-type: none"> ◦ AND the enrollment end date is on or after (= >) the last day of the school year, report TRUE ◦ AND if the enrollment end date is blank, report TRUE 6. Otherwise, report FALSE. | C | Student Information > General > Enrollment > End Date | enrollment.t |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|----------------------------|---|---|-----------|---|----------------|
| repeatGradeIndicator | An indicator of whether the student is enrolling to repeat a grade level, either by failure or an agreement to hold the student back. | <ol style="list-style-type: none"> 1. Do not report for students Enrolled in a School with Ed-Fi Reporting Option of Choice ONLY or Choice + Private Opt In. 2. If students are enrolled in a school with Ed-Fi Reporting Option = Public. <ul style="list-style-type: none"> ◦ If State Enrollment Type = Primary. ◦ AND If the End Action = Retain on the Enrollment determining reporting, report TRUE. <ol style="list-style-type: none"> 1. Otherwise, report FALSE. ◦ If State Enrollment Type is NOT Primary, do not report. | O | Student Information > General > Enrollment > End Action | enrollment. |
| residencyStatus Descriptor | An indication of the location of a persons legal residence relative to (within or outside of) the boundaries of the public school attended and its administrative unit. | <ol style="list-style-type: none"> 1. This is optional, does not report. | O | | |
| schoolChoiceTransfer | An indication of whether students transferred in or out of the school did so during the school year under the provisions for public school choice in accordance with Title I, Part A, Section 1116. | <ol style="list-style-type: none"> 1. This is optional, does not report. | O | | |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--|---|--|--------------------|--|-------------------|
| studentSchoolAssociation Extensions (actualDaysAttendance) | Aggregate value that captures the actual days in attendance for a student. | See actualDaysAttendance in Appendix B below for reporting logic. | O | Student Information > General > Enrollment > Attendance Override OR Calculated from: System Administration > Calendar > Calendar > Grade Level > Standard Day System Administration > Calendar > Calendar > Days System Administration > Calendar > Calendar > Periods Student Information > General > Schedule Student Information > General > Attendance | |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--|---|---|-----------|---|----------------|
| studentSchoolAssociation Extensions (possibleDaysAttendance) | Aggregate value that capture the possible days in attendance for a student. | See possibleDaysAttendance in Appendix B below for reporting logic. | O | Student Information > General > Enrollment > Membership Override OR Calculated from: Student Information > General > Schedule System Administration > Calendar > Calendar > Grade Level > Standard Day System Administration > Calendar > Calendar > Days System Administration > Calendar > Calendar > Periods | |
| studentSchoolAssociation Extensions (Wi_studentSchool AssociationReceivingService) | An unordered collection of student School Association Wisconsin Ext Receiving Services. | See Receiving Services in the Array section below for reporting logic. | O | | |
| studentSchoolAssociation Extensions (completedSchoolTerm) | Indicates whether or not a student completed the school term during the school enrollment period. It is collected for every student enrollment record and is not related to graduation. A student could have more than one enrollment record for a school year. | 1. Report Null. | O | Student Information > General > Enrollment > End Date | |
| studentSchoolAssociation Extensions (expectedTransferLocal EducationAgencyReference) | A reference to the related EducationOrganization resource. | 1. If State Enrollment Type is NOT = Primary, do not report. 2. Otherwise, if State Enrollment Type = Primary, continue to calculate. 3. If Transfer District field is not Null on the most recent enrollment in the school, report the code value of the Transfer District. 4. Otherwise, report blank. | O | Student Information > General > Enrollment > Transfer District | enrollmentV |

| Data Element Label | Business Requirement | Business Rules | M, C or O | Data Source GUI Path | Database Field |
|--|---|--|-----------|---|----------------|
| studentSchoolAssociation Extensions (expectedTransfer SchoolReference) | A reference to the related School resource. | <ol style="list-style-type: none"> If State Enrollment Type is NOT = Primary, do not report. Otherwise, if State Enrollment Type = Primary, continue to calculate. If Ed-Fi Transfer School ID is not Null on the most recent enrollment in the school, report the value entered in the field. Otherwise, report blank. | O | Student Information > General > Enrollment > Ed-Fi Transfer School ID | enrollmentV |
| studentSchoolAssociation Extensions (privateSchoolChoice ProgramParticipant) | Indicates whether a student is a choice student or not. | <ol style="list-style-type: none"> Report from the Enrollment generating the record. <ol style="list-style-type: none"> If the enrollment generating the record is in a school where Ed-Fi School Population is marked Choice or Choice + Private Opt in. If Choice student = Y: Yes, report TRUE. Otherwise, report FALSE. | O | Student Information > General > Enrollment > Choice Student | enrollmentV |
| studentSchoolAssociation Extensions (parentPlacedPrivate) | | <ol style="list-style-type: none"> If State Enrollment Type is = Parent Placed Private, report TRUE. Otherwise, report FALSE. | O | Student Information > General > Enrollment > State Enrollment Type | |
| etag | | | | | |

Arrays

[Click here to expand...](#)

Appendices

[Click here to expand...](#)

Type/Descriptor

[Click here to expand...](#)