

Dialer Extract [.2124 - .2223]

Last Modified on 10/22/2022 10:47 am CDT

You are viewing a previous version of this article. See [Dialer Extract](#) for the most current information.

[Report Logic](#) | [Generate the Dialer Extract](#)

Classic View: [Attendance](#) > [Reports](#) > [Dialer Extract](#)

Search Terms: [Dialer Extract](#)

The Dialer Extract Report generates a file for importing into an attendance auto-dialer. Districts using Campus Messenger tools need to enable phone messaging; districts not using Campus Messenger need to work with their attendance dialer service.

The extract returns the names, phone numbers and a period string where the student was absent and the excuse is unknown (or, attendance entries that have been recorded by teachers but the attendance office has not yet assigned an excuse).

Dialer Extract Editor

Report Logic

The Dialer Extract prints the students who have attendance entries with a status of Absent and an Excuse of Unknown. These display in a yellow color on the student's attendance tab.

The report displays the following fields:

- Student Number
- Student Name
- Home Phone Number
- Grade Level
- Periods of absence

Only those absent periods that have an unknown excuse are included. For example, in the image

below, the student is marked absent/unknown for all periods on April 17. The list of periods is included in a string of periods numbers or period names, if the calendar in which the report was generated named their periods non-numerically.

Dialer Extract Records:6				
studentNumber	name	homePhone	grade	periods
1111	Student, Dylan	1235554567	12	1234567
2222	Student, Allison	9525552442	09	1234567
3232	Student, Anne	7635551264	11	1234567
4343	Student, Monica	5555555555	12	1234567
5454	Student, Jett	5555555555	12	1234567
6565	Student, Kai	5555555555	12	1234567

Dialer Extract and Student Attendance Entry

Generate the Dialer Extract

1. Enter the **Date** of the desired report in *mmdyy* format or enter a new date using the calendar icon.
2. Select the desired **Format** for the extract - Fixed Width, CSV, XML, or HTML.
3. Click the **Generate Extract** button. The report displays in a new window in the selected format.

Dialer Extract - Fixed Width

	A	B	C	D	E	F	G
1	studentNumber	name	homePhone	grade	periods		
2	123456	Student, Alan	6125559029	10	1020304050607		
3	234567	Student, Amber	6125555045	10	102030405060709		
4	345678	Student, Belinda	6125553935	11	1020304050607		
5	456789	Student, Benjamin	6125553086	12	10203040507		
6	567890	Student, Cameron	6125553037	11	1020304050607		
7							

Dialer Extract - CSV Format

```

-<campusRoot>
+<Header baseURL="https://issuetest81246.infinitecampus.com/campus/" date="05/07/2019" time="09:22:12 AM" calendarCookie="841" calendarS
125519mtmn" version="Campus-20190419_1058" appServer="SIS-125519 App" state="MN" stateName="Minnesota" group="" edition="district" c
userAgent="Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:66.0) Gecko/20100101 Firefox/66.0" messengerEnabled="true" shoutpointEnabled="tru
dataMartsEnabled="false" onlinePaymentsMode="TEST" isIE="false" isMac="false" isFF="true" isGecko="true" isSafari="false" clientIP="/10.3
hrEnabled="false" positionControlEnabled="false" payrollEnabled="false" payrollEncumbrancesEnabled="false" staffEvalsEnabled="false" fin
ldapAuthenticationType="searchAndBind" ldapPortalSSOConfigured="false" simsLinked="false" batchQueueEnabled="true" batchThreads="3
earlyWarningEnabled="false" g3PushNotificationEnabled="false" campusToolSearchEnabled="true" NewUI="true" autoFilterDropListThresho
<Header>
-<DialerExtract>
  -<Extract name="Dialer Extract">
    <record studentNumber="123456" name="Student, Alan" homePhone="6125559029" grade="10" periods="0001020304050607" />
    <record studentNumber="234567" name="Student, Amber" homePhone="6125555045" grade="10" periods="000102030405060709" />
    <record studentNumber="345678" name="Student, Belinda" homePhone="6125553935" grade="11" periods="0001020304050607" />
    <record studentNumber="456789" name="Student, Benjamin" homePhone="6125553086" grade="12" periods="00010203040507" />
    <record studentNumber="567890" name="Student, Cameron" homePhone="6125553037" grade="11" periods="0001020304050607" />
  </Extract>
</DialerExtract>
</campusRoot>

```

Dialer Extract - XML Format

Dialer Extract Records:5				
studentNumber	name	homePhone	grade	periods
123456	Student, Alan	6125559029	10	0001020304050607
234567	Student, Amber	6125555045	10	000102030405060709
345678	Student, Belinda	6125553935	11	0001020304050607
456789	Student, Benjamin	6125553086	12	00010203040507
567890	Student, Cameron	6125553037	11	0001020304050607

Dialer Extract - HTML Format