

ESS DDC Report (Arizona) [.2211 - .2215]

Last Modified on 10/22/2022 10:49 am CDT

You are viewing a previous version of this article. See [ESS DDC Report \(Arizona\)](#) for the most current information.

[Tool Rights](#) | [Reporting Population and Logic Rules](#) | [Generate the Report](#) | [Understand the Report](#)

Classic View: [AZ State Reporting](#) > [ESS DDC Report](#)

Search Term: [ESS DDC Report](#)

The ESS DDC Report is used to identify and report students who are both designated as Special Ed and have a qualifying set of behavior records tied to the selected calendar(s).

ESS DDC Report ☆
Reporting > AZ State Reporting > ESS DDC Report

ESS DDC Extract

Report identifies students who are both designated as Special Education students and who have a qualifying set of Behavior records that are tied to the selected calendar(s).

Extract Options

Start Date:

End Date:

Extract Comment Data:

Format: XML

Ad Hoc Filter:

Show top 50 tasks submitted between 09/16/2020 and 09/23/2020

Batch Queue List

Queued Time	Report Title	Status	Download

Select Calendars

Which calendar(s) would you like to include in the report?

active year

list by school

list by year

20-21


- 2021 - AA TEMPE - REGULAR
- 2021 - AAED - REGULAR
- 2021 - AAQC - REGULAR
- 2021 - ABAT - REGULAR
- 2021 - ABHSE - REGULAR
- 2021 - ACCE - REGULAR
- 2021 - ACCM - REGULAR
- 2021 - ACESG - REGULAR
- 2021 - ACESP - REGULAR
- 2021 - ACES - REGULAR
- 2021 - ACPE - CEC
- 2021 - ACPE - EDGE
- 2021 - ACPE - HILL
- 2021 - ACPE - ICAN
- 2021 - ACPE - ILRN
- 2021 - ACPE - REGULAR
- 2021 - ACPE - REGULAR

Tool Rights

Classic View: [System Administration](#) > [User Security](#) > [Users](#) > [Tool Rights](#)

Search Term: [Tool Rights](#)

Users must have at least **R**(ead) tool rights in order to generate and view the ESS DDC Report.



Reporting Population and Logic Rules

Student must be tied to a Behavior Event that ties to a state code value

- Behavior Event date should overlap the ESS DCC Start/End date time span
- If the ESS DDC Start Date is NULL, consider 7/1/YYYY as the default begin of the report time span (with YYYY as the start year set in the Campus toolbar)
- If the ESS DDC End Date is NULL, consider currentDate as the default end of the report time span

Student must be tied to a Behavior Incident that has at least one Behavior Resolution that ties to a state code value

- Behavior Resolution must be mapped to an active State Resolution Code
- If there is more than one Behavior Resolution mapped to an active State Resolution Code tied to a single Behavior incident, then a violation record should be sent for each state mapped resolution

Student must be tied to a Behavior Incident that has at least one participant that is an offender

Student must be a Special Ed student

- Student's enrollment has a Special Ed Status =1 that overlaps the dates of the reported enrollment
- Only pull students where the behavior events are within the time the student is a SPED student.
 - The Date of Incident should be \geq the IEP service start date (on the enrollment) and \leq the IEP service exit date (on the enrollment)
- If Ad Hoc filter is populated, extract all students in the filter regardless of SPED status
- Do not report students whose enrollment records are state excluded
- Do not report students whose enrollment records are tied to a calendar that is state excluded
- Do not report students whose enrollment records are tied to a grade level that is state excluded
- Do not report students whose enrollment records are marked as "No Show"

Generate the Report

1. Enter the **Start Date**.
2. Enter the **End Date**. Only behavior records occurring between the start date and end date entered are considered for reporting.
3. To include comments left on violations and resolutions, mark the **Extract Comment Data** checkbox.
4. Select which calendar(s) will report data.
5. Filter data by selecting an existing **Ad Hoc Filter** (optional).
6. Click **Generate Report** to generate the report immediately or click **Submit to Batch** to schedule when the system will process and generate the report.

```

<?xml version="1.0" encoding="UTF-8"?>
- <ESSDDCDataType name="ESSDDC Report">
  - <SchoolIncidentDataType>
    <schoolID>801290702</schoolID>
    - <ESSDDCIncident>
      <incdate>08/13/2020</incdate>
      <refdate>08/13/2020</refdate>
      <reffname>System</reffname>
      <reffname>Administrator</reffname>
      <StateStudentID>[REDACTED]</StateStudentID>
      <SMSIncidentID>333553</SMSIncidentID>
      - <IncidentViolation>
        <violationcode>66</violationcode>
        <primaryviolationind>0</primaryviolationind>
        <subdrugcategory>7</subdrugcategory>
        <drugintent>4</drugintent>
        <SMSViolationid>334605</SMSViolationid>
        - <IncidentAction>
          <actioncode>2</actioncode>
          <removalhours>2</removalhours>
          <startDate>2020-08-13 10:07:00.0</startDate>
          <endDate>2020-08-13 12:00:00.0</endDate>
          <isservicedeclined>true</isservicedeclined>
          <SMSActionid>409780</SMSActionid>
        </IncidentAction>
      </IncidentViolation>
    </ESSDDCIncident>
  </SchoolIncidentDataType>
</ESSDDCDataType>

```

Example of the Report XML

Understand the Report

Use the table below to understand each element in the report XML:

XML Location	Element	Description	Data Source GUI Path
schoolincidentdata	schoolID	The Entity ID as assigned by ADE	SysAdmin > Resources > School > Entity ID
schoolincidentdata/incident	SMSIncidentID	The Incident ID of the reporting incident.	Incident Detail > Incident ID

XML Location	Element	Description	Data Source GUI Path
schoolincidentdata/ incident/incdate	Incident Date	Date the incident was brought to disciplinary authorities' attention. Expressed as Year-month-day. <ol style="list-style-type: none"> Incident Date must be on or after the first Instructional day of the school year and on or before the date the report is generated When multiple students are tied to an event, each student must report a value 	Incident Detail > Date of Incident
schoolincidentdata/ incident/refdate	Referral Date	Date incident was referred to office.	Incident Detail > Submitted Date
schoolincidentdata/ incident/reffname	Referred by First Name	First name of person who reported the incident.	Incident Detail > Submitted By
schoolincidentdata/ incident/reflname	Referred by Last Name	Last Name of person who reported the incident.	Incident Detail > Submitted By
schoolincidentdata/ incident/phonenum Not currently being reported.	Referred by Phone Number	Phone Number of person who reported the incident.	Does not report
schoolincidentdata/ incident/StateStudentID	Ed-Fi ID	Ed-Fi ID of student involved in the incident.	Student Information > Census > People > Demographics > Ed-Fi ID
schoolincidentdata/ incident/violation	SMSViolationID	The Event ID of the incident violation.	Event Editor > Event Details > Event ID

XML Location	Element	Description	Data Source GUI Path
schoolincidentdata/incident/violation/violationcode	Violation Code	<p>1. Report the mapped State Event Code value after the dash (-) from code column. If there is not dash (-), just report the code.</p> <p>1. Example: When a Behavior Event is mapped to a State Event Code of Aggravated Assault (5-36), report 36</p> <p>2. If the mapped State Event Code = 700, report the Standard Code value from the Violation Level 1 drop down.</p>	<p>Event Editor > Event Details > Event Type</p> <p>OR</p> <p>Event Editor > Participant Details > Violation Level 1</p>
schoolincidentdata/incident/violation/primaryviolationind	Primary Violation Indicator	<p>Indicates if the violation was marked as Most Severe.</p> <p>If 'Most Severe' checkbox is checked, report True Else report False</p>	<p>Event Editor > Event Details > Most Severe</p>

XML Location	Element	Description	Data Source GUI Path														
schoolincidentdata/incident/violation/subdrugcategory	Drug Category	Indicates the type of drug used in the incident. <table border="1"> <tr><td>1</td><td>Ecstasy</td></tr> <tr><td>2</td><td>Cocaine/Crack</td></tr> <tr><td>3</td><td>Hallucinogens</td></tr> <tr><td>4</td><td>Heroin</td></tr> <tr><td>5</td><td>Marijuana</td></tr> <tr><td>6</td><td>Methamphetamine</td></tr> <tr><td>7</td><td>Other Illicit Drug</td></tr> </table>	1	Ecstasy	2	Cocaine/Crack	3	Hallucinogens	4	Heroin	5	Marijuana	6	Methamphetamine	7	Other Illicit Drug	Event Editor > Participant Details > Violation Level 3
1	Ecstasy																
2	Cocaine/Crack																
3	Hallucinogens																
4	Heroin																
5	Marijuana																
6	Methamphetamine																
7	Other Illicit Drug																
schoolincidentdata/incident/violation/drugintent	Drug intention	Indicates the intention of the drug use. <table border="1"> <tr><td>1</td><td>Sale, distribution, or intent to sell or distribute</td></tr> <tr><td>2</td><td>Use</td></tr> <tr><td>3</td><td>Possession</td></tr> <tr><td>4</td><td>Share</td></tr> </table>	1	Sale, distribution, or intent to sell or distribute	2	Use	3	Possession	4	Share	Event Editor > Participant Details > Violation Level 2						
1	Sale, distribution, or intent to sell or distribute																
2	Use																
3	Possession																
4	Share																
schoolincidentdata/incident/violation/violationcomments	Violation Comments	Any comments entered for the violation. This element will only report data if the Extract Comment Data checkbox is marked on the extract editor.	Event Editor > Participant Details > Details														
schoolincidentdata/incident/violation/action	SMSActionID	The Resolution ID of the action taken.	Resolution editor > Resolution Details > Resolution ID														

XML Location	Element	Description	Data Source GUI Path
schoolincidentdata/incident/violation/action/actioncode	Action Code	<p>Indicates the Resolution Type assigned the incident.</p> <p>Report the mapped State Resolution Code</p> <p>Note:</p> <ol style="list-style-type: none"> 1. A state coded Resolution is mandatory for reporting any event 2. Behavior Resolution names are defined at the school level. 3. Student is allowed to report multiple resolutions. When this occurs, each Resolution will have its own set of Actions components. 	Resolution editor > Resolution Details > Resolution Type
schoolincidentdata/incident/violation/action/removalhours	Number of Removal / Reassignment Hours	<p>Indicates the duration of the behavior resolution.</p> <p>Logic reports the value set in the Duration in School Hours field.</p>	Resolution editor > Resolution Details > Duration in School Hours
schoolincidentdata/incident/violation/action/startdate	Assigned Action Start Date	The Start Date of the behavior resolution.	Resolution editor > Resolution Details > Resolution Start Date
schoolincidentdata/incident/violation/action/enddate	Assigned Action End Date	The End Date of the behavior resolution.	Resolution editor > Resolution Details > Resolution End Date

XML Location	Element	Description	Data Source GUI Path
schoolincidentdata/incident/violation/action/isservicedeclined	Is service declined	Indicates if Behavior Resolution service was declined.	Resolution editor > Resolution Details > Service Declined
schoolincidentdata/incident/violation/action/actioncomments	Action Comments	<p>Reports any comments left on the behavior resolution.</p> <p>This element will only report data if the Extract Comment Data checkbox is marked on the extract editor.</p>	Resolution editor > Resolution Details > Details > Comments