

# CALPADS SSID Enrollment (SENR) [.2140 - .2223]

Last Modified on 10/22/2022 10:50 am CDT

You are viewing a previous version of this article. See [CALPADS SSID Enrollment \(SENR\)](#) for the most current information.

[Report Logic](#) | [Non-Binary Gender Reporting](#) | [Validate SENR Data](#) | [Report Editor](#) | [Generate the CALPADS SSID Enrollment File](#) | [SSID Enrollment File Layout](#)

**Classic View:** CA State Reporting > CALPADS SSID Enrollment (SENR)

**Search Terms:** CALPADS SSID Enrollment

This file format is used to assign an SSID to a student as well as manage enrollments. Records are added, updated, and deleted using specific transaction types chosen in the editor. Add/Update is the default transaction.

This record is required for the Fall 1 (Annual Enrollment Update), approximately October 1 to December 15. It should be submitted on an ongoing basis throughout the year as students enroll into and exit from schools and districts.

☰
🔍 Search for a tool or student

## CALPADS SSID Enrollment ☆

Reporting > CA State Reporting > CALPADS SSID Enrollment

**CALPADS SSID Enrollment**

This extract is used to assign an SSID to a student as well as manage enrollments in CALPADS.

**BEST PRACTICE** is to run this SSID Enrollment (SENR) extract followed by a Student Information (SINF) extract at least biweekly to keep the CALPADS database updated as students enter or exit from district schools.

To request an SSID:  
 Enter a Date Range that includes the Enrollment Start Date for the new student(s). Check "Student with no SSID" to report only those students. Otherwise, any student with an Enrollment Start Date in the range will report.

To update enrollments during the year:  
 Enter an appropriate Date Range that includes the Enrollment Start and End Dates of new and exiting students. Any student with an Enrollment Start Date in the range will report. Any student with an Enrollment End Date in the range and an Enrollment End Status not blank, 440, or E150, E155 will report.

E150 will report for students who change District of Geographic Residence, or Grade Level.  
 This file uses the Transaction processing method: records are added, updated, and deleted using specific transaction types chosen in the editor. Add/Update is the default transaction type.

For Fall 1, Spring 1, and End of Year reporting:  
 If enrollments have been continually updated throughout the year, up to and including the Submission Date (Fall or Spring Info Day, or last day of school), a separate SENR does not need to be submitted. This includes reporting of Graduates, Dropouts, and Withdrawals. If enrollments have not been updated, an SENR should be run with a Date Range from the last submission date to the current date before any other extracts are submitted.

This extract will only report student enrollments in which the student exits the school permanently, enters the school for the first time, or re-enters after a previous permanent exit. When a student's enrollment ends at the end of a school year, it is not considered a permanent exit if the student is expected to return to the same school in the fall. Students with open enrollments (Start Status of 15 or 30) do not need to be submitted again. An open enrollment is a continuous enrollment in the same school and can span multiple years if the student's enrollments have ended only for summer breaks (End Status E155). The CALPADS School Start Date reports the Enrollment Start Date for the student's first enrollment in the school. It is calculated for reporting using the Start Status on the student's historical enrollments in the specific school. In the very rare occasions in which this date cannot be determined using historical enrollments, a date can be entered in Student Information > General > Enrollments > State Reporting Fields > School Start Date, but this should not be a usual practice as the entered date will report preferentially on all records. The STUDENT INFORMATION record is submitted to show enrollment confirmation on Census Day.

Students with Service Type S:Partial enrollments should have a value chosen in the CALPADS Enrollment Status field in Student Information > General > Enrollments > State Reporting Fields. If a value is not chosen, the student will report the default value 20: Secondary Enrollment in the extract. Students with Service Type N:Special Ed Services will not report.

This file uses the Transaction processing method: Operational keys in the record allow data to be added, updated, and deleted using specific transaction types chosen in the editor. Add/Update is the default type. The Operational Keys for this extract are the SSID, School of Attendance, and School Start Date.

**Extract Options**

Reporting Date: 08/26/2020

Date Range: [ ] -- [ ]

Transaction Type: Add/Update

Report Type: Fall 1

Format: State Format(Caret Delimited)

Student with no SSID:

Legal Name and Gender:

Ad Hoc Filter: [ ]

**Select Calendars**

Which calendar(s) would you like to include in the report?

active year  
 list by school  
 list by year

**20-21**

- 20-21 Abbott Elementary
- 20-21 Colfax Middle
- 20-21 Emerson High

CALPADS SSID Enrollment

# Report Logic

Students are included on the report when:

- The Enrollment Start Date is within the entered date range, regardless of the Enrollment Start Status when the **Report Type** is set to **Fall 1**.

Copyright © 2021 Infinite Campus. All rights reserved.

- The Enrollment End Date is within the entered date range (including the date selected) when the Enrollment End Status is not blank or 440 when the **Report Type** is set to **End of Year**.
- The student has a grade level change, Interdistrict Transfer Code change or District of Geographic Residence Code change with an End Date within the entered Date Range on the Extract Editor, and the **End Status** is E150 when the **Report Type** is set to **Change/Update**.
- The student has an enrollment change of any type and the enrollment has a CALPADS reported Enrollment End Status.
- The **Students with no SSID** checkbox is marked, only students who have an appropriate enrollment start and/or end date AND status and a blank SSID report.
- Students marked as No Show report when the start/end date is within the entered date range.

Students are NOT included on the report when:

- The Enrollment Record has a Service Type of N.
- Enrollments, grade levels or calendars are marked as State Excluded.

Enrollment service types P and S report. Students who have concurrent enrollment records (primary and secondary enrollments) report a record for each enrollment when the other selection criteria are appropriate to the enrollments.

All active enrollments within the date range selected on the extract editor report as of the active start date of the enrollment based on the selected **Report Type**:

- **Fall 1** - reports all student enrolled between the date range in the selected calendars.
- **Change/Update** - reports students who had an enrollment change of any type and the enrollment has a CALPADS reported Enrollment End Status.
- **End of Year** - reports students who have an enrollment end date within the entered date range and their enrollment end status is reportable. When the end status is null or a non-reportable status, and/or the End Date is null, the student does not report.
  - These end statuses are reportable: T160, 100, 104, 106, 108, 120, 250, 320, 330, 360, 480, E125, E130, E150, E155, E170, E140, E300, E400, E410, E450, N470, T165, T167, T180, T200, T240, T260, T280, T370, T380, E230, N43.
  - These end statuses have been deactivated, but still report: T270, T310, T460.

When the student has multiple reportable continuous enrollments in the same calendar (Start Date in the date range or an End Date in the date range, and an End Status other than blank, 440 or E490) in the Same school, multiple enrollments report as one. The latest End Date with a reportable End Status report as the Student School Exit Date, unless the End Status is N470.

- Start Date
- Enrollment Service Type
- CALPADS Enrollment Status

When the student has multiple enrollments in the same calendar with the end status of 440, the following reports from the last enrollment of that year:

- Grade Level
- Enrollment Exit Date
- Student Exit Code

- Resident District
- NPS School
- Receiver School
- UC/CSU Requirements Met

All enrollments within the same school that have a change in Grade Level, Interdistrict Transfer Code or District of Geographic Resident report. The E150 End Status is used to end enrollments for these changes.

An enrollment start or end that is NOT a Grade Level, Interdistrict Transfer or District of Geographic Residence does not need to report.

Reports students with enrollment records currently active within the date range. Active enrollment records include records with start and end dates that can be inside or outside the selected date range.

## Operational Keys

- School of Attendance (Field 6)
- SSID (Field 8)
- Student School Start Date (Field 23)

Students with *Service Type S: Partial* enrollments should have a value chosen in the CALPADS Enrollment Status field in the State Reporting Enrollment Editor. When a value is not chosen, the student reports with the default value *20: Secondary Enrollment* in the extract.

### Enrollments ☆

[Student Information](#) > [General](#) > Enrollments

#### General Enrollment Information

Calendar 20-21 Calaveras High School	Schedule (read only) Main	*Grade 10	Class Rank Exclude <input type="checkbox"/>	External LMS Exclude <input type="checkbox"/>
*Start Date 07/01/2020	No Show <input type="checkbox"/>	End Date	End Action	*Service Type S: Partial
*Local Start Status 01: From public school, same district		Local End Status Select a Value		
State Start Status 01: From public school, same district		State End Status		
Start Comments	End Comments			

#### Future Enrollment

Next Calendar	Next Schedule Structure	Next Grade
---------------	-------------------------	------------

#### State Reporting Fields

State Exclude <input type="checkbox"/>	UC/CSU Requirements Met <input type="checkbox"/>	Homeless <input type="checkbox"/>	Truant <input type="checkbox"/>	CALPADS Enrollment Status 20: Secondary
Gifted/Talented <input type="checkbox"/>	Independent Study <input type="checkbox"/>	Immigrant <input type="checkbox"/>	Interdistrict Transfer <input type="checkbox"/>	

*Student Enrollment Editor Fields*

## Non-Binary Gender Reporting

Schools can assign students a gender of M: Male, F: Female or X: Non-binary. This is done on the [Identities](#) tool and/or the [Demographics](#) tool.

CALPADS Extracts use the Legal Gender field included in the Protected Identity Information to report student identity information.

To properly record a gender of X: Non-Binary, on the Identities tool:

1. Assign the **Gender of X: Non-Binary** in the standard identify fields.
2. Assign the **Protected Identity Information Legal Gender** field to either M: Male or F: Female.
3. Save the record when finished.


*Gender and Legal Gender Assignment*

# Validate SENR Data

Use the [Data Validation Report](#) to correct any student data prior to the submitting the CALPADS file to the state. Validation Groups and Validation Rules are provided by Infinite Campus for SENR. These groups are used to return certain rules assigned to each group.

Modifications to the Validation Rules and Validation Groups can be made if your district has purchased the [Campus Analytics Suite](#); otherwise, they are read-only.

Users can select the **Missing or Incorrect Data** Validation Group, which returns any missing or incorrect data that is reported in the SENR, like a missing enrollment exit reason or an incorrect date, for example.



*Data Validation Report - SENR Missing/Incorrect Data*

The report first lists a Summary of the issues found and the total number of occurrences.

District: **SENR - Missing/Incorrect Data**

Time: Wed Sep 01 08:36:36 CDT 2021

Preview: Results limited to 100 records per Rule

**Summary**

Rule	Severity	Occurrences
<a href="#">SENR0013 (via Stored Proc)</a>	Warning	1
<a href="#">SENR0013 - Enrollment Start Date before Birth Date (via Stored Proc)</a>	Warning	1
<a href="#">SENR0014 (via Stored Proc)</a>	Warning	0
<a href="#">SENR0014 - Enrollment Start Date Greater than Current Date plus 6 months (via Stored Proc)</a>	Warning	0
<a href="#">SENR0015 (via Stored Proc)</a>	Warning	1
<a href="#">SENR0015 - Missing Exit Date (via Stored Proc)</a>	Warning	1
<a href="#">SENR0018 (via Stored Proc)</a>	Warning	1
<a href="#">SENR0018 - Invalid exit date for the submitted Exit Reason (via Stored Proc)</a>	Warning	1
<a href="#">SENR0019 (via Stored Proc)</a>	Warning	1
<a href="#">SENR0019 - Enrollment Exit Date Greater than Current Date plus 30 days (via Stored Proc)</a>	Warning	1
<a href="#">SENR0020 (via Stored Proc)</a>	Warning	819

SENR Validate Report Summary List

Then, click the Rule in the Summary column(for HTML format), or scroll through the report to see which students meet the criteria of the rule logic.

[SENR0013 \(via Stored Proc\)](#) [Back To Summary](#)

recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstName	middleName	lastName	gender	suffix	birthDate
SENR0013	2020-2021	20-21 High School	2020-12-28 00:00:00.0		false		123456789	123456	John		Student	M	SR	2020-12-29 00:00:00.0

[SENR0013 - Enrollment Start Date before Birth Date \(via Stored Proc\)](#) [Back To Summary](#)

recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstName	middleName	lastName	gender	suffix	birthDate
SENR0013	2020-2021	20-21 High School	2020-12-28 00:00:00.0		false		123456789	123456	John		Student	M	SR	2020-12-29 00:00:00.0

[SENR0014 \(via Stored Proc\)](#) [Back To Summary](#)

No results

[SENR0014 - Enrollment Start Date Greater than Current Date plus 6 months \(via Stored Proc\)](#) [Back To Summary](#)

No results

[SENR0015 \(via Stored Proc\)](#) [Back To Summary](#)

recordType	yearID	schoolCalendar	startDate	endDate	noshow	endStatus	ssid	localStudentID	firstName	middleName	lastName	gender	suffix
SENR0015	2020-2021	20-21 High School	2020-09-01 00:00:00.0		false	E130	234567890	123456	David		Student	M	

SENR Validate Report Results

Use the table below, which includes the rule, rule logic and location, for correcting the data.

## Missing or Incorrect Data

The Missing or Incorrect Data Report uses the following rules and logic (open the Click here to Expand section below to see each rule).

▶ [Click here to expand...](#)

## Report Editor


The following fields are available on the CALPADS SSID Enrollment (SENR) editor.

Field	Description
<b>Reporting Date</b>	When a reporting date is entered, only records active as of the selected date report. For the Reporting Date and Date Range fields, only one option can be used at a time when generating a report.
<b>Date Range</b>	Indicates the start and end dates of enrollments to use when updating student records.
<b>Transaction Type</b>	Indicates the type of transaction that occurs: <ul style="list-style-type: none"> <li>• Add/Update - student enrollment information is added and/or updated</li> <li>• Delete - student enrollment information is deleted.</li> <li>• Replace - existing student enrollment information is replaced with new information</li> </ul>
<b>Report Type</b>	Selection determines which students report: <ul style="list-style-type: none"> <li>• <b>Fall 1</b> - reports all student enrolled between the date range in the selected calendars.</li> <li>• <b>Change/Update</b> -reports students who have an enrollment change of any type and the enrollment has a CALPADS Enrollment End Status.</li> <li>• <b>End of Year</b> - reports students who have an enrollment end date within the entered date range and their enrollment end status is reportable. When the end status is null or a non-reportable status, and/or the End Date is null, the student does not report.</li> </ul> <p>See the <a href="#">Report Logic</a> section for more information.</p>
<b>Format</b>	Selection indicates the format type of the extract. Use the State Format (Caret Delimited) when submitting the information to the state. Use the CSV or HTML format when verifying and testing student data.
<b>Student with no SSID</b>	When marked, only those students who have an Enrollment Start and/or End Date within the entered date range and an appropriate Enrollment Status (see the Report Logic section) AND a blank State ID report.
<b>Legal Name and Gender</b>	When marked, the student's legal name and gender information reports from the Protected Identity Information, instead of the student's name and gender. <p>See the <a href="#">Non-Binary Gender Reporting</a> section for more information.</p>
<b>Ad hoc Filter</b>	Select which students to include in the extract by choosing a filter that was created in the Filter Designer.
<b>Calendar Selection</b>	Select the calendar of enrollment from which to pull student data. Calendars can be chosen by the active year, by the school name or by the year.
<b>Report Generation Options</b>	Choose the Generate Extract to display the results of the chosen items immediately. Choose the <a href="#">Submit to Batch</a> option to generate the report at a specified time. This option is helpful when generating large amounts of data.




# Generate the CALPADS SSID Enrollment File

1. Enter a **Date Range** for the report.
2. Select the **Transaction Type** for this file.
3. Select the **Report Type** from the dropdown list.
4. Select the **Format** of the report.
5. Select the **Student with no SSID** checkbox only when students who do not have an SSID should be included in this file.
6. Select the **Legal Name and Gender** checkbox to report the students' legal and name and gender information.
7. Use the **Ad hoc Filter** to select students already included in a filter. This is not required. When not chosen, all students who have the appropriate enrollment start or end status during the entered date range are included.
8. Select the **Calendars** to include in the file.
9. Click the **Generate Extract** button. Or generate the extract at a specified time using the **Submit to Batch** button. The file appears in a new window in the selected format.



SSID Enrollment File - State Format (Caret Delimited)



SSID Enrollment File - CSV Format

CALPADS SSID Enrollment Records:2											
RecordType	TransactionType	LocalRecordID	ReportingLEA	SchoolAttendance	SchoolAttendanceNPS	AcademicYearID	SSID	LocalStudentID	FirstName	MiddleName	LastName
SENR			3367124	3330396		2010-2011		1111111111	Sam	T	Ic
SENR			3367124	3330396		2010-2011		1111111111	Sam		B

SSId Enrollment File - HTML Format

## SSID Enrollment File Layout

Data Elements	Description	Location
<b>Record Type Code</b> <i>Required</i>	Type of data record being submitted. Always reports as SENR.  <i>Alphanumeric, 4 characters</i>	Data not stored
<b>Transaction Type Code</b>	Action the state should take with this record. Chosen on the Extract Editor. <ul style="list-style-type: none"> <li>• D = Delete</li> <li>• R = Replace</li> <li>• Blank or no transaction type = Add/Update</li> </ul> <i>Alphanumeric, 1 character</i>	Data not stored
<b>Local Record ID</b>	N/A	N/A

Data Elements	Description	Location
<p><b>Reporting LEA</b> <i>Required</i></p>	<p>A unique identifier for the educational service institution responsible for obtaining and maintaining a student's Statewide Student Identifier by way of an enrollment record in CALPADS.</p> <p>When the reporting calendar is from a School with Type = 15: Independently Reporting Charter, the State School Number reports (not the State District Number).</p> <p>This field reports the Secondary District Number when the reporting calendar has a School Type of 16: Secondary State District Number.</p> <p><i>Numeric, 7 digits</i></p>	<p>System Administration &gt; Resources &gt; District Information &gt; State District Number</p> <p>District.number</p> <hr/> <p>System Administration &gt; Resources &gt; School &gt; School Type</p> <p>School.type</p> <hr/> <p>System Administration &gt; Resources &gt; School &gt; School Number</p> <p>School.number</p>
<p><b>School of Attendance</b> <i>Required</i></p>	<p>Reports the State School Number from the student's enrollment record. When the CDS Number is populated on the School editor, that value reports.</p> <p><i>Numeric, 7 digits</i></p>	<p>System Administration &gt; Resources &gt; School &gt; State School Number</p> <p>School.number</p> <hr/> <p>System Administration &gt; Resources &gt; School &gt; CDS Number</p>
<p><b>School of Attendance NPS</b> <i>Required</i></p>	<p>School number when student attends NPS school. This is reported when populated on enrollment.</p> <p>Only required when the School of Attendance reports 0000001.</p> <p><i>Numeric, 7 digits</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; Special Education Fields &gt; NPS School Code</p> <p>Enrollment.code</p>

Data Elements	Description	Location
<b>Academic Year ID</b> <i>Required</i>	School year identifier.  <i>Date field, 9 characters (CCYY-CCYY)</i>	System Administration > Calendar > School Years > Start Year/End Year  Calendar.year
<b>SSID</b> <i>Required</i>	Student's State ID.  When the student does not have a state ID at the time the file is generated, the field reports blank.  This is only required when submitting a record with Transaction Type of Delete or Replace.  <i>Numeric, 10 digits</i>	Census > People > Demographics > Person Identifiers > State ID  Person.stateID
<b>Local Student ID</b> <i>Required</i>	Student's Local ID.  <i>Numeric, 15 digits</i>	Census > People > Demographics > Person Identifiers > Student Number  Person.studentNumber
<b>Student Legal First Name</b> <i>Required</i>	Reports the student's legal first name.  When the Legal First Name field is populated, information reports from that field.  <i>Alphanumeric, 30 characters</i>	Census > People > Demographics > Person Information > First Name  Identity.firstName <hr/> Census > People > Identities > Identity Information > Protected Identity Information > Legal First Name  Identity.legalFirstName

Data Elements	Description	Location
<b>Student Legal Middle Name</b>	<p>Reports the student's legal middle name.</p> <p>When the Legal Middle Name field is populated, information reports from that field.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Middle Name</p> <p>Identity.middleName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Middle Name</p> <p>Identity.legalMiddleName</p>
<b>Student Legal Last Name</b> <i>Required</i>	<p>Reports the student's legal last name.</p> <p>When the Legal Last Name field is populated, information reports from that field.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Last Name</p> <p>Identity.legalLastName</p>
<b>Student's Legal Name Suffix Code</b>	<p>Indication student is considered a Junior, III, etc.</p> <p><i>Alphanumeric, 3 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information</p> <p>Identity.suffix</p>

Data Elements	Description	Location
<p><b>Student Alias First Name</b></p>	<p>Student's first name (populated from an earlier identity).</p> <p>When the Legal First Name field is populated on the earlier identity, information reports from that field.</p> <p>When the Alias First Name, Alias Middle Name and Alias Last Name is the same as the Legal First Name, Legal Middle Name, and Legal Last Name, this field reports blank.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; First Name</p> <p>Identity.firstName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal First Name</p> <p>Identity.legalFirstName</p>
<p><b>Student Alias Middle Name</b></p>	<p>Student's middle name (populated from an earlier identity).</p> <p>When the Legal middle Name field is populated on the earlier identity, information reports from that field.</p> <p>When the Alias First Name, Alias Middle Name and Alias Last Name is the same as the Legal First Name, Legal Middle Name, and Legal Last Name, this field reports blank.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Middle Name</p> <p>Identity.middleName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Middle Name</p> <p>Identity.legalMiddleName</p>

Data Elements	Description	Location
<p><b>Student Alias Last Name</b></p>	<p>Student's last name (populated from an earlier identity).</p> <p>When the Legal Last Name field is populated on the earlier identity, information reports from that field.</p> <p>When the Alias First Name, Alias Middle Name and Alias Last Name is the same as the Legal First Name, Legal Middle Name, and Legal Last Name, this field reports blank.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Last Name</p> <p>Identity.legalLastName</p>
<p><b>Student Birth Date</b> <i>Required</i></p>	<p>Day, month and year student was born.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information</p> <p>Identity.birthDate</p>
<p><b>Student Gender Code</b> <i>Required</i></p>	<p>Student's gender.</p> <p>When the Legal Gender field is populated, information reports from that field.</p> <p><i>Alphanumeric, 1 character (M or F)</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Gender</p> <p>Identity.gender</p> <hr/> <p>Census &gt; People &gt; Identities &gt; Identity Information &gt; Protected Identity Information &gt; Legal Gender</p> <p>Identity.legalGender</p>
<p><b>Student Birth City</b></p>	<p>City in which the student was born.</p> <p><i>Alphanumeric, 30 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Birth City</p> <p>Identity.birthCity</p>

Data Elements	Description	Location
<b>Student Birth State Province Code</b>	<p>State or province in which the student was born.</p> <p>The 2-character country code part of the Birth State code must generally match the Birth Country code when submitted. However, combinations like Birth Country=PR: Puerto Rico and Birth State=US-PR: Puerto Rico does not cause an error.</p> <p><i>Alphanumeric, 6 characters (XX-YY or XX-YYY)</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Birth State</p> <p>Identity.birthStateNoSIF</p>
<b>Student Birth Country Code</b> <i>Required</i>	<p>Country in which the student was born.</p> <p><i>Alphanumeric, 2 characters</i></p>	<p>Census &gt; People &gt; Demographics &gt; Person Information &gt; Birth Country</p> <p>Identity.birthCountry</p>
<b>Enrollment Start Date</b> <i>Required</i>	<p>As long as the student has remained continuously enrolled in the School, as indicated by a Start Status of 15 or 30, the earliest start date in that school is reported.</p> <p>This reports the first historical enrollment start date in the reporting school that has a start status code not equal to 15 or 30. When the School Start Date is populated on the active/reporting enrollment, that date overrides the calculation.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; Start Date</p> <p>Enrollment.startDate</p> <hr/> <p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; School Start Date</p>



Data Elements	Description	Location
<p><b>Enrollment Status Code</b> <i>Required</i></p>	<p>Student's enrollment status at the reporting school. See the <a href="#">California Enrollment</a> page for more information.</p> <ul style="list-style-type: none"> <li>• When Service Type = P, this reports as 10</li> <li>• When Service Type = S, this reports as 20 (unless there is a value chosen in CALPADS Enrollment Status).</li> <li>• When Service Type = N, record is not reported.</li> </ul> <p><i>Numeric, 2 digits</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; Service Type</p> <p>Enrollment.serviceType</p> <hr/> <p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; CALPADS Enrollment Status</p>
<p><b>Grade Level Code</b> <i>Required</i></p>	<p>Student's state grade level. When SSID is null, data is required.</p> <p><i>Alphanumeric, 2 characters</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; Grade</p> <p>Enrollment.grade</p>
<p><b>Enrollment Exit Date</b></p>	<p>Date student's enrollment record ended.</p> <p>This reports unless end status is 440.</p> <p><i>Date field, 8 characters (CCYYMMDD)</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information</p> <p>Enrollment.endDate</p>

Data Elements	Description	Location
<p><b>Student Exit Reason Code</b></p>	<p>Student's Enrollment End Status.</p> <p>This reports when the end status is populated and not E490 or 440.</p> <p>When end status is 100, 104, 106, 108, 120, 250, 320, 330, 360 or 480, E230 reports.</p> <p>When another end status, the actual code reports.</p> <p>See the <a href="#">California Enrollments</a> page for more information.</p> <p><i>Alphanumeric, 4 characters</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; End Status</p> <p>Enrollment.endStatus</p>
<p><b>Student School Completion Status</b> <i>Required</i></p>	<p>Student's enrollment completion status.</p> <p>Only required when Student Exit Reason Code reports E230 (Enrollment End Status=100, 104, 106, 108, 120, 250, 320, 330, 360, or 480).</p> <p>See the <a href="#">California Enrollments</a> page for more information.</p> <p><i>Numeric, 3 digits</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; End Status</p> <p>Enrollment.endStatus</p>

Data Elements	Description	Location
<p><b>Expected Receiver School of Attendance</b> <i>Required</i></p>	<p>School number student is expected to attend.</p> <p>Only required when T165 or T160 (from an Alternative School) is reported in Student Exit Reason Code.</p> <p>This reports only when exit status is T165 or when exit status is T160 and School Type is:</p> <ul style="list-style-type: none"> <li>• 04: County Community</li> <li>• 05: Juvenile Court</li> <li>• 12: Community Day</li> <li>• 13: Continuation</li> <li>• 14: Opportunity School or Program</li> </ul> <p><i>Numeric, 7 digits</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting &gt; Receiver School</p> <p>CustomStudentEnrollment.receiverSchool</p> <hr/> <p>System Administration &gt; Resources &gt; School Type</p>
<p><b>Student met all UC CSU Requirements Indicator</b> <i>Required</i></p>	<p>Indicator that graduated student met UC/CSU requirements.</p> <p>Only required when the student's School Completion Status is 100, 106 or 108.</p> <p><i>Alphanumeric, 1 character (Y or N)</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting &gt; UC/CSU Require</p> <p>CustomStudentEnrollment.UCCSReq</p>

Data Elements	Description	Location
<p><b>Student School Transfer Code</b></p>	<p>Reports the assigned Interdistrict Transfer code from the student's enrollment record on the reporting date, when populated. Otherwise, this field reports blank. Options are:</p> <ul style="list-style-type: none"> <li>• Other Interdistrict Transfer Agreement</li> <li>• Public School Choice - Program Improvement</li> <li>• Public School Choice Transfer - Persistently Dangerous</li> <li>• District of Choice Transfer</li> </ul> <p><i>Numeric, 1 digit</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting &gt; Interdistrict Transfer</p> <p>Enrollment.interdistrictTransfer</p>
<p><b>District of Geographic Residence</b></p>	<p>Reports the number from the Resident District Number field on the student's active enrollment on the reporting date when this number is different from the State District Number for the reporting school.</p> <p>Otherwise, this field reports blank.</p> <p><i>Numeric, 7 digits</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting &gt; District of Geographical Residence Number</p> <p>Enrollment.residentDistrict</p>

Data Elements	Description	Location
<p><b>Student Golden State Seal Merit Diploma</b></p>	<p>Indicates whether a high school student has earned the Golden State Seal Merit Diploma.</p> <p>Reports a value of Y when the student's <b>Enrollment End Status</b> (Student Completion Code) is <i>100: Graduated, HS Diploma</i> and the <b>Golden Seal of Merit Diploma</b> is selected on the <a href="#">Graduation</a> tool.</p> <p>When there is no State Seal, a value of N reports (even when there is an Enrollment End Status of 100).</p> <p>When there is no State Seal selected and no Enrollment End Status of 100, this field reports blank.</p> <p><i>Alphabetic, 1 character (Y or N)</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; End Status</p> <p>Enrollment.endStatus</p> <hr/> <p>Student Information &gt; General &gt; Graduation &gt; State Seal Information</p> <p>GraduationSeal.stateSeal</p>

Data Elements	Description	Location
<p><b>Student Seal of Biliteracy Indicator</b></p>	<p>Indicates whether a high school student has earned the Golden State Seal of Biliteracy.</p> <p>Reports a value of Y when the student's <b>Enrollment End Status</b> (Student Completion Code) is <i>100: Graduated, HS Diploma</i> and the <b>Seal of Biliteracy</b> is selected on the <a href="#">Graduation</a> record.</p> <p>When there is no State Seal, a value of N reports (even when there is an Enrollment End Status of 100).</p> <p>When there is no State Seal selected and no Enrollment End Status, this field reports blank.</p> <p><i>Alphabetic, 1 character (Y or N)</i></p>	<p>Student Information &gt; General &gt; Enrollments &gt; General Enrollment Information &gt; End Status</p> <p>Enrollment.endStatus</p> <hr/> <p>Student Information &gt; General &gt; Graduation &gt; State Seal Information</p> <p>GraduationSeal.stateSeal</p>

Data Elements	Description	Location
<p><b>Adult Age with Students with Disabilities Transition</b></p>	<p>Indicates whether a student with disabilities who is at least 17 years old is participating in a program to assist in the student's transition from school to adult life, including education and training, employment and independent living.</p> <ul style="list-style-type: none"> <li>• Reports Y when the student has the Adult Age Students with Disability checkbox is marked on the enrollment record AND the student has a Program flag of 144 and the student's age at the start of enrollment is aged 17 or higher, and the state grade of enrollment is 12.</li> <li>• Reports N when the Adult Age Students with Disability checkbox is not marked on the enrollment record.</li> </ul> <p>When the student is not in Program 144, reports blank.</p> <p><i>Alphabetic, 1 character (Y or N)</i></p>	<p>Student Information &gt; General &gt; Enrollment &gt; Special Ed Fields &gt; Adult Age Students with Disability</p> <p>Enrollment.postSecondaryTransitionInd</p>