

# PSIS State Extract (Connecticut) [.2211 - .2223]

Last Modified on 10/22/2022 10:50 am CDT

You are viewing a previous version of this article. See [PSIS State Extract \(Connecticut\)](#) for the most current information.

[Report Layout](#) | [Homeless Codes](#)

**Classic View:** CT State Reporting > PSIS State Extract

**Search Term:** PSIS State Extract

This tool extracts data to complete the Connecticut state-defined PSIS reporting extract. This extract reports all students currently enrolled on the Effective Date chosen on the editor.

Choose **State Format (Fixed Width)** to generate the file in the state defined file format. Otherwise, choose the **CSV** or **HTML** formats for testing purposes.

### PSIS Extract ☆

Reporting > CT State Reporting > PSIS Extract

#### CT PSIS State Extract

This tool will extract data to complete the CT State-defined PSIS reporting extract. Choose the State Format to get the file in the state defined file format, otherwise choose the testing/debugging format.

#### Extract Options

Effective Date:

Format:

Ad Hoc Filter:

#### Select Calendars

Which calendar(s) would you like to include in the report?

active year

list by school

list by year

**19-20**

- 19-20 Booth Hill Elementary
- 19-20 Daniels Farm Elementary
- 19-20 Eval
- 19-20 Frenchtown Elementary
- 19-20 Hillcrest Middle School
- 19-20 Jane Ryan Elementary
- 19-20 Madison Middle School
- 19-20 Middlebrook Elementary
- 19-20 Other Persons
- 19-20 Out-of-System
- 19-20 Out-Placed
- 19-20 Tashua Elementary
- 19-20 Trumbull Early Childhood
- 19-20 Trumbull High School

CTRL-click or SHIFT-click to select multiple

Show top  tasks submitted between  and

Batch Queue List			
Queued Time	Report Title	Status	Download

*PSIS State Extract Editor*

## Report Layout

Seq	Element Name	Description	Campus Location
1	<b>SASID</b>	A unique number assigned to a student by the state Department of Education.  Numeric, 10 characters	Census > People > Demographics > StateID  Person.stateID
2	<b>reportingDistrict</b>	The number assigned by a State to identify a School District.  Numeric, 3 digits	System Administration > Resources > District information > District Info > State District Number  District.number

Seq	Element Name	Description	Campus Location
3	<b>nexusDistrict</b>	<p>The Nexus District is the district that has the legal responsibility to identify, educate, and pay for a special education student under the Individuals with Disabilities Education Act (IDEA).</p> <p>This element only reports when the student is active in Special Education; i.e., the Special Ed Status field reports <b>Y</b>.</p> <p>To report, the following conditions must be met.</p> <ul style="list-style-type: none"> <li>• The Nexus District must be entered on the Enrollments tab.</li> <li>• The Nexus District Entry Date must be NULL or prior/equal to the Effective Date selected on the extract editor.</li> </ul> <p><b>OR</b></p> <p>The Special Ed Status must be <b>N</b> and the Special Ed Exit Date must NOT be null and must be after/equal to the Effective Date selected on the extract editor.</p> <p>Numeric, 3 digits</p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Nexus District</p> <p>EnrollmentCT.nexusDistrict</p>
4	<b>residentTown</b>	<p>The code for the town of fiscal responsibility.</p> <p>Alphanumeric, 3 characters</p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting &gt; Resident Town</p> <p>CustomStudent.value</p>

Seq	Element Name	Description	Campus Location
5	<b>facilityCode1</b>	The code for the school attended by the student. If the Facility Code Override field on the Enrollments tab is null, this field reports from the State District Code, School Code and Institutional Code fields on the School tab.  Alphanumeric, 7 characters	Student Information > General > Enrollments > State Reporting > Facility Code Override System Admin > Resources > School > State District Code, School Code, Institution Code  CustomStudent.value
6	<b>facilityCode2</b>	The code for the school attended by the student. This field reports for students attending two facilities in accordance with an IEP or other special circumstances; e.g., attending part-time magnets, participating in the OPEN Choice program who are attending a private special education facility, or RESC-operated special education facility as a result of IEP.  Alphanumeric, 7 characters	Student Information > General > Enrollments > State Reporting > Facility Code 2  CustomStudent.value
7	<b>lastName</b>	The student's last name.  Alphanumeric, 35 characters	Census > People > Identities > Current Identity > Last Name  Identity.lastName
8	<b>firstName</b>	The student's first name.  Alphanumeric, 20 characters	Census > People > Demographics > Person Information > First Name  Identity.firstName
9	<b>middleName</b>	The student's middle name.  Alphanumeric, 20 characters	Census > People > Demographics > Person Information > Middle Name  Identity.middleName

Seq	Element Name	Description	Campus Location
10	<b>suffix</b>	Indicates the person's name contains a generational indicator (Jr., Sr., etc.).  Alphanumeric, 20 characters	Census > Demographics > Person Information > Suffix  Identity.suffix
11	<b>birthdate</b>	The numeric representation of the date on which the student was born.  Date field, 10 characters MM/DD/YYYY	Census > People > Identities > Birth Date  Identity.birthDate
12	<b>gradeCode</b>	The grade the student will be entering at the Facility Code 1 school.  Alphanumeric, 2 characters	Student Information > General > Enrollments > Grade  Enrollment.grade
13	<b>languageCode</b>	The dominant language spoken by the student.  Alphanumeric, 3 characters	Identity > Home Primary Language  Identity.homePrimaryLanguage
14	<b>ellStatus</b>	The student's EL status. This field reports <b>Y</b> if the Program Status is set to EL or Exited EL. The status date must be less than or equal to the Effective Date selected on the report editor. The Exited date must be NULL, greater than, or equal to the Effective Date selected on the report editor.  Alphanumeric, 3 characters	Student Information > Program Participation > English Learners (EL) > EL > Program Status  Lep.programStatus

Seq	Element Name	Description	Campus Location				
15	<b>ellProgramCode</b>	<p>The student's ELL Program Code.</p> <p>Alphanumeric, 2 characters</p>	<p>Student Information &gt; Program Participation &gt; English Learners (EL) &gt; EL Services &gt; Service Type</p> <p>LepServiceType.code</p>				
16	<b>specialEdStatus</b>	<p>The student's special education status. This field reports <b>Y</b> for any student who has an active IEP and receives special education instruction as of the reporting period.</p> <table border="1" data-bbox="620 748 962 996"> <thead> <tr> <th data-bbox="620 748 758 996">When the Special Ed Status is...</th> <th data-bbox="758 748 962 996">Then...</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> </tbody> </table>	When the Special Ed Status is...	Then...			<p>Student Information &gt; General &gt; Enrollments &gt; Special Ed Fields &gt; Special Ed Status</p> <p>Enrollment.specialEdStatus</p>
When the Special Ed Status is...	Then...						

Seq	Element Name	Description	When...	Campus Location
		<p>the Special Ed Status is...</p>		
		<p>Y</p>	<ul style="list-style-type: none"> <li>the Nexus District Entry Date must be NULL, equal, or prior to the Effective Date selected on the extract editor AND</li> <li>the Special Ed Exit Date must be NULL, equal, or prior to the Effective Date selected on the extract editor.</li> </ul>	

Seq	Element Name	Description	Campus Location
		<p><b>the Special Ed Status is...</b></p> <p>N</p> <ul style="list-style-type: none"> <li>the Nexus District Entry Date must be NULL, the same, or prior to the Effective Date</li> </ul>	
17	<b>mealStatus</b>	<p>Indicates whether the student is eligible for free or reduced price meals or free milk according to the Income Guidelines from the National School Lunch Program. This field reports <b>F</b> for Free Eligible or <b>R</b> for reduced.</p> <p>Alphanumeric, 1 character</p>	<p>FRAM &gt; Eligibility &gt; State Eligibility Code</p> <p>POSEligibility.eligibility</p>
18	<b>NoLocalExpense</b>	<p>This field reflects the student's status for Facility Code 1. Reports a two-digit code for students enrolled at no local expense.</p> <p>Alphanumeric, 2 characters</p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; No Local Expense</p> <p>Enrollment.stateFundingCode</p>
19	<b>specialProgram</b>	<p>The Special Program that the student is attending. Special programs include Vocational Agriculture, or OPEN Choice, Magnet, Interdistrict Cooperative Arrangements, Designated High School Arrangements, Bristol Technical Education Center (BTEC), Homebound, and Multiple District Center.</p> <p>Alphanumeric, 1 character</p> <p>Alphanumeric, 2 characters</p>	<p>Student Information &gt; General &gt; State Reporting Fields &gt; Special Program Attendance</p> <p>CustomStudent.value</p>



Seq	Element Name	Description	Campus Location
20	<b>preKindergartenStatus</b>	<p>The Pre-K program in which the student is enrolled.</p> <p>Only students enrolled into a State Grade Level of PK or P3 report in this field. The first code entered in the PreK Program Status field reports when the student's Early Learning record has</p> <ul style="list-style-type: none"> <li>• a Start Date on or before their enrollment End Date</li> <li>AND</li> <li>• an End Date that is null, on, or after their enrollment Start Date.</li> </ul> <p>The student's enrollment must have</p> <ul style="list-style-type: none"> <li>• a Start Date on or before the extract Effective Date.</li> <li>AND</li> <li>• an End Date that is null, on, or after the extract Effective Date.</li> </ul> <p>Alphanumeric, 2 characters</p>	<p>Student Information &gt; Program Participation &gt; Early Learning &gt; PreK Program Status</p> <p>Enrollment.preKindergartenStatus</p>

Seq	Element Name	Description	Campus Location
21	<b>preKDayInHours</b>	<p>The amount of time the student spends in their Pre-K program.</p> <ul style="list-style-type: none"> <li>The student must be in state grade level P3 or PK; otherwise, they report blank.</li> <li>The student's Roster Start Date must be on or before the report's effective date and the Roster End Date must be NULL or on or after the report's effective date for the course to be considered.</li> <li>If the student is not scheduled, 00.00 reports.</li> </ul> <p>Alphanumeric, 5 characters</p>	<p>System Administration &gt; Calendar &gt; Calendar &gt; Student Day</p> <p>GradeLevel.standardDay Calendar.studentDay</p>

Seq	Element Name	Description	Campus Location
22	<b>preKDaysPerYear</b>	<p>The number of Pre-K program days per year.</p> <ul style="list-style-type: none"> <li>The student must be in state grade level P3 or PK; otherwise, they report blank.</li> <li>To calculate this field, Campus reviews all enrollments for the student for the selected calendar/year. Then Campus counts 1 for each day that is marked as Instructional, School &amp; Attendance (Days tab) in which the student is scheduled that falls within the student's enrollment(s) start and end dates.</li> <li>Any day with a Day Event on the day that has a Standard Code of <b>99</b> in the Attribute/Dictionary (Day.eventType) is NOT counted.</li> </ul> <p>Alphanumeric, 20 characters</p>	N/A
23	<b>studentID</b>	<p>A code assigned and maintained by the local school district that is unique for each student in the district over time.</p> <p>Alphanumeric, 20 characters</p>	<p>Census &gt; People &gt; Demographics &gt; Person Identifiers &gt; Local Student Number</p> <p>Person.studentNumber</p>
24	<b>groupName</b>	This field reports blank.	N/A
25	<b>groupCode</b>	This field reports blank.	N/A

Seq	Element Name	Description	Campus Location
26	<b>migrant</b>	<p>Identifies a student who is or whose parent or spouse is a migratory agricultural worker and who has moved within the past 36 months across state or district boundaries to obtain temporary or seasonal employment. This field reports <b>Yes</b> or <b>No</b>.</p> <ul style="list-style-type: none"> <li>• <b>Y</b> reports when the Migrant checkbox is checked.</li> <li>• <b>N</b> reports when the Migrant checkbox is NOT checked.</li> </ul> <p>Alphanumeric, 1 character Y or N</p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Migrant</p> <p>Enrollment.migrant</p>
27	<b>giftedTalented</b>	<p>Indicates whether the student is considered Gifted.</p> <p>Alphanumeric, 2 characters</p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting Fields &gt; Gifted/Talented Status</p> <p>Enrollment.giftedTalented</p>
28	<b>homeless</b>	<p>Describes the student's homeless status. See the following table for the <a href="#">Homeless Codes</a> that report.</p> <p>Alphanumeric, 2 characters</p>	<p>Student Information &gt; General &gt; Enrollments &gt; State Reporting &gt; Homeless</p> <p>Enrollment.homeless</p>

Seq	Element Name	Description	Campus Location
29	<b>membershipDays</b>	<p>The total number of distinct membership days for the student in the calendar and school year being reported as of the effective date entered on the editor.</p> <p>Any day with a Day Event on the day that has a Standard Code of <b>99</b> in the Attribute/Dictionary (Day.eventType) is NOT counted.</p> <p><b>Override Logic:</b> Reports the Membership Days Override from the Enrollment tool. Otherwise, the calculation above is used.</p> <p>Alphanumeric, 3 characters</p>	Student Information > General > Enrollments > State Reported fields > Membership Days Override
30	<b>attendanceDays</b>	<p>The total number of instructional days a student has been present for the current school year.</p> <ul style="list-style-type: none"> <li>• Any day with a Day Event on the day that has a Standard Code of <b>99</b> in the Attribute/Dictionary (Day.eventType) is NOT counted.</li> <li>• Campus subtracts the total number of days absent from the membership days calculated in column 29. (Campus uses the enrollment start and end dates to determine the date range.)</li> <li>• When a student is assigned an</li> </ul>	Student Information > General > Enrollments > State Reported fields > Attendance Days Override

Seq	Element Name	Description Attendance Code with Status = A and	Campus Location
		<p>Excuse NOT = Blank or X, the student is considered absent for the period. When Present Minutes are entered onto a period where the student is marked Absent, the Present Minutes entered are subtracted from the absent period minutes.</p> <ul style="list-style-type: none"> <li>• From across the absent periods in the student's day, the student will report absent when the number of absent instructional minutes <math>\geq</math> the number of minutes entered on the Whole Day Absence (minutes) field on the Grade Levels tab.               <ul style="list-style-type: none"> <li>◦ If the Grade Levels field is blank, Campus uses the Whole Day Absence (minutes) field on the calendar tab.</li> <li>◦ If both fields are blank, the student's absent minutes must be <math>\geq</math> 240 minutes.</li> </ul> </li> <li>• When a Day Event is assigned to a Day with a Standard Code of SD Campus subtracts the "Inst. Minutes" entered on the Day Event from the "Whole Day Absence" field on the</li> </ul>	

Seq	Element Name	Grade Level Description (otherwise Calendar)	Campus Location
		<p>to determine the number of absent minutes required in order for the student to be counted as absent.</p> <ul style="list-style-type: none"> <li>◦ When the student's number of absent minutes <math>\geq</math> the determined Whole Day Absence value, the student must be reported Absent.</li> <li>◦ When the Whole Day Absence field on the Grade Levels tab and the Calendars tab are blank, the student's absent minutes must be <math>\geq</math> 240 minutes.</li> </ul> <ul style="list-style-type: none"> <li>• Campus uses the enrollment marked as P = Primary to determine what grade level attendance values to use. If more than one enrollment is primary, the enrollment with the most recent start date is used. If enrollments have the same start date, the enrollment with the highest enrollment ID is used.</li> </ul> <p><b>Override Logic:</b> Reports the Attendance Days Override from the Enrollment tool. Otherwise,</p>	

Seq	Element Name	Description the calculation above is used.	Campus Location
		Alphanumeric, 3 characters	
31	<b>immigrantStatus</b>	<p>Indicates the student's immigrant status.</p> <p>This field reports <b>Y</b> when</p> <ul style="list-style-type: none"> <li>• the Birth Country is NOT US or PR.</li> <li>AND</li> <li>• the Date Entered US School is less than or equal to 3 academic end years from the academic end year of the calendar selected on the extract editor</li> </ul> <p>Otherwise, <b>N</b> reports.</p> <p>Alphanumeric, 1 character</p>	<p>Census &gt; People &gt; Demographics &gt; Birth Country</p> <p>Census &gt; People &gt; Demographics &gt; Date Entered US School</p>
32	<b>militaryFamily</b>	<p>Indicates whether the student's parent(s) or legal guardian(s) are military personnel.</p> <p>This field reports <b>Y</b> when the student has an active Guardian relationship with a Military Connections record that includes the following:</p> <ul style="list-style-type: none"> <li>• Start Date &lt;= the extract Effective Date or is Null</li> <li>• End Date &gt;= the extract Effective Date or is Null</li> <li>• Status is one of the following: <ul style="list-style-type: none"> <li>◦ Active Duty, Deployed</li> <li>◦ Active Duty, Not Deployed</li> </ul> </li> </ul> <p>Otherwise, <b>N</b> reports.</p> <p>Alphanumeric, 1 character</p>	<p>Census &gt; People &gt; Military Connections</p>



Seq	Element Name	Description	Campus Location
33	<b>Title 1 Participation</b>	<p>Indicates whether a student is a Title I eligible to receive Title I services between September of the current year and August of the following year including summer activities.</p> <ul style="list-style-type: none"> <li>• If the school's Title 1 Program = Schoolwide Program, <b>Y</b> reports.</li> <li>• If the school's Title 1 Program = Targeted Assistance Program and the student has a Title 1 record active prior to or on the Effective Date of the extract editor, <b>Y</b> reports.</li> <li>• If the school's Title 1 Program = Targeted Assistance Program and the student does not have a Title 1 record active prior to or on the Effective Date of the extract editor, <b>N</b> reports. <ul style="list-style-type: none"> <li>◦ If a school history exists, Campus uses the most recent record that has an Effective Date &lt;= the Effective Date of the extract editor.</li> </ul> </li> <li>• Otherwise, <b>N</b> reports.</li> </ul> <p>Alphanumeric, 1 character</p>	<p>Student Information &gt; Program Participation &gt; Title I</p> <p>CustomStudent.value</p>

Seq	Element Name	Description	Campus Location
34	<b>Title 1 Program Type</b>	<p>The title 1 status is for the school.</p> <ul style="list-style-type: none"> <li>• If the school's Title 1 Program = Schoolwide Program <b>02</b> reports.</li> <li>• If the school's Title 1 Program = Targeted Assistance Program and the student has a Title 1 record active within the date range of the extract editor, <b>01</b> reports. <ul style="list-style-type: none"> <li>◦ If a school history exists Campus uses the most recent record that has an Effective Date &lt;= the Effective Date of the extract editor.</li> </ul> </li> <li>• Otherwise, this field reports blank.</li> </ul> <p>Alphanumeric, 2 characters</p>	<p>System Administration &gt; Resources &gt; School &gt; School History</p> <p>SchoolAttribute.title1</p>

Seq	Element Name	Description	Campus Location
35	<b>Truant</b>	<p>Determine dates of absences found based on the Attendance Days. Sum of unexcused absence minutes must be greater than or equal to Whole Day Absence on grade level/calendar.</p> <ul style="list-style-type: none"> <li>• Report Y if student has 10 or more unexcused absences</li> <li>• Reports Y if 4 or more unexcused absences occur within a 30 calendar day time frame.</li> <li>• N reports otherwise.</li> </ul> <p><b>Override Logic:</b> Reports the Truant Override from the Enrollment tool. Otherwise, the calculation above is used.</p>	Student Information > General > Enrollments > State Reported fields > Truant Override
36	<b>endOfRecordMarker</b>	<p>The letter <b>X</b> reports in this field to mark the end of each record.</p> <p>Alphanumeric, 1 character</p>	N/A

## Homeless Codes

Code	Description
0	Not homeless
1	Shelters
2	Doubled up
3	Unsheltered
4	Hotel/Motel
5	Other
6	Unknown
11	Shelters/Unaccompanied Youth

Code	Description
12	Doubled up/Unaccompanied Youth
13	Unsheltered/Unaccompanied Youth
14	Hotel/Motel//Unaccompanied Youth

---

## Previous Versions

[PSIS State Extract \(Connecticut\) \[.2207 and previous\]](#)

---