

ISBE Prenatal Extract (Illinois) [.2124 - .2219]

Last Modified on 10/22/2022 10:51 am CDT

You are viewing a previous version of this article. See [ISBE Prenatal Extract \(Illinois\)](#) for the most current information.

[Report Editor](#) | [Generate the Report](#) | [Prenatal Extract Layout](#)

Classic View: [IL State Reporting](#) > [ISBE Extracts](#) > [Prenatal](#)

Search Terms: ISBE Extracts

The ISBE Prenatal Extract reports students and non-students who have a Prenatal record. This is a district-wide extract; a calendar does not need to be selected in order to generate.

ISBE Prenatal Extract

Report Editor

The following fields are available for selection.

Field	Description
-------	-------------

Field	Description
Extract Type	Selection determines the extract that is generated. For this instance, select the Prenatal option.
Effective Date	Entered date is used to return current Prenatal Records for the report. This field automatically populates with the current date, but can be changed by entering a new date in <i>mm/dd/yyyy</i> format or by clicking the calendar icon to select a date. This date is required in order to generate the report. <ul style="list-style-type: none"> • If a Prenatal record has an end date before the effective date, that record is not included. • If a Prenatal record has an end date after the effective date or does not have an end date, that record is included.
File Identifier	Indicates the number attached to the end of the file name and is used to differentiate the file from other files generated.
Strip Apostrophes	When marked, the following marks are removed from student names and other reported data: <ul style="list-style-type: none"> • Apostrophes ('), Commas (,), Periods (.) • Umlaut (Ö) • Tilde (Ñ) • Grave Accents (Ò), Acute Accents (Ó) • Circumflex (Ô) <p>When not marked, these marks are not removed.</p>
Report Protected Identities	When marked, student identity information (last name, first name, etc.) reports from the Protected Identity Information fields.
Format	Determines how the report generates. Use the State Format (Comma Delimited) when submitting the report to the state. Use the HTML or Tab Delimited option when reviewing data prior to state submission.
Ad hoc	Select a saved ad hoc filter to use when generating this report. Only those students included in the filter will be returned on the report if they meet the reporting requirements.
Report Generation	The report can be generated immediately using the Generate Extract button. When there is a larger amount of data chosen (several calendars, large date range, etc.), use the Submit to Batch button, which allows the user to choose when the report is generated. See the Batch Queue article for more information.

Generate the Report

1. Select **Prenatal** from the **Extract Type** field.
2. Enter the **Effective Date** for the report.
3. Enter a **File Identifier**. This is a three digit number attached to the file name used to differentiate itself from other ISBE Demographic and Enrollment Extract files generated.

4. Mark the **Strip Apostrophes** checkbox, if desired.
5. If desired, mark the **Report Protected Identities** checkbox.
6. Select which **Format** to generate the report in. To preview information prior to submission to the state, use the HTML format. When submitting data to the state, use the State Format (Comma Delimited).
7. If desired, select an **Ad hoc Filter** from which to pull the student set.
8. Select the **Generate Extract** button or use the **Submit to Batch** option. The report will appear in a separate window in the designated format.

Header Records:1																
Report Name	Student Count	File Name					Date	RCDTS Code								
Prenatal	2	Prenatal_09045300026_07252019_001.txt					07/25/2019	090453000260000								

Prenatal Records:2																
prenatal ID	Mothers Legal First Name	Mothers Legal Middle Name	Mothers Legal Last Name	Mothers Maiden Name	Mothers Address	City in which mother resides	Zip code of city in which mother resides	Zip +4 code of city in which mother resides	Contact telephone number area code for mother	Contact telephone number prefix for mother	Contact telephone number suffix for mother	Mothers date of birth	Marital Status of Mother	Racial category which most clearly reflects the mother	RCDTS for Home School	RCDTS for Serving School
	Annabelle		Student	Student	111 Main Street	Any Town	60110					07/03/01		11	090453000260002	1902201140010
	Cleo		Student	Student	16298 Pine Road	Any Town	60110					05/08/02	01	16	090453000260002	090453000260002

ISBE Prenatal Extract - HTML Format

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
1	Prenatal	2	Prenatal_0	#####	9.05E+13									
2		Annabelle		Student	Student	111 Main S	Any Town	60110				7/3/2001		11 9.0
3		Cleo		Student	Student	16298 Pine	Any Town	60110				5/8/2002	1	16 9.0
4														

ISBE Prenatal Extract - State Format (Comma Delimited)

```

File Edit Format View Help
Report Name Student Count File Name Date RCDTS Code
Prenatal 2 Prenatal_09045300026_07252019_001.txt 07/25/2019 090453000260000
prenatal ID Mothers Legal First Name Mothers Legal Middle Name Mothers Legal Last Name Mothers Maiden Name Mothers Address City in which mother resides Zip code of c
Annabelle Student Student 111 Main Street Any Town 60110
Cleo Student Student 16298 Pine Road Any Town 60110
  
```

ISBE Prenatal Extract - Tab Delimited

Prenatal Extract Layout

Header Layout

Element	Description	Location
Report Name	The name of the extract being generated. Always reports a value of Prenatal.	N/A
Student Count	The total amount of records generated.	N/A

Element	Description	Location
File Name	EN + RCDT or District Name + _ + Date (mmddyyy)_File Identifier (i.e., Prenatal_310453000260_01302015_001.txt)	N/A
Date	The date the extract was generated.	N/A
RCDTS Code	The Region-County-District-Type-School code that uniquely identifies the school generating the extract. <i>RRCCDDDDDTSSSS, 15 characters</i>	System Administration > Resources > District Information > State District Number, Type, Region Number, County System Administration > Resources > School > State School Number District.districtID District.county District.region School.number

Extract Layout

Element	Description	Location
Prenatal ID	The identification number of the prenatal record. <i>Numeric, 9 digits</i>	Student Information > Program Participation > State Programs > Prenatal > Prenatal ID Prenatal.prenatalName
Mother's Legal First Name	The student's legal first name. When the Report Protected Identities checkbox is marked on the report editor, the student's first name reports from the Legal First Name field if populated. Only alphabetical characters (A-Z) are reported; non-alphabetical characters are removed (apostrophes, hyphens, etc.). <i>Alphabetical, 30 characters</i>	Census > People > Identity Information > First Name Identity.firstName Census > People > Identities > Protected Identity Information > Legal First Name Identity.legalFirstName

Element	Description	Location
Mother's Legal Middle Name	<p>The student's legal middle name.</p> <p>When the Report Protected Identities checkbox is marked on the report editor, the student's middle name reports from the Legal Middle Name field if populated.</p> <p>Only alphabetical characters (A-Z) are reported; non-alphabetical characters are removed (apostrophes, hyphens, etc.).</p> <p><i>Alphabetical, 30 characters</i></p>	<p>Census > People > Identity Information > Middle Name</p> <p>Identity.middleName</p> <hr/> <p>Census > People > Identities > Protected Identity Information > Legal Middle Name</p> <p>Identity.legalMiddleName</p>
Mother's Legal Last Name	<p>The student's legal last name.</p> <p>When the Report Protected Identities checkbox is marked on the report editor, the student's last name reports from the Legal Last Name field if populated.</p> <p>Only alphabetical characters (A-Z) are reported; non-alphabetical characters are removed (apostrophes, etc.).</p> <p><i>Alphabetical, 30 characters</i></p>	<p>Census > People > Identity Information > Last Name</p> <p>Identity.lastName</p> <hr/> <p>Census > People > Identities > Protected Identity Information > Legal Last Name</p> <p>Identity.legalLastName</p>
Mother's Maiden Name	<p>The student's mother's maiden name (used for eliminating multiples when matching).</p> <p>Only alphabetical characters (A-Z) are reported; non-alphabetical characters are removed (apostrophes, hyphens, etc.).</p> <p><i>Alphabetical, 30 characters</i></p>	<p>Census > People > Demographics > Person Information > Mother's Maiden Name</p> <p>Identity.motherMaidenName</p>
Mother's Address	<p>The student's current primary address.</p> <p><i>Alphanumeric, 50 characters</i></p>	<p>Census > People > Households > Address > Number, Tag, Street, Direction</p> <p>Address.number Address.street Address.tag Address.direction</p>

Element	Description	Location
City in which Mother Resides	The city of the mother's primary address. <i>Alphanumeric, 30 characters</i>	Census > People > Households > Address > City Address.city
Zip code of city in which mother resides	The first five digits of the student's primary address. <i>Numeric, 5 digits</i>	Census > People > Households > Address > Zip Address.zip
State name in which mother resides	Reports the current state in which the mother resides. <i>Alphabetic, 2 characters</i>	Census > People > Households > Address > State Address.state
Zip + 4 of city in which mother resides	The last four digits of the zip code of the student's primary address. <i>Numeric, 4 digits</i>	Census > People > Households > Address > Zip Address.zip
Contact telephone number area code for mother	The area code of the mother's phone number. Reports first from the cell phone; if not populated, reports from Other Phone, then Work Phone, then Pager. <i>Numeric, 3 digits</i>	Census > People > Demographics > Personal Contact Information > Cell Phone Contact.cellPhone
Contact telephone number prefix for mother	The prefix of the mother's phone number (three digits after the area code). Reports first from the cell phone; if not populated, reports from Other Phone, then Work Phone, then Pager. <i>Numeric, 3 digits</i>	Census > People > Demographics > Personal Contact Information > Cell Phone Contact.cellPhone
Contact telephone number suffix for mother	The last four digits of the mother's phone number (three digits after the area code). Reports first from the cell phone; if not populated, reports from Other Phone, then Work Phone, then Pager. <i>Numeric, 4 digits</i>	Census > People > Demographics > Personal Contact Information > Cell Phone Contact.cellPhone

Element	Description	Location
Date of Birth	<p>The student's date of birth.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Census > People > Demographics > Person Information > Birth Date</p> <p>Identity.birthDate</p>
Marital Status of Mother	<p>Indicates whether the student is married, has ever been married, etc.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information > Program Participation > State Programs > Prenatal > Marital Status of Mother</p> <p>Prenatal.motherMaritalStatus</p>
Racial category which most clearly reflects the mother	<p>The student's race ethnicity.</p> <p>If the Is the Individual Hispanic/Latino? = Yes and all other race ethnicity checkboxes are NULL or No, a value of 11 is reported.</p> <p>If the Is the Individual Hispanic/Latino? = Yes and any other race ethnicity checkbox is selected, a value of 11 is reported.</p> <p>If the Is the Individual Hispanic/Latino? = No and any combination of two or more race ethnicity checkboxes are selected, a value of 17: Two or More Races is reported</p> <p>If the Is the Individual Hispanic/Latino? = No and only one other race ethnicity checkbox is selected, the following is reported:</p> <ul style="list-style-type: none"> • American Indian or Alaska Native = 12 • Asian = 13 • Black or African American = 14 • Native Hawaiian or Other Pacific Islander = 15 • White = 16 <p><i>Numeric, 2 digits</i></p>	<p>Census > People > Demographics > Person Information > Race Ethnicity</p> <p>Identity.raceEthnicity</p>

Element	Description	Location
RCDTS Home School	<p>The Region-County-District-Type-School code that uniquely identifies the elementary, middle/junior, or high school the student attends or would attend if not placed/transferred to another school/program to receive needed services.</p> <p>If the mother is not a student and does not have an enrollment record, this reports from the Home School field on the Prenatal record.</p> <p><i>RRCCDDDDDTTSSSS, 15 characters</i></p>	<p>Student Information > General > Enrollments > State Reporting Fields > Home School</p> <p>District.districtID District.county District.region School.number Enrollment.resident School Enrollment.resident District</p> <hr/> <p>Student Information > Program Participation > State Programs > Prenatal > Home School</p> <p>Prenatal.homeSchool</p>
RCDTS Serving School	<p>The Region-County-District-Type-School code that uniquely identifies the school/program where a student is being educated.</p> <p>If the mother is not a student and does not have an enrollment record, this reports from the Serving School field on the Prenatal record.</p> <p><i>RRCCDDDDDTTSSSS, 15 characters</i></p>	<p>System Administration > Resources > District Information > State District Number, Type, Region Number, County</p> <p>System Administration > Resources > School > State School Number</p> <p>Student Information > General > Enrollment > State Reporting Fields > Home School, Home District</p> <p>District.districtID District.county District.region School.number Enrollment.serving School</p> <hr/> <p>Student Information > Program Participation > State Programs > Prenatal > Serving School</p> <p>Prenatal.servingSchool</p>

Element	Description	Location
Date Prenatal Services Started	<p>Reports the date the mother began receiving prenatal services.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Student Information > Program Participation > State Programs > Prenatal > Prenatal Services Start Date</p> <p>Prenatal.startDate</p>
Due Date	<p>Reports the estimated due date of the baby.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Student Information > Program Participation > State Programs > Prenatal > Delivery Due Date</p> <p>Prenatal.deliveryDueDate</p>
Prenatal Exit Reason	<p>Indicates the reason the mother stopped receiving prenatal services.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information > Program Participation > State Programs > Prenatal > Prenatal Services Exit Reason</p> <p>Prenatal.exitReason</p>
Exit Date	<p>Reports the date the mother stopped receiving prenatal services.</p> <p><i>Date field, 10 characters (MM/DD/YYYY)</i></p>	<p>Student Information > Program Participation > State Programs > Prenatal > Prenatal Services Exit Date</p> <p>Prenatal.endDate</p>
Total Number of Home Visits During the Year	<p>Indicates the number of home visits the mother received during the year.</p> <p><i>Numeric, 3 digits</i></p>	<p>Student Information > Program Participation > State Programs > Prenatal > Number Home Visits in Year</p> <p>Prenatal.numHomeVisits</p>
Total Number of Parent Groups or Sessions Attended During the Year	<p>Indicates the number of parent groups the mother attended during the year.</p> <p><i>Numeric, 3 digits</i></p>	<p>Student Information > Program Participation > State Programs > Prenatal > Number Parent Groups in Year</p> <p>Prenatal.numParentGroups</p>
Number of Birthed Children	<p>Reports the total number of children the mother has.</p> <p><i>Numeric, 2 digits</i></p>	<p>Student Information > Program Participation > State Programs > Prenatal > Number of Birthed Children</p> <p>Prenatal.numBirthedChildren</p>

Element	Description	Location
Where mother delivered child	Indicates where the baby was delivered (hospital, at home, etc.). <i>Alphanumeric, 30 characters</i>	Student Information > Program Participation > State Programs > Prenatal > Place of Delivery Prenatal.placeOfDelivery
Town or city where mother delivered child	Indicates the city where the baby was delivered. <i>Alphanumeric, 30 characters</i>	Student Information > Program Participation > State Programs > Prenatal > Town or City of Delivery Prenatal.townOrCityOfDelivery
State where mother delivered child	Indicates the state in which the baby was delivered (IL, etc.). <i>Alphabetic, 2 characters</i>	Student Information > Program Participation > State Programs > Prenatal > State of Delivery Prenatal.stateOfDelivery
County where mother delivered child	Indicates the county in which the baby was delivered. <i>Alphanumeric, 30 characters</i>	Student Information > Program Participation > State Programs > Prenatal > County of Delivery Prenatal.countyOfDelivery
Prenatal care start Trimester	Indicates during which pregnancy trimester the mother began receiving services. <i>Numeric, 2 digits</i>	Student Information > Program Participation > State Programs > Prenatal > Prenatal Care Start Trimester Prenatal.prenatalCareStartTrimester
Delivery Date	Reports the actual delivery date of the baby. <i>Date field, 10 characters (MM/DD/YYYY)</i>	Student Information > Program Participation > State Programs > Prenatal > Actual Delivery Date Prenatal.actualDeliveryDate
Mother's SID	Reports the student ID of the mother. If the mother is not a student, this field reports blank. <i>Numeric, 9 digits</i>	Census > People > Demographics > Person Identifiers > State ID Person.studentStateID